

B.M.

Ab. 27c.

O.

B.

Meyrick Types of Microlepidoptera
in the British Museum (Natural History)
London

Catalogue
of the
Type Specimens of Microlepidoptera
in the
British Museum (Natural History)
described by Edward Meyrick

BY

J. F. Gates Clarke

*Smithsonian Institution
formerly with the
Entomology Research Branch,
Insect Identification and
Parasite Introduction Section,
U.S. Department of Agriculture*



VOLUME I

TIMYRIDAE

HYPONOMEUTIDAE

ETHMIIDAE

METACHANDIDAE

COSMOPTERIGIDAE

WALSHIIDAE

BLASTODACNIDAE

SCYTHRIDAE

LONDON
TRUSTEES OF
THE BRITISH MUSEUM (NATURAL HISTORY)
1965




Issued March 1965

© Trustees of the British Museum (Natural History) 1965

PRINTED AND BOUND IN GREAT BRITAIN BY
STAPLES PRINTERS LIMITED AT THEIR KETTERING, NORTHANTS, ESTABLISHMENT
BLOCKS BY V. SIVITER SMITH & CO. LTD., BIRMINGHAM

FAMILY TIMYRIDAE

- FAMILY HYPONOMEUTIDAE . . . see p. 259
- FAMILY ETHMIIDAE see p. 417
- FAMILY METACHANDIDAE see p. 439
- FAMILY COSMopterigidae see p. 473
- FAMILY WALSHIIDAE see p. 555
- FAMILY BLASTODACNIDAE see p. 563
- FAMILY SCYTHRIDAE see p. 573



ALCIPHANES

ALCIPHANES Meyrick

Alciphanes Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 207 (*Typus generis* : *Tingentera molybdantha* Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 454 [by original designation]).

Alciphanes molybdantha (Meyrick)

Plate 1, Figures 1-1b

Tingentera molybdantha Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 454.

"♂. 14 mm. . . . Pattipola (6,200 feet), Ceylon, in September; one specimen (*Fletcher*)."

Type : 'The above indicated male, without abdomen, dated " 16.9.06."

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus.

ANAXYRINA Meyrick

Anaxyrina Meyrick, 1918, Exotic Microlepidoptera, 2 : 98. (*Typus generis* : *Anaxyrina cyanopa* Meyrick, l.c., p. 99 [monotypy]).

Anaxyrina cyanopa Meyrick

Plate 2, Figures 1–1c

Anaxyrina cyanopa Meyrick, 1918, Exotic Microlepidoptera, 2 : 99.


“♂. 12–13 mm. . . . Coorg, Dibidi, 3,500 feet, in November (*Newcome*); two specimens.”

Lectotype : ♂, 12 mm., “Dibidi, N. Coorg. LN. .14.” Slide No. 8927. The second specimen, without abdomen, is dated “20.11.06.”


Figure 1, right wings (image reversed); 1a, venation of right wings; 1b, aedeagus; 1c, ventral view of male genitalia with aedeagus removed.

ANTIOCHTHA Meyrick


See Gasmara Walker.



ANAXYRINA



1




1a



1b



1c



1d

ASMENISTIS

ASMENISTIS Meyrick

Asmenistis Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 241. (*Typus generis* : *Lecithocera cucullata* Meyrick, 1914, Exotic Microlepidoptera, 1 : 199 [by original designation]).

Asmenistis cucullata (Meyrick)

Plate 3, Figures 1-1d

Lecithocera cucullata Meyrick, 1914, Exotic Microlepidoptera, 1 : 199.

“♂. 14 mm. . . . Portuguese East Africa, E. of Mt. Mlanje, in November (Neave); one specimen. Type in British Museum.”

Type : The male so marked in the British Museum, “Port. E. Africa. E. of Mt. Mlanje, 28.XI.1913 S. A. Neave.” A small white label bears the inscription, “M127.” A third label, in Meyrick’s hand, reads, “*Lecithocera cucullata* Meyr. type.” Slide No. 9160.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

ATHYMORIS Meyrick

Athymoris Meyrick, 1935, Exotic Microlepidoptera, 4 : 564. (*Typus generis* : *Athymoris martialis* Meyrick, ibid. [monotypy]).

Athymoris martialis Meyrick


Plate 4, Figures 1-1d

Athymoris martialis Meyrick, 1935, Exotic Microlepidoptera, 4 : 564.


“♂. 17 mm. . . . Formosa, Mt. Pinansyusan, August (*Prof. S. Issiki*); 1 ex.”

Type : The male denoted above dated “.8.34.” Slide No. 8903.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1



1a



1b




1c




1d

ATHYMORIS



1


1b



1a



1c



1d

BRACHYERGA

BRACHYERGA Meyrick

Brachyerga Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 235. (*Typus generis* : *Lecithocera hemiacma* Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 448 [by original designation]).

Brachyerga hemiacma (Meyrick)

Plate 5, Figures 1-1d

Lecithocera hemiacma Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 448.

"♂. 12 mm. . . . Borneo, Kuching (*Hewitt*); in October, one specimen."

Type : The above indicated male, "Kuching, Borneo. JH. .10.07." Slide No. 8923.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

CARODISTA Meyrick

Carodista Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 224. (*Typus generis* : *Homaloxestis flagitiosa* Meyrick, 1914, Exotic Microlepidoptera, 1 : 198 [by original designation]).

Carodista flagitiosa (Meyrick)


Plate 6, Figures 1-1d

Homaloxestis flagitiosa Meyrick, 1914, Exotic Microlepidoptera, 1 : 198.



“♂. 14 mm. . . . Nyassaland, Mt. Mlanje, in November (*Neave*); one specimen. Type in British Museum.”

Type : The male so marked in the British Museum, “Mt. Mlanje, Nyassaland. 15.xi.1913. S. A. Neave.” A small white label reads, “M36.” A third label, in Meyrick's hand reads, “*Homaloxestis flagitiosa* Meyr. type.” Slide No. 9130.

Figure 1, left wings; 1a, venation of right wings; 1b, oblique view of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



CARODISTA



COPHOMANTIS

COPHOMANTIS Meyrick

Cophomantis Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 242. (*Typus generis* : *Onebala elaphopis* Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 459 [by original designation]).

Cophomantis elaphopis (Meyrick)

Plate 7, Figures 1-1d

Onebala elaphopis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 459.

"♂♀. 18-20 mm. . . Khasis, from May to September; eight specimens."

Lectotype : ♂, 18 mm., "Khasi Hills, Assam. .5.1907." Slide No. 8911.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Cophomantis bythota (Meyrick)

Plate 8, Figures 1-1b

Onebala bythota Meyrick, 1916, Exotic Microlepidoptera, 1 : 576.

“ ♂. 18 mm. . . . Gold Coast, Aburi (*Patterson*); one specimen. Type in British Museum.”

Type : The male so marked in the British Museum, “ Aburi, Gold Coast. 1912. *Patterson*.” A second label bears the inscription, “ M895.” Slide No. 9157.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Cophomantis eremota (Meyrick)

Plate 8, Figures 2-2b

Onebala eremota Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 706.

“ ♂♀. 15-17 mm. . . . Matale, Ceylon (*Pole*); in April and August, two specimens. Closely allied to *myadelpha*, . . .”

Lectotype : ♂, 15 mm., “ Matale, Ceylon. JP. .4.04.” Slide No. 8913.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Cophomantis lysimopa Meyrick

Plate 8, Figures 3-3b

Cophomantis lysimopa Meyrick, 1933, Exotic Microlepidoptera, 4 : 357.

“ ♂. 16 mm. . . . Bombay, Mahableshwar, May (*R. Maxwell*); 1 ex.”

Type : The male indicated above, dated, “ 4.5.31.” Slide No. 8909.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Cophomantis myadelpha (Meyrick)

Plate 8, Figures 4-4b

Onebala myadelpha Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 459.

“ ♂♀. 15-19 mm. . . . N. Coorg, 3,500 feet (*Newcome*); Nilgiris, 3,500-6,000 feet (*Andrewes*); Khasis; from March to May, in August and December; ten specimens.”

Lectotype : ♂, 17 mm., “ Khasi Hills, Assam. .3.1907.” Slide No. 8912.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1



1a




1b




2



2a



2b




3



3a



3b



4




4a



4b

COPHIOMANTIS




1



1a




1b



2



2a



2b



3

COPHOMANTIS

Cophomantis osphrantica Meyrick

Plate 9, Figures 1-1b

Cophomantis osphrantica Meyrick, 1929, Exotic Microlepidoptera, 3 : 525.

"♂. 16 mm. . . . Madras, Palnis (*Campbell*); 1 ex. Distinguished . . . by antennae."

Type : The above indicated male, "Palni Hills, S. India. *Campbell*." Slide No. 8910.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Cophomantis pumicata Meyrick

Plate 9, Figures 2-2b

Cophomantis pumicata Meyrick, 1929, Exotic Microlepidoptera, 3 : 525.

"♂. 11 mm. . . . Bombay, Poona, January (*Maxwell*); 1 ex."

Type : The above indicated male dated "14.1.22." Slide No. 8914.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Cophomantis syngonarcha Meyrick

Plate 9, Figure 3

Cophomantis syngonarcha Meyrick, 1926, Exotic Microlepidoptera, 3 : 290.

"♂. 28 mm. . . . Uganda, Masaka, December (*Wilkinson*); 1 ex. (Brit. Mus.). Near *crypsiszyga*."

Type : The male, without abdomen, so marked in the British Museum, "Masaka, 20.XII.23. H.W." A second label reads, "Uganda. H. Wilkinson." A third label bears the inscription "M1262."

Figure 3, left wings.

CROCANTHES Meyrick

Crocantes cleomorpha Meyrick

Plate 10, Figures 1-1c

Crocantes cleomorpha Meyrick, 1931, *Exotic Microlepidoptera*, 4 : 74.

"♀. 16 mm. . . . British New Guinea, Hydrographer Mts., 2,500 feet, March (Eichhorn); 1 ex. (Coll. Paravicini). Allied to *heliograptus*."

Type : The female so marked in the British Museum, "Hydrographer Mts., Brit. N. G. 2,500 feet, Mrch. 1918. (Eichhorn Bros.). A small white label reads, "M554." Slide No. 9138.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signum; 1c, detail of ostium.

Crocantes fallax Durrant

Plate 10, Figures 2-2b

Crocantes fallax Durrant, 1915, in Rothschild and Durrant, *Lepidoptera of the British Ornithologists' Union and Wollaston expedition in the Snow Mountains, south-eastern Dutch New Guinea*, 164.

Crocantes monodesma Meyrick, 1931, *Exotic Microlepidoptera*, 4 : 73 (new synonymy).
[monodesma]

"♂. 19 mm. . . . Dutch New Guinea, Upper Setekwa R., Snow Mts., 2,500 feet, July (Meek); 1 ex. (Coll. Paravicini)."

Type : The male so marked in the British Museum, "Upper Setekwa R., Snow Mts., Dutch N. G., 2-3,000 ft., July, 1910 (A. S. Meek)." A small white label reads, "M597." Slide No. 9145.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Crocantes heliograptus Meyrick

Plate 10, Figures 3-3b

Crocantes heliograptus Meyrick, 1929, *Exotic Microlepidoptera*, 3 : 520.

"♂. 17 mm. . . . New Guinea, Dampier Is., February (Meek); 1 ex. (Coll. Paravicini) . . . nearest *pyrochorda*."

Type : The male so marked in the British Museum, "Kartar, Dampier Is. n. New Guinea Feb. 1914. Meek." A small white label reads "M116." Slide No. 9143. The abdomen was glued on but is apparently the correct one.

Figure 3, left wing; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

[continued on p. 24.]




1




1a



1b



1c




2



2a



2b




3



3a



3b



4




4a




4b




1



2



3



4



2a




2b



4c



2c



3a



3b



4a



4b

Crocanthes ignigera Meyrick

Plate 11, Figure 1

Crocanthes ignigera Meyrick, 1938, Trans. Royal Ent. Soc. London, 87 : 513.

"♂. 17 mm. . . . Mafulu, 4,000 feet, December. 1 ex."

Type : The male, without left hind wing or abdomen, so marked in the British Museum, "Papua, Mafulu, 4,000 ft., XII.1933. L. E. Cheesman." A small white label bears the inscription "C125."

Figure 1, right wings (image reversed).

Crocanthes monodesma Meyrick*See* : *Crocanthes fallax* Durrant.*Crocanthes phaeograptia* Meyrick

Plate 11, Figures 2-2c

Crocanthes phaeograptia Meyrick, 1931, Exotic Microlepidoptera, 4 : 75."♂. 12 mm. . . . British New Guinea, Kumusi R. (Meek); 1 ex. (Coll. Paravicini). Has the aspect of a small *Pyraustid*."*Type* : The female, erroneously recorded as a male, so labelled in the British Museum, "Kumusi R., N. E. Brit. N. Guin., low elev., V.-IX.1907. A. S. Meek." A small white label bears the inscription "M592." Slide No. 9139.

Figure 2, left wings; 2a, ventral view of female genitalia, 2b, signum; 2c, detail of genital plate and ostium.

Crocanthes phoenoteles Meyrick

Plate 11, Figures 3-3b

Crocanthes phoenoteles Meyrick, 1929, Exotic Microlepidoptera, 3 : 519."♀. 16 mm. . . . British New Guinea, Kumusi R., 1 ex. (Coll. Paravicini). Nearest *rhodantha*. . . ."*Type* : The female so marked in the British Museum, "Kumusi R. B. N. Guinea. A. S. Meek." A small white label reads, "M98." Slide No. 9142.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium.

Crocanthes platycitra Meyrick

Plate 11, Figures 4-4c

Crocanthes platycitra Meyrick, 1931, Exotic Microlepidoptera, 4 : 73.

"♀. 20 mm. . . . British New Guinea, Biagi, Mambare R., 5,000 feet (Meek); 1 ex. (Coll. Paravicini)."

Type : The female so marked in the British Museum, "Biagi, Mambare R., 5,000 feet B.N.G. I.-IV.06 (A. S. Meek)." A small white label bears the inscription "M500." Slide No. 9144.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of genital plate and ostium; 4c, signum.

Crocantthes thalamectis Meyrick

Plate 12, Figures 1-1b

Crocantthes thalamectis Meyrick, 1929, Exotic Microlepidoptera, 3 : 521.

"♂. 15 mm. . . . British New Guinea, Kumusi R. (*Meek*); 1 ex. (Coll. Paravicini). A peculiar form of the genus."

Type : The male so marked in the British Museum, "Kumusi R., B. N. Guinea. A. S. Meek." A small white label reads, "M122." Slide No. 9137.

Figure 1, left wings; 1a aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Crocantthes xanthistia Meyrick

Plate 12, Figures 2-2c

Crocantthes xanthistia Meyrick, 1931, Exotic Microlepidoptera, 4 : 73.

"♀. 16 mm. . . . Dutch New Guinea, Upper Setekwa R., Snow Mts., August (*Meek*); 1 ex. (Coll. Paravicini)."

Type : The female so marked in the British Museum, "Upper Setekwa R., Snow Mts., Dutch N. G., 2-3,000 ft., Aug. 1910. (A. S. Meek)." A small white label reads "M551." Slide No. 9140.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of ostium.

Continued from p. 20.

Crocantthes hemipyra Meyrick


Plate 10, Figures 4-4b

Crocantthes hemipyra Meyrick, 1938, Trans. Royal Ent. Soc. London, 87 : 513.


"♂. 17 mm. . . . Kokoda, 1,200 feet, April. 2 ex."

Type : The male so marked in the British Museum, "Papua, Kokoda. 1,200 feet, VI-VII.1933. L. E. Cheesman." A small white label bears the inscription, "C172." Slide No. 9141.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



CROCANTHES



1



1a



1b



1c



1d

CROCOGMA

CROCOGMA Meyrick

Crocogma Meyrick, 1918, Exotic Microlepidoptera, 2 : 100. (*Typus generis* : *Crocogma isocola* Meyrick, ibid. [monotypy]).

Crocogma isocola Meyrick

Plate 13, Figures 1-1d

Crocogma isocola Meyrick, 1918, Exotic Microlepidoptera, 2 : 100.

“♂. 12 mm. . . . Assam, Khasis, in March and April; two specimens.”

Lectotype : ♂, “Khasi Hills, Assam .4.1907.” Slide No. 8731.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior aspect of head showing palpi; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

CYNICOCRATES Meyrick

Cynicocrates Meyrick, 1935, Exotic Microlepidoptera, 4 : 565. (*Typus generis* : *Cynicocrates tachytoma* Meyrick, l.c., p. 566 [monotypy]).

Cynicocrates tachytoma Meyrick



Plate 14, Figures 1-1b

Cynicocrates tachytoma Meyrick, 1935, Exotic Microlepidoptera, 4 : 566.


“ ♀. 11 mm. . . . Formosa, Tikusiko, September (*Prof. S. Issiki*); 1 ex.”

Type : The above indicated female, without abdomen, dated “ 9.9.33.”


Figure 1, left wings; 1b, venation of right wings; 1c, lateral aspect of head to show palpus.



CYNICOCRATES



1




1a



1b



1c



1d

CYNICOSTOLA

CYNICOSTOLA Meyrick

Cynicostola Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 230. (*Typus generis* : *Onebala pogonias* Meyrick, 1923, Exotic Microlepidoptera, 3 : 43 [by original designation]).

Cynicostola pogonias (Meyrick)

Plate 15, Figures 1-1d

Onebala pogonias Meyrick, 1923, Exotic Microlepidoptera, 3 : 43.

“♂. 18 mm. . . . S. India, Nilgiris, 3,500 feet, March (*Andrewes*); 1 ex. . . . extremely like *foederalis*, . . .”

Type : The above indicated male, “Nilgiri Hills, S. India. H.L.A. 3,500'. .3.07.” Slide No. 8091.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus (third segment broken off); 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

DELTOPLASTIS Meyrick

Deltoplastis Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 228. (*Typus generis* : *Onebala ocreata* Meyrick, 1910, Journ. Bombay Nat Hist. Soc., 20 : 451 [by original designation]).

Deltoplastis ocreata (Meyrick)


Plate 16, Figures 1-1e

Onebala ocreata Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 451.





“ ♂. 22 mm. . . Palni Hills (*Campbell*); one specimen.”

Type : The above indicated female, “ Palni Hills, S. India. *Campbell*.” Slide No. 8877.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, signum; 1d, ventral view of female genitalia; 1e, detail of genital plate and ostium.



DELTOPLASTIS



Deltoplastis acrophanes (Meyrick)

Plate 17, Figures 1-1b

Onebala acrophanes Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 457.

"♂♀. 16-20 mm. . . . Maskeliya and Patipola, Ceylon, throughout the year (*Pole, Alston*); twelve specimens."

Lectotype : ♂, 17 mm., "Maskeliya, Ceylon. *Pole*. .3.04." Slide No. 8886.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Deltoplastis balanitis (Meyrick)

Plate 17, Figures 2-2c

Onebala balanitis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 452.

"♂♀. 26-27 mm. . . . Palni Hills (*Campbell*); two specimens."

Lectotype : ♀, 27 mm., "Palni Hills, S. India. *Campbell*." Slide No. 8879.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of genital plate and ostium.

Deltoplastis byssina (Meyrick)

Plate 17, Figures 3-3b

Onebala byssina Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 457.

"♂. 19 mm. . . . Maskeliya, Ceylon (*Pole*); in June, one specimen."

Type: The male denoted above, dated ".1.06." Slide No. 8885. The discrepancy in date is, no doubt, due to a *lapsus* since all other details agree.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Deltoplastis caduca (Meyrick)

Plate 17, Figures 4-4b

Onebala caduca Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 454.

"♂♀. 14-15 mm. . . . Khasis, in July; two specimens."

Lectotype : ♂, 15 mm., "Khasi Hills, Assam. .7.1906." Slide No. 8883. The abdomen of the female is missing.

Figure 4, left wing; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Deltoplastis causicida (Meyrick)

Plate 18, Figures 1-1c

Onebala causicida Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 451.

“ ♀. 20 mm. . . Khasis, in April; two specimens.”

Lectotype : One of the above indicated females both of which are labelled, “ Khasi Hills, Assam. .4.1906.” Slide No. 8876.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signum; 1c, detail of genital plate and ostium.

Deltoplastis clerodotis (Meyrick)

Plate 18, Figures 2-2b

Onebala clerodotis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 450.

“ ♂♀. 13-14 mm. . . Kandy and Maskeliya, Ceylon (*Green, Alston*); from July to October, four specimens.”

Lectotype : ♂, 13 mm. [barely!] “ Kandy, Ceylon. Green. 8.06.” Slide No. 8892.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Deltoplastis coercita (Meyrick)

Plate 18, Figures 3-3c

Onebala coercita Meyrick, 1923, Exotic Microlepidoptera, 3 : 42.

“ ♀. 12-13 mm. . . Coorg, Dibidi, 3,500 feet, February, April (*Newcome*); 2 ex.”

Lectotype : ♀, 12 mm., “ Dibidi, N. Coorg. LN. 3.4.10.” Slide No. 8873.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Deltoplastis commatopa Meyrick

Plate 18, Figures 4-4c

Deltoplastis commatopa Meyrick, 1932, Exotic Microlepidoptera, 4 : 205.

“ ♀. 21 mm. . . Formosa, Kuraru, March (*S. Issiki*); 1 ex. Closely similar to *causicida*, . . .”

Type : The above indicated female dated “ 20.3.26.” Slide No. 8875.

Figure 4, left wings; 4a, signum; 4b, detail of genital plate and ostium; 4c, ventral view of female genitalia.




1



2



3



4

1a



1b



1c



2a



2b




2c



3b




3c



3a



3b



4a




4b



4c



DELTOPLASTIS



DELTOPLASTIS

Deltoplastis commodata (Meyrick)

Plate 19, Figures 1-1c

Onebala commodata Meyrick, 1923, Exotic Microlepidoptera, 3 : 44.

“ ♀. 15 mm. . . . Ceylon, Maturatta, March (*Pole*); 2 ex.”

Lectotype : ♀, Maturatta, Ceylon. JP. .3.04.” Slide No. 8889. The second specimen is labelled only, “ Ceylon. JP. .04.”

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signum; 1c, detail of genital plate and ostium.

Deltoplastis cremnaspis (Meyrick)

Plate 19, Figures 2-2b

Onebala cremnaspis Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 598.

“ ♂. 21-22 mm. . . . Two specimens, Maskeliya, Ceylon, in February (*Pole*).”

Lectotype : ♂, 22 mm., “ Maskeliya, Ceylon. Pole. .2.03.” Slide No. 8882.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Deltoplastis figurata (Meyrick)

Plate 19, Figures 3-3b

Onebala figurata Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 453.

“ ♂. 17-18 mm. . . . Maskeliya, Ceylon (*Pole, Green*); in June, July, December and January; five specimens.”

Lectotype : ♂, 18 mm., “ Maskeliya, Ceylon. Pole. .1.06.” Slide No. 8881. Although Meyrick records only the ♂ sex, three of the specimens are . . .

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Deltoplastis gypsopeda Meyrick

Plate 19, Figures 4-4b

Deltoplastis gypsopeda Meyrick, 1934, Exotic Microlepidoptera, 4 : 514.

“ ♂, 14 mm. . . . W. China, Mt. Omei, 4,000 feet, August (*Franck*); 1 ex. Nearest *scapulosa* Meyr.”

Type : The above indicated male, dated “.8.32.” Slide No. 8874.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Deltoplastis horistis (Meyrick)

Plate 20, Figures 1-1b

Onebala horistis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc. 20 : 452.

“♂. 21 mm. . . . Khasis, in July; one specimen.”

Type : The male denoted above, “Khasi Hills, Assam. .7.1906.” Slide No. 8878.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Deltoplastis leptobrocha (Meyrick)

Plate 20, Figure 2

Onebala leptobrocha Meyrick, 1923, Exotic Microlepidoptera, 3 : 44.

“♂. 14 mm. . . . Coorg, Dibidi, 3,500 feet, August (*Newcome*); 1 ex.”

Type : The above indicated male, without abdomen, “Dibidi, N. Coorg. LN. 28.8.08.”

Figure 2, left wings.

Deltoplastis propensa (Meyrick)

Plate 20, Figures 3-3b

Onebala propensa Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 456.

“♂. 20 mm. . . . Patipola, Ceylon (*Alston*); in April; one specimen.”

Type : The above indicated male dated “.4.06.” Slide No. 8884.


Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.




1



1a



1b




2



3




3a



3b

DELTOPLASTIS



1



2



3



1a




2a



3a



1b



2b



3b

DELTOPLASTIS

Deltoplastis scopulosa (Meyrick)

Plate 21, Figures 1-1b

Onebala scopulosa Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 450.

"♂♀. 14-15 mm. . . . N. Coorg, 3,500 feet (*Newcome*); in July, October and November, four specimens."

Lectotype : ♂, 14 mm., "Dibidi, N. Coorg. *Newcome*. 9.7.06." Slide No. 8888.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Deltoplastis straminicornis (Meyrick)

Plate 21, Figures 2-2b

Onebala straminicornis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 453.

"♂♀. 18-20 mm. . . . Maskeliya, Ceylon (*Alston, de Mozbray*), in April and October; two specimens."

Lectotype : ♀, 20 mm., "Maskeliya, Ceylon. *Alston*. 10.06." Slide No. 8880. The abdomen of the male is missing.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium.

Deltoplastis tetradelta (Meyrick)

Plate 21, Figures 3-3b

Antiochtha tetradelta Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 150.

"♂. 20 mm. . . . One specimen, Maskeliya, Ceylon, in October (*de Mozbray*)."

Type : The male denoted above, dated "10.04." Slide No. 8893.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

DINOCHARES Meyrick

Dinochares Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 205. (*Typus generis* : *Tingentera conotoma* Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 453. [by original designation]).

Dinochares conotoma (Meyrick)

Plate 22, Figures 1-1d

Tingentera conotoma Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 453.


“ ♂♀. 14-17 mm. . . . Maskeliya, Kandy, Maturatta, Diyatalawa, Ceylon, from January to April, in July and September; eight specimens (*Pole, Green, Fletcher*).”

Lectotype : ♂, 17 mm., “ Maskeliya, Ceylon, Pole. .1.06.” Slide No. 8675.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1




1a



1b




1c




1d


DINOCHARES



l



la



lb



lc



ld

DOLICHOTORNA

DOLICHOTORNA Meyrick

Dolichotorna Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 438. (*Typus generis* : *Dolichotorna tholias* Meyrick, l.c., 439 [monotypy]).

Dolichotorna tholias Meyrick

Plate 23, Figures 1-1d

Dolichotorna hotlias [sic!] Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 349.

"♂♀. 13-14 mm. . . Maskeliya, Ceylon (*Pole*); in January and February, three specimens."

Lectotype : ♂, 13 mm., "Maskeliya, Ceylon. *Pole*. 12.06." Slide No. 8929.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

DOXOGENES Meyrick

Doxogenes Meyrick, 1925, in Wytzman, Genera Insectorum, fasc. 184 : 205. (*Typus generis* : *Tipha brochias* Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 594 [by original designation]).

Doxogenes brochias (Meyrick)

Plate 24, Figures 1-1d

Tipha brochias Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 594.

“ ♂. 20 mm. . . . One specimen, Maskeliya, Ceylon (*Pole*).”

Type : The male denoted above, “ Maskeliya, Ceylon. Pole. .03.” Slide No. 8709.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Doxogenes ecliptica (Meyrick)

Plate 24, Figures 2-2b

Tingentera ecliptica Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 451.

“ ♂. 17 mm. . . . Kandy, Ceylon, in October; one specimen (*Green*).”

Type : The male denoted above, dated “.10.06.” Slide No. 8672.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed and part of right harpe excluded from illustration.

Doxogenes pyrophanes (Meyrick)

Plate 24, Figures 3-3b

Tipha pyrophanes Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 594.


“ ♀. 20 mm. . . . One specimen, Pundalu-oya, Ceylon, in February (*Green*).”

Type : The above indicated female dated “.2.02.” Slide No. 8710.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium.



1




1a



1b




1c



1d




2



2a




2b




3



3a



3b



DOXOGENES

Doxogenes phalaritis (Meyrick)

Plate 25, Figures 1-1c

Tipha phalaritis Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 594.

"♀. 18 mm. . . . One specimen, Kandy, Ceylon, in September (*Green*)."

Type: The female denoted above, dated ".9.02." Slide No. 8711.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signum; 1c, detail of genital plate and ostium.

Doxogenes philodoxa (Meyrick)

Plate 25, Figures 2-2b

Tingentera philodoxa Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 451.

"♂. 20 mm. . . . Maskeliya, Ceylon, in April, one specimen (*Pole*)."

Type: The above indicated male dated ".4.06." Slide No. 8673.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Doxogenes spectralis (Meyrick)

Plate 25, Figures 3-3b

Tipha spectralis Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 593.

"♂. 21 mm. . . . One specimen, Maskeliya, Ceylon (*Pole*)."

Type: The above indicated male, "Maskeliya, Ceylon. Pole. .03." Slide No. 8712.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Doxogenes thoracias (Meyrick)

Plate 25, Figures 4-4b

Tingentera thoracias Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 452.

"♂. 18-19 mm. . . . Maskeliya, Ceylon, in February and March; two specimens (*de Mowbray*)."

Lectotype: ♂, 19 mm., "Maskeliya, Ceylon. de Mowbray. .2.06." Slide No. 8674.

Figures 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

ENTHETICA Meyrick

Enthetica Meyrick, 1916, Exotic Microlepidoptera, 1 : 574. (*Typus generis* : *Enthetica picryntis* Meyrick, ibid. [by monotypy]).

Enthetica picryntis Meyrick

Plate 26, Figures 1-1d

Enthetica picryntis Meyrick, 1916, Exotic Microlepidoptera, 1 : 574.

“ ♂. 17-19 mm. . . . S. India, Ootacamund, 7,500 feet, in December (*Fletcher*); two specimens.”

Lectotype : ♂, 19 mm., “ Ootacamund, S. India. 7,500' .12.13.” Slide No. 8930.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Enthetica tribrachia Meyrick

Plate 26, Figures 2-2b

Enthetica tribrachia Meyrick, 1923, Exotic Microlepidoptera, 3 : 38.


“ ♂♀. 14-15 mm. . . . S. India, Palnis, 7,000 feet, August (*Campbell, Fletcher*); 2 ex.”

Lectotype : ♂, 14 mm., “ Palni Hills, S. India. Campbell.” The female bears the date, “.8.21.” Slide No. 8931.


Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.



1



1a




1b



1c




1d



2




2a




2b

ENTHETICA




1



1a




1b




1c




1d



2



2a



2b

EPHARMONIA

EPHARMONIA Meyrick

Epharmonia Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 226. (*Typus generis* : *Onebala ardua* Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 458 [by original designation]).

Epharmonia ardua (Meyrick)

Plate 27, Figures 1-1d

Onebala ardua Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 458.

"♂♀. 19-21 mm. . . Khasis, in May, July and September; four specimens."

Lectotype : ♂, 19 mm., "Khasi Hills, Assam. .9.1906." Slide No. 8907.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Epharmonia pselaphistis (Meyrick)

Plate 27, Figures 2-2b

Onebala pselaphistis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 456.

"♂♀. 14-18 mm. . . Khasis, in May, August, October and November; five specimens."

Lectotype : ♂, 14 mm., "Khasi Hills, Assam. .10.1906." Slide No. 8908.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

ERIDACHTHA Meyrick

Eridachtha Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 440. (*Typus generis* : *Eridachtha prolocha* Meyrick, *ibid.* [by monotypy]).

Eridachtha prolocha Meyrick

Plate 28, Figures 1-1e

Eridachtha prolocha Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 440.


“ ♀. 15-16 mm. . . . Nilgiris, 3,500 feet (*Andrewes*); N. Coorg, 3,500 feet (*Newcome*); in April and August, three specimens.”

Lectotype : ♀, 15 mm., “ Nilgiri Hills, S. India HLA. 3,500' .8.07.” Slide No. 8932.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, ventral view of female genitalia; 1d, detail of genital plate and ostium; 1e, signum.



11



1a



1b



1c




1d



1e

ERIDACITTHA



FRISILIA

FRISILIA Walker

Frisilia dipsia Meyrick

Plate 29, Figures 1-1b

Frisilia dipsia Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 437.

"♂. 19-20 mm. . . . Maskeliya and Madulsima, Ceylon (*Pole, Green, Alston*); from December to March, and in June, nine specimens."

Lectotype : ♂, 19 mm., "Maskeliya, Ceylon. Alston. .6.06." Slide No. 8662.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Frisilia homalistis Meyrick

Plate 29, Figures 2-2c

Frisilia homalistis Meyrick, 1935, Exotic Microlepidoptera, 4 : 563.

"♂♀. 15 mm. . . . Formosa, Tikusiko and Sozan, August, September (*Prof. S. Issiki*); 2 ex. Superficially resembling *sulcata* Meyr., . . ."

Lectotype : ♀, "Sozan, Formosa. SI. 13.9.33." Slide No. 8665. The abdomen of the male is missing.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Frisilia homochlora Meyrick

Plate 29, Figures 3-3c

Frisilia homochlora Meyrick, 1910, Journ. Bombay Nat. Hist. Soc. 20 : 437.

"♀. 22 mm. . . . Palni Hills, 6,000 feet (*Campbell*); two specimens."

Lectotype : One of the above indicated specimens both of which are labelled, "Palni Hills, S. India. Campbell. 6,000' .06." Slide No. 8658.

Figure 3, left wings; 3a, signum; 3b, detail of genital plate and ostium; 3c, ventral view of female genitalia.

Frisilia melanardis Meyrick

Plate 30, Figures 1-1b

Frisilia melanardis Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 446.

“ ♂♀. 21-23 mm. . . . Borneo, Kuching (*Hewitt*); in October, February, and April, five specimens.”

Lectotype : ♂, 22 mm., “ Kuching, Borneo. JH. .2.07.” Slide No. 8657.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Frisilia notifica Meyrick

Plate 30, Figures 2-2b

Frisilia notifica Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 438.

“ ♂♀. 15-17 mm. . . . Maskeliya, Madulsima and Peradeniya, Ceylon (*Vaughan, Pole, Green*); from November to July, fourteen specimens.”

Lectotype : ♂, 17 mm., “ Maskeliya, Ceylon. Pole. .1.06.” Slide No. 8663.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Frisilia procentera Meyrick

Plate 30, Figures 3-3b

Frisilia procentera Meyrick, 1916, Exotic Microlepidoptera, 1 : 573.

“ ♂. 17 mm. . . . S. India, Palnis, 6,000 feet, in May (*Fletcher*); one specimen.”

Type : The male denoted above, “ Palnis, S. India TBF. 6,000' 5.12.” Slide No. 8667.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Frisilia rostrata (Meyrick)


Plate 30, Figures 4-4b

Macrernis rostrata Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 147.


“ ♂. 18-21 mm. . . . Six specimens, Maskeliya, Ceylon, in January, February, and July (*Pole, Alston, de Mowbray*).”

Lectotype : ♂, 20 mm. . . . “ Maskeliya, Ceylon. Pole. 7.04.” Slide No. 8666.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.




1




2



3



4



1a



1b



2a



2b



3a




3b



4a



4b



1




1a




1b




2



2a




2b



3



3a



3b

FRISILIA

Frisilia sejuncta Meyrick

Plate 31, Figures 1-1b

Frisilia sejuncta Meyrick, 1929, Exotic Microlepidoptera, 3 : 517.

"♂♀. 12-13 mm. . . . " Bombay, Dharwar, Poona, November to February (*Maxwell*); Ceylon, Peradeniya, January (*Green*); 6 ex."

Lectotype : ♂, 12 mm., "Poona, Bombay. RM. 7.11.21." Slide No. 8668.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Frisilia senilis Meyrick

Plate 31, Figures 2-2b

Frisilia senilis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 436.

"♂♀. 12-13 mm. . . . N. Coorg, 3,500 feet (*Newcome*); in June, August, and November, five specimens."

Lectotype : ♂, 13 mm., "Dibidi, N. Coorg. Newcome. 10.8.06." Slide No. 8661.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Frisilia strepsiptila Meyrick

Plate 31, Figures 3-3b

Frisilia strepsiptila Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 436.

"♂♀. 18-20 mm. . . . N. Coorg, 3,500 feet (*Newcome*); in November and December, four specimens."

Lectotype : ♂, 20 mm., "Dibidi, N. Coorg. Newcome. 8.12.06." Slide No. 8660.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Frisilia sulcata Meyrick

Plate 32, Figures 1-1b

Frisilia sulcata Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 437.

“♂♀. 18-20 mm. . . Khasis, from April to July; Simla, in August; seven specimens.”

Lectotype : ♂, 18 mm., “Khasi Hills, Assam. .4.1906.” Slide No. 8659.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Frisilia trituratora Meyrick

Plate 32, Figures 2-2b

Frisilia trituratora Meyrick, 1914, Exotic Microlepidoptera, 1 : 277.

“♂. 15 mm. . . Nyassaland, Mt. Mlanje, in March (*Neave*); one specimen. Type in British Museum.”

Type : The male so marked in the British Museum, “Mt. Mlanje, Nyasaland. 7.III.1913. S. A. Neave.” Slide No. 9127.

Figure 2, left wing; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Frisilia verticosa Meyrick





Plate 32, Figures 3-3b

Frisilia verticosa Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 22 : 772.


“♂♀. 23-24 mm. . . Pykara, Nilgiris, 6,500-7,500 feet, from March to May (*Andrewes*); eight specimens.”

Lectotype : ♂, 23 mm., “Pykara, Nilgiri Hills. H. L. Andrewes. V.II. 6,500’.” Slide No. 8664.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.



FRISILIA



1



1a



1b



1c



1d

GASMARA

GASMARA Walker
ANTIOCHTHA Meyrick

Antiochtha Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 598. (*Typus generis* : *Antiochtha balbidota* Meyrick, ibid. [by monotypy]). This genus is a synonym of *Gasmara* Walker.

Gasmara balbidota (Meyrick)

Plate 33, Figures 1-1d

Antiochtha balbidota Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 598.

“♂. 17-18 mm. . . . Two specimens, Maskeliya, Ceylon (*Pole*).”

Lectotype : ♂, 17 mm., “Maskeliya, Ceylon. *Pole*. .03.” Slide No. 8897.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Gasmara achnastis (Meyrick)

Plate 34, Figures 1-1b

Antiochtha achnastis Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 150.

"♂♀. 18-20 mm. . . . Five specimens, Maskeliya, Ceylon, in March, May, and December (*Pole, de Mowbray*)."

Lectotype : ♂, 20 mm., "Maskeliya, Ceylon. Pole. .5.04." Slide No. 8896.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Gasmara cataclina (Meyrick)

Plate 34, Figures 2-2b

Onebala cataclina Meyrick, 1923, Exotic Microlepidoptera, 3 : 44.

"♂. 21 mm. . . . Ceylon, Maskeliya (*Pole*); 1 ex."

Type : The above indicated male, "Maskeliya, Ceylon. Pole. .03." Slide No. 8904.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Gasmara foederalis (Meyrick)

Plate 34, Figures 3-3b

Onebala foederalis Meyrick, 1923, Exotic Microlepidoptera, 3 : 43.

"♂♀. 20-21 mm. . . . S. India, Nilgiris, Pykara, 7,000 feet, March (*Andrewes*); 4 ex."

Lectotype : ♂, 21 mm., "Nilgiri Hills, H. L. Andrewes. 7,000 ft. Pykara. III.13." Slide No. 8898.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Gasmara leucograptis (Meyrick)

Plate 34, Figures 4-4c

Onebala leucograptis Meyrick, 1923, Exotic Microlepidoptera, 3 : 45.

"♀. 15 mm. . . . S. India, Ootacamund, April (*Mujtaba*); 1 ex."

Type : The above indicated female, "Ootacamund, India TBF. .4.21." Slide No. 8899. Presumably "Mujtaba" is the name of a native collector and the specimen was received from T. B. Fletcher.


Figure 4, left wings; 4a, ventral view of female genitalia; 4b, signum; 4c, detail of genital plate and ostium.



1



1a




1b




2



2a



2b



3




3a




3b



4




4a




4b

4c



1



1a



1b



2




2a



2b




3



3a



3b



4



4a



4b

Gasmara oxyzona (Meyrick)

Plate 35, Figures 1-1b

Onebala oxyzona Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 455.

"♂♀. 10-12 mm. . . . Maskeliya and Matale, Ceylon (*Pole*); from February to April, and in August, eleven specimens."

Lectotype : ♂, 10 mm., " Matale, Ceylon. JP. .8.06." Slide No. 8895.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Gasmara periastra (Meyrick)

Plate 35, Figures 2-2b

Onebala periastra Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 454.

"♂. 17-18 mm. . . . Maskeliya, Ceylon (*Pole*); in February, May, July, November and December, nine specimens."

Lectotype : ♂, 17 mm., " Maskeliya, Ceylon. Pole. .7.05." Slide No. 8887.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Gasmara stellulata (Meyrick)

Plate 35, Figures 3-3b

Antiochtha stellulata Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 149.

"♂. 22 mm. . . . One specimen, Maskeliya, Ceylon, in February (*Pole*)."

Type : The above indicated male dated ".2.04." Slide No. 8894. The left hind wing is missing.

Figure 3, right wings (image reversed); 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Gasmara vigilax (Meyrick)

Plate 35, Figures 4-4b

Onebala vigilax Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 455.

"♂. 21-24 mm. . . . Maskeliya and Patipola, Ceylon (*Alston*); in February and April, two specimens.

Lectotype : ♂, 24 mm., " Maskeliya, Ceylon. Alston. .2.06." Slide No. 8900.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

HABROGENES Meyrick

Habrogenes Meyrick, 1918, Exotic Microlepidoptera, 2 : 108. (*Typus generis* : *Lecithocera eupatris* Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 443 [by original designation]).

Habrogenes eupatris (Meyrick)

Plate 36, Figures 1-1f

Lecithocera eupatris Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 443.

“ ♀. 18-19 mm. . . . Khasis, in September and October; two specimens.”

Lectotype : ♀, 19 mm., “ Khasi Hills, Assam. .9.1907.” Slide No. 8870.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, ventral view of female genitalia; 1d, detail of genital plate and ostium; 1e, denuded tergites of abdomen showing spines; 1f, signum.

Habrogenes leucochlora (Meyrick)


Plate 36, Figures 2-2b

Lecithocera leucochlora Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 448.


“ ♂♀. 16-18 mm. . . . Borneo, Kuching (*Hewitt*); in October and November, two specimens.”

Lectotype : ♂, 16 mm. [barely!], “ Kuching, Borneo. JH. 30.10.00.” Slide No. 8871.


Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.



1




1a




1b




1c




1d



1e




1f






2



2a



2b



HETERALCIS

HETERALCIS Meyrick

Heteralcis Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 209. (*Typus generis* : *Timyra tetracina* Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 143 [by original designation]).

Heteralcis tetracina (Meyrick)

Plate 37, Figures 1-1d

Timyra tetracina Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 143.

"♂♀. 16-18 mm. . . . Six specimens, Maturatta and Maskeliya, Ceylon, in September (*Pole, Alston*)."

Lectotype : ♂, 18 mm., "Maturatta, Ceylon. JP. .9.04." Slide No. 8678. Three specimens are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Heteralcis bathroptila Meyrick

Plate 38, Figures 1-1b

Heteralcis bathroptila Meyrick, 1929, Exotic Microlepidoptera, 3 : 517.

“ ♂. 12 mm. . . . Assam, Margherita; 2 ex.”

Lectotype: One of the above indicated males both of which are labelled, “ Margherita, Assam. D. .89.” Slide No. 8691.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Heteralcis holocona (Meyrick)

Plate 38, Figures 2-2b

Timyra holocona Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 446.

“ ♂. 16-18 mm. . . . Maskeliya, Ceylon, in August, two specimens (*de Mowbray*).”

Lectotype : ♂, 18 mm., dated “.8.05.” Slide No. 8685. The head of the lectotype is missing; the abdomen, left forewing, antennae etc., are missing from the second specimen.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Heteralcis isochra (Meyrick)


Plate 38, Figures 3-3b

Timyra isochra Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 444.

“ ♂. 12-14 mm., Maskeliya, Wellawaya, and Puttalam, Ceylon, in May, November and December; five specimens (*Pole, Alston*).”

Lectotype : ♂, 12 mm., “ Wellawaya, Ceylon. GCA. .11.05.” Slide No. 8644.


Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.




1




1a



1b




2



2a



2b



3




3a



3b

HETERALCIS




1



1a



1b



2



2a




2b



3



3a



3b

HETERALCIS

Heteralcis palathodes (Meyrick)

Plate 39, Figures 1-1b

Timyra palathodes Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 144.

"♂. 14-16 mm. . . . Five specimens, Madulsima and Maturatta, Ceylon, in April, July and September (Vaughan, Pole)."

Lectotype : ♂, 15 mm., "Madulsima, Ceylon. Vaughn. .9.05." Slide No. 8683.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Heteralcis platycapna (Meyrick)

Plate 39, Figures 2-2b

Timyra platycapna Meyrick, 1916, Exotic Microlepidoptera, 1 : 569.

"♀. 13-14 mm. . . . Ceylon, Kandy and Matale, in July and August (Mackwood, Pole); two specimens."

Lectotype : ♀, 14 mm., "Kandy, Ceylon. FMM. .7.09." Slide No. 8682.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium.

Heteralcis rhizophora (Meyrick)

Plate 39, Figures 3-3b

Timyra rhizophora Meyrick, 1919, Exotic Microlepidoptera, 2 : 236.

"♂. 15 mm. . . . Madras, Dindigul, September (Maxwell); one specimen. Nearest *hippastis*."

Type : The above indicated male dated "30.9.16." Slide No. 8684.

Figure 3, left wings; 3b, aedeagus; 3c, ventral view of male genitalia and aedeagus removed.

HETERODELTIS Meyrick

Heterodeltis Meyrick, 1925, in Wytsman, Genera Insectorum, fasc., 184 : 211. (*Typus generis* : *Tipha trichroa* Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 142 [by original designation]).

Heterodeltis trichroa (Meyrick)


Plate 40, Figures 1-1d

Tipha trichroa Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 142.


“♂♀. 14 mm. . . . Two specimens, Madulsima, Ceylon, in April (*Vaughan*).”

Lectotype : ♂, “Madulsima, Ceylon. *Vaughan*. .4.05.” Slide No. 8692.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1




1a



1b







1c



1d

HETERODELTIS



HETERODERCES

HETERODERCES Meyrick

Heterodermes Meyrick, 1929, Exotic Microlepidoptera, 3 : 521. (*Typus generis* : *Heterodermes oxylitha* Meyrick, *ibid.* [by original designation]).

Heterodermes oxylitha Meyrick

Plate 41, Figures 1-1b

Heterodermes oxylitha Meyrick, 1929, Exotic Microlepidoptera, 3 : 521.

"♂. 10-11 mm. . . . Assam, Khasis, March, April; 2 ex."

Lectotype : ♂, 11 mm., "Khasi Hills, Assam. .3.1907." The abdomens of both specimens are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus.

Heterodermes paeta Meyrick

Plate 41, Figures 2-2b

Heterodermes paeta Meyrick, 1929, Exotic Microlepidoptera, 3 : 522.

"♂. 8 mm. . . . Ceylon, Trincomali, June, (*Fletcher*); 1 ex."

Type : The above indicated male dated "8.6.07." Slide No. 8928.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus removed; 2b, aedeagus.

HOMALOXESTIS Meyrick

Homaloxestis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 440. (*Typus generis* : *Homaloxestis endocoma* Meyrick, l.c., p. 441 [by original designation]).

Homaloxestis endocoma Meyrick

Plate 42, Figures 1-1e; Plate 44, Figures 2-2b

Homaloxestis endocoma Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 441.

Homaloxestis corythota Meyrick, 1929, Exotic Microlepidoptera, 3 : 519. (New synonymy).

[endocoma]

“ ♂. 19 mm. . . . Nilgiris, 3,500 feet, in April (*Andrewes*); one specimen.”

Type: The above indicated male, “ Nilgiri Hills, S. India. HLA. 3,500' .4.07.”
Slide No. 8700.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, abdominal hair-pencil; 1d, aedeagus; 1e, ventral view of male genitalia with aedeagus removed.

[corythota]

“ ♂. 17 mm. . . . Kanara, Sirsi, March (*Maxwell*); 1 ex. Allied to *endocoma*.”

Type : The male denoted above, dated “ 2.3.24.” Slide No. 8699.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.



1



1a



1b



1c



1d



1e

HOMALOXESTIS




1



1a




1b



2



2a



2b




3



3a




3b



4



4a



4b

Homaloxestis antibathra Meyrick

Plate 43, Figures 1-1b

Homaloxestis antibathra Meyrick, 1916, Exotic Microlepidoptera, 1 : 575.

"♀. 14 mm. . . . Kanara, Karwar, in August (*Maxwell*); one specimen."

Type : The female denoted above, dated "15.8.09." Slide No. 8724. Probably not correctly placed here.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium.

Homaloxestis callitricha Meyrick

Plate 43, Figures 2-2b

Homaloxestis callitricha Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 440.

"♂. 20-21 mm. . . . Khasis, from July to September; three specimens."

Lectotype : ♂, 20 mm. [barely!], "Khasi Hills, Assam. .9.1906." Slide No. 8722. The right forewings of both males are missing.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Homaloxestis cerroxesta Meyrick

Plate 43, Figures 3-3b

Homaloxestis cerroxesta Meyrick, 1918, Exotic Microlepidoptera, 2 : 102.

"♂. 15 mm. . . . Bombay, Belgaum, 2,500 feet, August (*Fletcher*); one specimen."

Type : The above indicated specimen dated ".8.10." Slide No. 8702.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Homaloxestis chiloptila Meyrick

Plate 43, Figures 4-4b

Homaloxestis chiloptila Meyrick, 1921, Exotic Microlepidoptera, 2 : 435.

"♂. 20 mm. . . . Assam, Shillong, June (*Fletcher*); 1 ex. Next *perizeucta*."

Type : The male indicated above dated ".6.18." Slide No. 8701.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Homaloxestis cholopis (Meyrick)

Plate 44, Figures 1-1b

Lecithocera cholopis Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 149.

“ ♂. 16-17 mm. . . . Two specimens, Koni, Burma, in September (*Manders*).”

Lectotype : ♂. 17 mm. . . . “ Koni, Burma. NM. /9/88.” Slide No. 8726.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Homaloxestis cribanota Meyrick

Plate 44, Figures 3-3b

Homaloxestis cribanota Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 442.

“ ♂♀. 13-16 mm. . . . Khasis, in July and August; Gooty (*Campbell*); eighteen specimens.”

Lectotype : ♂. 13 mm. . . . “ Khasi Hills, Assam. .8.1906.” Slide No. 8720.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Homaloxestis galeodes Meyrick

Plate 44, Figures 4-4b

Homaloxestis galeodes Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 442.

“ ♂♀. 10-12 mm. . . . Khasis, in October; thirteen specimens.”

Lectotype : ♂. 10 mm. . . . Khasi Hills, Assam. .10.1906.” Slide No. 8721.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1



1a




1b



2



2a



2b



3



3a




3b



4



4a



4b



1




1a



1b



2



2a




2b




2c




3



3a



3b



3c

HOMALOXESTIS

Homaloxestis hemigastra Meyrick

Plate 45, Figures 1-1b

Homaloxestis hemigastra Meyrick, 1931, *Exotic Microlepidoptera*, 4 : 77.

"♂. 17 mm. . . . Uganda, Kampala, April (*G. L. R. Hancock*); 1 ex. (Brit. Mus.)."

Type : The male so marked in the British Museum, "Uganda, Kampala, Homer Rd. 15.IV.1929. GLR. Hancock." A small white label reads, "M2825." A third label bears the inscription, "antennae held forward." Slide No. 9132.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Homaloxestis horochlora Meyrick

Plate 45, Figures 2-2c

Homaloxestis horochlora Meyrick, 1929, *Exotic Microlepidoptera*, 3 : 519.

"♀. 15 mm. . . . Bombay, Poona, July (*Maxwell*); 1 ex. Nearest *perichlora*. . . ."

Type : The above indicated female dated "11.7.22." Slide No. 8704.

Figure 2, left wings; 2a, signum; 2b, detail of genital plate, ostium and posterior portion of ductus bursae; 2c, ventral view of female genitalia.

Homaloxestis liochlaena Meyrick

Plate 45, Figures 3-3c

Homaloxestis [*sic*!] *liochlaena* Meyrick, 1931, *in* Caradja, *Bull. Sec. sci. Acad. roum.*, 14 : 68.

" . . . 21 mm. . . . 1 ex., July."

Type : The female in the Meyrick collection, "Kwanhsien, China. F. .7.30." Slide No. 8723.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Homaloxestis lochitis Meyrick

Plate 46, Figures 1-1b

Homaloxestis lochitis Meyrick, 1918, Exotic Microlepidoptera, 2 : 101.

“ ♂. 9 mm. . . Coorg, Dibidi, 3,500 feet, August (*Newcome*); one specimen.”

Type : The above indicated male, “ Dibidi, N. Coorg. LN. 18.8.08.” Slide No. 8716.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Homaloxestis melicrata Meyrick

Plate 46, Figures 2-2b

Homaloxestis melicrata Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 442.

“ ♂. 14-15 mm. . . Khasis, in August; three specimens.”

Lectotype : ♂, 14 mm., “ Khasi Hills, Assam. .8.1906.” Slide No. 8719. Two specimens lack their abdomens.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Homaloxestis myeloxesta Meyrick

Plate 46, Figures 3-3b

Homaloxestis myeloxesta Meyrick, 1932, Exotic Microlepidoptera, 4 : 203.

“ ♂. 15 mm. . . Formosa, Sinten, September (*S. Issiki*); 1 ex. Nearest *ceroxesta*.”

Type : The male denoted above dated “ 11.11.25.” Slide No. 8713.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Homaloxestis notolychna Meyrick


Plate 46, Figures 4-4b

Homaloxestis notolychna Meyrick, 1936, Exotic Microlepidoptera, 5 : 48.

“ ♂. 14 mm. . . Formosa, Sozan, April (*Prof. S. Issiki*); 1 ex.”

Type : The male indicated above dated “ .4.35.” Slide No. 8714.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.




1



1a




1b



2



2a



2b



3



3a




3b



4



4a




4b



1



1a



1b




2



2a



2b




3



3a



3b



4



4a



4b

HOMALOXESTIS

Homaloxestis perichlora Meyrick

Plate 47, Figures 1-1b

Homaloxestis perichlora Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 446.

"♂. 14 mm. . . . Borneo, Kuching (*Hewitt*); in December, one specimen."

Type : The above indicated male dated "3.12.00." Slide No. 8703.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Homaloxestis perizeucta Meyrick

Plate 47, Figures 2-2b

Homaloxestis perizeucta, Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 441.

"♂. 20-21 mm. . . . Khasis, in April; two specimens."

Lectotype : ♂, 20 mm., "Khasi Hills, Assam. 4.1906." Slide No. 8717.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Homaloxestis plocamandra (Meyrick)

Plate 47, Figures 3-3b

Lecithocera plocamandra Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 737.

"♂♀. 15-16 mm. . . . Sikkim (1,800 feet), Bhutan; in May and July, three specimens (*Dudgeon*)."

Lectotype : ♂, 15 mm., "Sikkim. 1,800' GCD. .7.96." Slide No. 8725. Two specimens are missing.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Homaloxestis subpallida Meyrick

Plate 47, Figures 4-4b

Homaloxestis subpallida Meyrick, 1931, Exotic Microlepidoptera, 4 : 76.

"♂. 17 mm. . . . Cameroons, Lolodorf, February (*Conradt*); 1 ex. (Coll. Paravicini)."

Type : The male so marked in the British Museum, "Kamerun, Lolodorf. L. Conradt 1894-1895." A second, small label bears the date, "13/11.95." A third label bears the inscription, "M1147." Slide No. 9131.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Homaloxestis tricholpa Meyrick

Plate 48, Figures 2-2b

Homaloxestis tricholpa Meyrick, 1929, Exotic Microlepidoptera, 3 : 518.

“♂. 16 mm. . . . Assam, Khasis, November; 1 ex. Probably allied to *cribanota*.”

Type : The male denoted above, “Khasi Hills, Assam. .11.1906.” Slide No. 8706.
The right hand wings are missing.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Homaloxestis turbinata Meyrick

Plate 48, Figures 1-1b

Homaloxestis turbinata Meyrick, 1910, Journ. Bombay Nat. Hist. Soc. 20 : 442.

“♂. 13 mm. . . . Khasis, in June; two specimens.”

Lectotype : One of the males denoted above, both of which bear identical data,
“Khasi Hills, Assam. .6.1906.” Slide No. 8718.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Homaloxestis xanthocharis Meyrick

Plate 48, Figures 3-3b

Homaloxestis xanthocharis Meyrick, 1929, Exotic Microlepidoptera, 3 : 518.

“♂. 14 mm., ♀. 16 mm. . . . Andamans, Mt. Harriet, 1,200 feet, April (*Ferrar*); 2 ex.”

Lectotype : ♂, “Mt. Harriet, Andamans. F. 1,200' .4.27.” Slide No. 8707.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Homaloxestis xylotripta Meyrick


Plate 48, Figures 4-4b

Homaloxestis xylotripta Meyrick, 1918, Exotic Microlepidoptera, 2 : 102.


“♂♀. 15-16 mm. . . . N. W. India, Peshawar, June (*Fletcher*); two specimens.”

Lectotype : ♂, 15 mm. Both specimens bear identical data and are dated “.6.16.”
Slide No. 8715.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1



2



3



4



1a



1b



2a



2b



3a







3b



4a



4b



HYGROPLASTA Meyrick

Hygroplasta Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 244. (*Typus generis* : *Gelechia spoliatella* Walker, 1864, List of specimens of lepidopterous insects in the collection of the British Museum, 29 : 659 [by original designation]).

Hygroplasta spoliatella (Walker)

Plate 49, Figures 1-1c

The type of this genus is figured from specimens in the British Museum (Natural History).

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, signum; 1e, detail of genital plate and ostium.

Hygroplasta lygaea (Meyrick)

Plate 49, Figures 2-2b

Pachnistis lygaea Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 707.

"♂. 24 mm. . . . Dalhousie, Kashmir; in July, one specimen."

Type : The above indicated male, "Dalhousie, Kashmir. R. 7.91." Slide No. 8917.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Hygroplasta monodryas (Meyrick)

Plate 49, Figures 3-3b

Pachnistis monodryas Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 22 : 773.

"♂♀. 24-27 mm. . . . Nilgiris, 3,500 feet, in August and November (*Andrewes*); two specimens."

Lectotype : ♀, 27 mm., "Nilgiri Hills, H. L. Andrewes. XI.09. 3,500 ft." Slide No. 8916. The abdomen of the male is missing.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium.

HYPEROCHTHA Meyrick

Hyperochtha Meryick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 227. (*Typus generis* : *Onebala butyropha* Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 458 [by original designation]).

Hyperochtha butyropha (Meyrick)

Plate 50, Figures 1-1d

Onebala butyropha Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 458.

"♂. 14-17 mm. . . . Maskeliya, Ceylon (*Pole*); in January, three specimens."

Lectotype : ♂, 17 mm. . . . "Maskeliya, Ceylon. Pole. .1.06." Slide No. 8905.

Figure 1, left wings; 1a, venation of right wings; 1b, oblique view of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Hyperochtha dischema (Meyrick)

Plate 50, Figures 2-2b

Onebala dischema Meyrick, 1916, Exotic Microlepidoptera, 1 : 576.

"♂. 8-9 mm. . . . Nyassaland, Mt. Mlanje, in November and December (*Neave*); six specimens. Type in British Museum."

Type : The male so marked in the British Museum, "Mt. Mlange, Nyasaland. 27.XII.1912. S. A. Neave." A small, white label reads, "M756." Slide No. 9136.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Hyperochtha justa (Meyrick)

Plate 50, Figures 3-3b

Onebala justa Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 458.

"♂♀. 11-12 mm. . . . Hambantota, Ceylon (*Fletcher*); in November, two specimens."

Lectotype : ♂, 11 mm., "Hambantota, Ceylon. BF. 25.11.07." Slide No. 8906.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.




1


1b




1c



1a




1d




2

2a



2b





3

3a



3b



HYPOCHASMIA

HYPOCHIASMIA Meyrick

Hypochasmia Meyrick, 1929, Exotic Microlepidoptera, 3 : 517. (*Typus generis* : *Hypochasmia cirrhocrena* Meyrick, *ibid.* [by monotypy]).

Hypochasmia cirrhocrena Meyrick

Plate 51, Figures 1-1d

Hypochasmia cirrhocrena Meyrick, 1929, Exotic Microlepidoptera, 3 : 517.

"♂♀. 12-14 mm. . . Coorg, Dibidi, 3,500 feet, August, December, January (*Newcome*); 4 ex."

Lectotype : ♂, 12 mm., "Dibidi, N. Coorg. *Newcome*. 10.8.06." Slide No. 8708.

Figure 1, left wings; 1a, venation of right wings; 1b, oblique view of head showing inner side of left palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

HYPTIASTIS Meyrick

Hyptiastis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 733. (*Typus generis* : *Hyptiastis clematias* Meyrick, l.c., p. 734 [by monotypy]).

Hyptiastis clematias Meyrick


Plate 52, Figures 1-1e

Hyptiastis clematias Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 734.







“ ♂♀. 17-19 mm. . . . Nilgiris, 6,000 feet; in May (*Andrewes*), three specimens.”

Lectotype : ♂, 19 mm., “ Nilgiri Hills, S. India. HLA. 6,000' .5.07.” Slide No. 8891.

Figure 1, left wings; 1a, venation of right wings; 1b, oblique view of head showing palpus; 1c, part of denuded abdomen showing tufts; 1d, ventral view of male genitalia with aedeagus removed; 1e, aedeagus.



HYPTIASTIS



LECITHOCERA

LECITHOCERA Herrich-Schäffer

Lecithocera acolasta Meyrick

Plate 53, Figures 1-1b

Lecithocera acolasta Meyrick, 1919, *Exotic Microlepidoptera*, 2 : 236."♂. 10 mm. . . . Bombay, Dharwar, January (*Maxwell*); one specimen."*Type* : The above indicated male, "Dharwar, Bombay. RM. 4.1.16." Slide No. 8795.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera aechmobola Meyrick

Plate 53, Figures 2-2b

Lecithocera aechmobola Meyrick, 1935, in Caradja and Meyrick, *Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan*, 75."...♂. 13-15 mm. . . . 3 ex. (all damaged), Tienmushan, VIII, IX. Allied to *signifera* Feld."*Lectotype* : ♂, 13 mm. [est.]. "Tien-Mu-Shan, China. C. 5,000' .8.32." Slide No. 8867.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera affusa Meyrick

Plate 53, Figures 3-3c

Lecithocera affusa Meyrick, 1923, *Exotic Microlepidoptera*, 3 : 40."♀. 16 mm. . . . Assam, Khasis, June; 1 ex. Allied to *choritis*."*Type* : The female denoted above, "Khasi Hills, Assam. .6.1906." Slide No. 8752.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Lecithocera alcestis Meyrick

Plate 53, Figures 4-4b

Lecithocera alcestis Meyrick, 1923, *Exotic Microlepidoptera*, 3 : 40."♂♀. 13-16 mm. . . . Coorg, Dibidi, 3,500 feet, January (*Newcome*); Kanara, Anshi, December (*Maxwell*); 2 ex."*Lectotype* : ♂, 13 mm., "Anshi, Kanara. RM. 30.12.11." Slide No. 8821.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera ancylota (Meyrick)

Plate 54, Figure 1

Torodora ancylota Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 17.

"♀. 19 mm. . . . *Hab.* Fort Stedman; one specimen."

Type : The female denoted above, without abdomen, "Fort Stedman, Burma. NM. /9/89."

Figure 1, left wings.

Lecithocera antiphraetis Meyrick

Plate 54, Figures 2-2c

Lecithocera antiphraetis Meyrick, 1921, Exotic Microlepidoptera, 2 : 435.

"♀. . . . 16 mm. . . . Assam, Shillong, June (*Fletcher*); 1 ex."

Type : The female denoted above, dated ".6.18." Slide No. 8796.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, detail of part of bursa copulatrix.

Lecithocera antisema Meyrick

Plate 54, Figures 3-3b

Lecithocera antisema Meyrick, 1938, in Caradja and Meyrick, Deuts. Ent. Zeit., Iris, 52 : 5.

". . . ♂, 19 mm. . . . Yül., V, 1 ex. Allied to the Indian *oxalea* and *fortis*; in imperfect condition, . . ."

Type : The above indicated male, "Likiang, China. H. .5.34." Slide No. 8854.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera apostatis Meyrick


Plate 54, Figures 4-4b

Lecithocera apostatis Meyrick, 1932, Exotic Microlepidoptera, 4 : 205.

"♂. 13 mm. . . . Japan, Hokkaido, Tomakamai, June (*S. Issiki*); 1 ex."

Type : The male indicated above, "Tomakamai, Japan. SI. 26.6.19." Slide No. 8861.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.




1




2




3




4



2b



2a



2c



3a



3b




4a



4b

LECTTHOCERA



LECITHOCERA

Lecithocera arcifera (Meyrick)

Plate 55, Figures 1-1c

Brachmia arcifera Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 738.

"♂♀. 14-15 mm. . . . Bhotan, in June; two specimens (*Dudgeon*).

Lectotype : ♀, 15 mm., "Bhotan. GCD. 13.6.95." Slide No. 8864. The male is missing.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signum; 1c, detail of genital plate and ostium.

Lecithocera argocrossa (Meyrick)

Plate 55, Figures 2-2b

Brachmia argocrossa Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 710.

"♂♀. 16-18 mm. . . . Maskeliya, Ceylon (*Pole*); in January, February, June, July, and October, six specimens."

Lectotype : ♂, 16 mm., dated ".2.06." Slide No. 8813.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera aulias Meyrick

Plate 55, Figures 3-3b

Lecithocera aulias Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 447.

"♂♀. 12-14 mm. . . . Khasis, in March and from July to October; four specimens."

Lectotype : ♂, 13 mm., "Khasi Hills, Assam. .3.1907." Slide No. 8766.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera autologa Meyrick

Plate 55, Figures 4-4c

Lecithocera autologa Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 446.

"♀. 14 mm. . . . "Madulsima, Ceylon, in May (*Faughan*); one specimen."

Type : The female denoted above, "Madulsima, Ceylon. V. .5.08." Slide No. 8764.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, signum; 4c, detail of genital plate and ostium.

Lecithocera baeopis Meyrick

Plate 56, Figures 1-1b

Lecithocera baeopis Meyrick, 1929, Exotic Microlepidoptera, 3 : 523.

"♂. 11 mm. . . . Assam, Shillong, 5,000 feet, September (*Fletcher*); 1 ex."

Type : The male denoted above dated, ".9.27." Slide No. 8761.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed (right harpe foreshortened).

Lecithocera bracculata (Meyrick)

Plate 56, Figures 2-2b

Brachmia bracculata Meyrick, 1911, Journ. Bombay Nat Hist. Soc., 20 : 710.

"♂♀. 15-17 mm. . . . Khasis; in May and September, three specimens."

Lectotype : ♂, 16 mm., "Khasi Hills, Assam. .9.1906." Slide No. 8817.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera caecilia Meyrick

Plate 56, Figures 3-3b

Lecithocera caecilia Meyrick, 1918, Exotic Microlepidoptera, 2 : 110.

"♂. 15 mm. . . . Ceylon, Pundaloya, January (*Green*); one specimen."

Type : The male indicated above, dated ".1.90." Slide No. 8747.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera callirhabda Meyrick


Plate 56, Figures 4-4b

Lecithocera callirhabda Meyrick, 1936, in Caradja and Meyrick, Deuts. Ent. Zeit. Iris, 50 : 158.

". . . ♂ 13 mm. . . . Taishan, 7.; also Likiang; 2 ex., Tsinlingshan, 2 ex."

Type : The male in the Meyrick collection, "Likiang, China. H. .8.34." Slide No. 8784.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1



1a



1b




2



2a




2b




3



3a




3b



4



4a



4b

LECTTHOCERA




1



1a



1b




2



2a




2b




3



4b



4d



4



4a



4c

LECITHOCERA

Lecithocera capnaula (Meyrick)

Plate 57, Figures 1-1b

Brachmia capnaula Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 719.

"♂♀. 20-22 mm. . . . Patipola, Newera Eliya, Maskeliya, and Haputale, Ceylon (Pole, Green, Alston); from February to April, eleven specimens."

Lectotype : ♂, 22 mm., " Pattipola, Ceylon. EEG. .3.06." Slide No. 8848.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera carcerata Meyrick

Plate 57, Figures 2-2b

Lecithocera carcerata Meyrick, 1923, Exotic Microlepidoptera, 3 : 39.

"♂. 15 mm. . . . Assam, Shillong, July (Fletcher); 1 ex."

Type : The male denoted above, dated ".7.22." Slide No. 8835.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera carcinopis Meyrick

Plate 57, Figure 3

Lecithocera carcinopis Meyrick, 1929, Exotic Microlepidoptera, 3 : 522.

"♂. 11 mm. . . . Kanari, Sirsi, February (Maxwell); 1 ex. Allied to *omphacias*."

Type : The male denoted above, without abdomen, dated ".18.2.24."

Figure 3, left wings.

Lecithocera cassiterota Meyrick

Plate 57, Figures 4-4d

Lecithocera cassiterota Meyrick, 1923, Exotic Microlepidoptera, 3 : 40.

" . 16 mm. . . . Philippines, Manila; 1 ex."

Type : The above indicated female, " Manila, Philippine Is. W. .95." Slide No. 8833.

Figure 4, left wings; 4a, ventral view of male genitalia; 4b, signum; 4c, detail of genital plate and ostium; 4d, part of denuded abdomen showing dorsal spines.

Lecithocera caustospila Meyrick

Plate 58, Figures 1-1b

Lecithocera caustospila Meyrick, 1918, Exotic Microlepidoptera, 2 : 109.

"♂♀. 14-15 mm. . . . Assam, Khasis, May to August; six specimens. Near *metacausta*, . . ."

Lectotype : ♂, 15 mm., "Khasi Hills, Assam. 1906." Slide No. 8748.

Figure 1, right wings (image reversed); 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera caveiformis Meyrick

Plate 58, Figures 2-2c

Lecithocera caveiformis Meyrick, 1931, Exotic Microlepidoptera, 4 : 82.

"♀. 19 mm. . . . Bombay, Mahableshwar, May (*R. M. Maxwell*); 1 ex."

Type : The female denoted above dated "24.5.30." Slide No. 8857.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Lecithocera chersitis Meyrick

Plate 58, Figures 3-3c

Lecithocera chersitis Meyrick, 1918, Exotic Microlepidoptera, 2 : 106.

"♀. 15 mm. . . . Korea, Port Lazaref, June (*Fletcher*); one specimen."

Type : The above indicated female, "Port Lazaref, Korea. BF. 30.6.99." Slide No. 8738.

Figure 3, left wings; 3a, signum; 3b, detail of genital plate and ostium; 3c, ventral view of female genitalia.

Lecithocera chlorobapta Meyrick







Plate 58, Figures 4-4c


Lecithocera chlorobapta Meyrick, 1931, Exotic Microlepidoptera, 4 : 82.

"♀. 17 mm. . . . Sikkim, Gangtok, 6,000 feet, May (*Colonel F. M. Bailey*); 1 ex."


Type : The above indicated female dated ".5.28." Slide No. 8852.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of genital plate and ostium; 4c, signum.






1



1a

1b



2




2a



2b



3



3a




3b




3c



4



4a



4b

Lecithocera choritis Meyrick

Plate 59, Figures 1-1b

Lecithocera choritis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 448.

"♀. 21-23 mm. . . . Palni Hills, 6,000 feet (*Campbell*); Nilgiris, 6,000 feet (*Andrewes*); in May, three specimens."

Lectotype : ♀, 21 mm., "Nilgiri Hills, S. India. III.A. 6,000 feet. .5.07." Slide No. 9719.

Lecithocera citrostrota (Meyrick)

Plate 59, Figures 2-2b

Brachmia citrostrota Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 721.

"♂♀. 15-17 mm. . . . Khasis; in May, eighteen specimens."

Lectotype : ♂, 16 mm., "Khasi Hills, Assam. .5.1907." Slide No. 8800. Six specimens are missing.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera claustrata Meyrick

Plate 59, Figures 3-3c

Lecithocera claustrata Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 448.

"♂. 19 mm. . . . Borneo, Kuching (*Hewitt*); in November, one specimen."

Type : The above indicated specimen erroneously recorded as a male, "Kuching, Borneo. JH. .11.05." Slide No. 8843.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Lecithocera combusta Meyrick

Plate 59, Figures 4-4b

Lecithocera combusta Meyrick, 1918, Exotic Microlepidoptera, 2 : 110.

"♂. 19 mm. . . . Ceylon, Maskeliya, August (*Pole*); one specimen."

Type : The above indicated male dated ".8.06." Slide No. 8746.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera compsophila (Meyrick)

Plate 60, Figures 1-1b

Brachmia compsophila Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 709.

"♂♀. 13-17 mm. . . . Madulsima, Kurunegala, Diyatalawa, Ceylon (*Green, Vaughan, Pole, Fletcher*); from July to November, eight specimens."

Lectotype : ♂, 15 mm., Madulsima, Ceylon. *Green*. .10.06." Slide No. 8815.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera contracta Meyrick

Plate 60, Figures 2-2c

Lecithocera contracta Meyrick, 1918, Exotic Microlepidoptera, 2 : 107.

"♂♀. 11-13 mm. . . . Kanara, Dharwar, January and February (*Maxwell*); two specimens."

Lectotype : ♀, 13 mm., "Dharwar, Kanara. RM. .1.16." Slide No. 8778. Both specimens are females.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of genital plate and ostium.

Lecithocera cordata (Meyrick)

Plate 60, Figures 3-3c

Brachmia cordata Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 720.

"♂. 18 mm. . . . Palni Hill (*Campbell*); one specimen."

Type : The above indicated male, "Palni Hills, S. India. Campbell." Slide No. 8840.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed; 3c, segment of denuded abdomen showing dorsal spines.

Lecithocera corsota (Meyrick)

Plate 60, Figures 4-4c

Brachmia corsota Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 712.


"♂♀. 20-22 mm. . . . Khasis; in March and September, three specimens. Very like *metasaris*, . . ."

Lectotype : ♀, 22 mm., "Khasi Hills, Assam. .3.1907." Slide No. 8775. The abdomen of the male is missing.


Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of genital plate and ostium; 4c, signum.



1



2



3



4



1a



1b




2a



2b



2c




3a




3b




4a



4b



4c



1



1a




1b



2



2a



2b




3




3a



3b




3c



4



4a



4b



4c

LECITHOCERA

Lecithocera crebrata Meyrick

Plate 61, Figures 1-1b

Lecithocera crebrata Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 447.“♂♀. 18 mm. . . . N. Coorg, 3,500 feet, in May (*Newcome*); two specimens.”*Lectotype* : ♂, “Dibidi, N. Coorg. *Newcome* .07.” Slide No. 8769.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera crocosema Meyrick

Plate 61, Figures 2-2b

Lecithocera crocosema Meyrick, 1929, Exotic Microlepidoptera, 3 : 524.“♀. 13-14 mm., ♂. 13-14 mm. . . . Andamans, Mt. Harriet, 1,200 feet, May (*Ferrar*); 7 ex. (4♂, 3♀).”*Lectotype* : ♂, 14 mm., “S. Andamans, 1,200' F. .5.27.” Slide No. 8806. Three specimens are missing.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera crossophaea Meyrick

Plate 61, Figures 3-3c

Lecithocera crossophaea Meyrick, 1931, Exotic Microlepidoptera, 4 : 80.“♀. 13 mm. . . . Sikkim, Kalimpong (*Lindgren*); 1 ex. Allied to *aulias* and *metacausta*.”*Type* : The above indicated female, “Kalimpong, Sikkim. L. .29.” Slide No. 8755.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Lecithocera crypsigenes Meyrick

Plate 61, Figures 4-4c

Lecithocera crypsigenes Meyrick, 1929, Exotic Microlepidoptera, 3 : 523.“♀. 14 mm. . . . Ceylon, Patipola, April (*Pole*); 1 ex. Perhaps near *neosticta*.”*Type* : The female denoted above, “Patipola, Ceylon. JP. .4.07.” Slide No. 8782.

Figure 4, left wings; 4a, signum; 4b, detail of genital plate and ostium; 4c, ventral view of female genitalia.

Lecithocera deleastra (Meyrick)

Plate 62, Figures 1-1b

Brachmia deleastra Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 711.

"♀. 15-17 mm. . . . Kandy and Arawa, Ceylon (*Green, Pole, Fletcher*); in August and December, three specimens."

Lectotype : ♀, 17 mm., "Kandy, Ceylon. *Green*. .8.06." Slide No. 8818.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium.

Lecithocera deltospila Meyrick

Plate 62, Figures 2-2b

Lecithocera deltospila Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 706.

"♂. 21 mm. . . . Khasis; one specimen. Allied to *trigonopsis*, . . ."

Type : The above indicated male, "Khasi Hills, Assam. D. .1906." Slide No. 8839.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera desolata Meyrick

Plate 62, Figures 3-3b

Lecithocera desolata Meyrick, 1918, Exotic Microlepidoptera, 2 : 105.

"♂. 16 mm. . . . S. India, Nilgiris, 6,000 feet, May (*Andrewes*); one specimen."

Type : The above indicated male, "Nilgiri Hills, S. India. HLA. 6,000' .5.07." Slide No. 8790.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera digna Meyrick


Plate 62, Figures 4-4c


Lecithocera digna Meyrick, 1918, Exotic Microlepidoptera, 2 : 105.

"♀. 18 mm. . . . Assam, Khasis, May; one specimen."

Type : The above indicated female, "Khasi Hills, Assam. .5.1907." Slide No. 8735.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of ostium; 4c, denuded segment displaying dorsal spines.





1



1a



1b



2



2a



2b



3



3a




3b



4



4a



4b

LECITHOCERA

Lecithocera dirupta Meyrick

Plate 63, Figures 1-1b

Lecithocera dirupta Meyrick, 1923, Exotic Microlepidoptera, 3 : 39.“♂. 15 mm. . . S. India, Palnis, Kodaikanal, 7,000 feet, August (*Fletcher*); 1 ex.”*Type* : The above indicated male, “Palnis, 7,000' India. TBF. .8.21.” Slide No. 8834.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera eludens Meyrick

Plate 63, Figures 2-2b

Lecithocera eludens Meyrick, 1918, Exotic Microlepidoptera, 2 : 108.“♀. 16 mm. . . S. India, Nilgiris, 6,000 feet, May (*Andrewes*); one specimen.”*Type* : The above indicated male, “Nilgiri Hills, S. India. HLA. 6,000', .5.07.” Slide No. 8742.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera epigompha Meyrick

Plate 63, Figures 3-3b

Lecithocera epigompha Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 448.“♂. 20 mm. . . Maskeliya, Ceylon, in April (*Vaughan*); one specimen. Allied to *trigonopsis*, . . .”*Type* : The male denoted above but labelled, “Madulsima, Ceylon. Vaughan. .4.05.” The error was undoubtedly the result of a *lapsus*. Slide No. 8842.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera epomia (Meyrick)

Plate 63, Figures 4-4b

Torodora epomia Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 599.“♂. 23 mm. . . One specimen, Maskeliya, Ceylon, in August (*Green*).”*Type* : The above indicated male, “Maskeliya, Ceylon. EEG. /8/02.” Slide No. 8866.

Figures 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera erecta Meyrick

Plate 64, Figures 1-1b

Lecithocera erecta Meyrick, 1935, in Caradja and Meyrick, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 74.

"... ♂♀ 10-11 mm. ... 7 ex., Tienmushan, IX. Allied to *crossophaea* Meyr. ..."

Lectotype : ♂, 11 mm., Tien-Mu-Shan, China. C. 5,300', .9.32." Slide No. 8793.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera eucharis Meyrick

Plate 64, Figures 2-2c

Lecithocera eucharis Meyrick, 1933, Exotic Microlepidoptera, 4 : 356.

"♀. 10 mm. ... Sierra Leone, Njala, April (*E. Hargreaves*); 1 ex. (Brit. Mus.)."

Type : The female so marked in the British Museum, "Sierra Leone, Njala. 11.IV.32. E. Hargreaves." Slide No. 9172.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Lecithocera eumenopis Meyrick

Plate 64, Figures 3-3b

Lecithocera eumenopis Meyrick, 1914, Exotic Microlepidoptera, 1 : 199.

"♂. 19 mm. ... North Australia, Port Darwin, in June (*G. F. Hill*); one specimen. Type in British Museum."

Type : The male so marked in the British Museum, "Darwin, S. Australia. 1.VI.1913. Hill." A small white label reads, "M211." A third label, in Meyrick's hand, bears the inscription, "*Lecithocera eumenopis* Meyr. type." Slide No. 9161.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera exophthalma (Meyrick)


Plate 64, Figures 4-4b

Brachmia exophthalma Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 720.

"♂♀. 17-21 mm. ... Maskeliya, Ceylon (*Pole, de Mowbray*); in January, April and October, four specimens."

Lectotype : ♂, 20 mm., "Maskeliya, Ceylon. Pole. .4.06." Slide No. 8841.

Figure 4, right wings (image reversed); 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1




1a

1b




2



2a

2b

2c




3




3a

3b




4



4a

4b



1



1a




1b




2




1c



3



3a




3b



4



4a



4b

LECITHOCERA

Lecithocera fascinatrix Meyrick

Plate 65, Figures 1-1c

Lecithocera fascinatrix Meyrick, 1935, Exotic Microlepidoptera, 4 : 563.

"♂. 12 mm. . . . Formosa, Tikusiko, August, September (*Prof. S. Issiki*); 2 ex."

Lectotype : ♂, "Tikusiko, Formosa. Sl. 9.9.33." Slide No. 8799.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed; 1c, denuded abdomen showing eversible abdominal tuft.

Lecithocera fausta Meyrick

Plate 65, Figure 2

Lecithocera fausta Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 449.

"♂. 26 mm. . . . Philippines, Luzon, 5,000 feet; one specimen."

Type : The male, without abdomen, indicated above, "Luzon, Philippine Is., W. 5,000'. .92."

Figure 2, left wings.

Lecithocera fornacalis (Meyrick)

Plate 65, Figures 3-3b

Brachmia fornacalis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 719.

"♂♀. 17-19 mm. . . . Kandy, Ceylon, (*Mackwood*); in January, two specimens."

Lectotype : ♂, 19 mm., "Kandy, Ceylon. FMM. .1.09." Slide No. 8838.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera fortis Meyrick

Plate 65, Figures 4-4b

Lecithocera fortis Meyrick, 1918, Exotic Microlepidoptera, 2 : 111.

"♂. 19 mm. . . . S. India, Nilgiris, 3,500 feet, March (*Andrewes*); one specimen. Nearly allied to *trigonopsis*, . . ."

Type : The above indicated male, "Nilgiri Hills. H. L. Andrewes. 3. '10. 3,500 ft." Slide No. 8855.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera geraea (Meyrick)

Plate 66, Figures 1-1b

Brachmia geraea Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 717.

"♂♀. 16-19 mm. . . Madulsima, Ceylon (*Vaughan, Green*); in April, May and from September to November, thirteen specimens."

Lectotype : ♂, 19 mm., "Madulsima, Ceylon. Green. .11.06." Slide No. 8810. Two specimens are missing.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera glaphyritis Meyrick

Plate 66, Figures 2-2b

Lecithocera glaphyritis Meyrick, 1918, Exotic Microlepidoptera, 2 : 106.

"♂♀. 14 mm. . . Ceylon, Namunukuli, 6,000 feet, Patipola (*Pole, Green*); two specimens."

Lectotype : ♂, 14 mm., "Patipola, Ceylon. JP. .4.07." Slide No. 8791.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera glyptosema Meyrick

Plate 66, Figures 3-3b

Lecithocera glyptosema Meyrick, 1938, in Caradja and Meyrick, Deuts. Ent. Zeit. Iris, 52 : 6.

"... ♀, 24 mm., Yül., 3,200 m., VII, 1 ex."

Type : The female denoted above, "Likiang, China. H. .7.24." Slide No. 8853.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium.

Lecithocera goniometra Meyrick

Plate 66, Figures 4-4b

Lecithocera goniometra Meyrick, 1929, Exotic Microlepidoptera, 3 : 522.

"♂. 15 mm. . . Philippines, Los Baños (*Baker*); 1 ex."

Type : The above indicated male, "Las Baños, Philippines. B. .27." Slide No. 8759.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1



1a




1b



2



2a




2b




3



3a



3b



4



4a



4b

LECTHOcera



1




1a



1b



2



2a



2b



3



3a



3b

LECITHOCERA

Lecithocera haemylopis (Meyrick)

Plate 67, Figures 1-1b

Brachmia haemylopis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 716.

"♂♀. 15-17 mm. . . . Madulsima, Ceylon (*Vaughan, Green*); in April, and from September to December, seven specimens."

Lectotype : ♂, 15 mm. . . . "Madulsima, Ceylon. *Vaughan, 11.05.*" Slide No. 8845.

Figure 1, left wings; 1b, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera hemichrysa Meyrick

Plate 67, Figures 2-2b

Lecithocera hemichrysa Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 447.

"♂♀. 19-20 mm. . . . Khasis, in April; two specimens."

Lectotype : ♂, 20 mm., "Khasi Hills, Assam. .4.1906." Slide No. 8768.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera homocentra Meyrick

Plate 67, Figures 3-3b

Lecithocera homocentra Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 449.

"♂. 17-19 mm. . . . Maskeliya, Ceylon, in July (*Pole*): six specimens."

Lectotype : ♂, 19 mm., "Maskeliya, Ceylon. *Pole, 1.06.*" Slide No. 8771. There are six specimens in the Meyrick collection all dated "1.06." I have no doubt these are the actual types and that the month was erroneously recorded.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera hypsipola Meyrick

Plate 68, Figure 1

Lecithocera hypsipola Meyrick, 1926, Exotic Microlepidoptera, 3 : 290.

"♂. 18 mm. . . . Kumaon, Muktesar, 7,000 feet, September (*Fletcher*); 1 ex."

Type : The above indicated male, without abdomen, dated ".9.22."

Figure 1, left wings.

Lecithocera ianthodes Meyrick

Plate 68, Figures 2-2b

Lecithocera ianthodes Meyrick, 1931, Exotic Microlepidoptera, 4 : 80.

"♂. 12 mm. . . . India, Dehra Dun, 2,000 feet, July (*T. B. Fletcher*); 1 ex.
Probably nearest *xanthophaea* from Borneo."

Type : The above indicated male, "Dehra Dun, India. TBF. 2,000' .7.29."
Slide No. 8754.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera immobilis Meyrick

Plate 68, Figures 3-3b

Lecithocera immobilis Meyrick, 1918, Exotic Microlepidoptera, 2 : 103.

"♂. 13 mm. . . . S. India, Coimbatore, March (*Fletcher*); one specimen."

Type : The above indicated male dated "5.3.13." Slide No. 8734.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera insidians Meyrick






Plate 68, Figures 4-4c



Lecithocera insidians Meyrick, 1918, Exotic Microlepidoptera, 2 : 108.

"♂. 18 mm. . . . Coorg, Dibidi, 3,500 feet, August (*Newcome*); one specimen."

Type : The male denoted above, "Dibidi, N. Coorg. LN. 20.8.08." Slide No. 8743.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed; 4c, posterior segments of denuded abdomen displaying abdominal tufts.





LECITHOCERA

Lecithocera integrata Meyrick

Plate 69, Figures 1-1c

Lecithocera integrata Meyrick, 1918, Exotic Microlepidoptera, 2 : 107.

"♀. 16 mm. . . . Kanara, Dharwar, April (*Maxwell*); two specimens."

Lectotype : One of the females denoted above both of which are labelled " Dharwar, Kanara. RM. 14.4.16." Slide No. 8745.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signum.

Lecithocera iresia (Meyrick)

Plate 69, Figures 2-2b

Brachmia iresia Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 709.

"♂♀. 9-14 mm. . . . Madulsima, Trincomali, Puttalam, Ceylon (*Pole, Fletcher*); N. Coorg. 3,500 feet (*Newcome*); in February and from June to November, nine specimens."

Lectotype : ♂, 11 mm., " Madulsima, Ceylon. TBF. 11.8.08." Slide No. 8816.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera isomila (Meyrick)

Plate 69, Figures 3-3b

Brachmia isomila Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 718.

"♂. 20-22 mm. . . . Maskeliya, Ceylon (*Pole*); in April, two specimens."

Lectotype : ♂, 22 mm., " Maskeliya, Ceylon. Pole. 4.06." Slide No. 8846.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera isomitra Meyrick

Plate 69, Figures 4-4b

Lecithocera isomitra Meyrick, 1914, Exotic Microlepidoptera, 1 : 277.

"♂♀. 13-14 mm. . . . Nyassaland, Mt. Mlanje, from December to April (*Neave*); thirteen specimens. Type in British Museum."

Type : The male so marked in the British Museum, " Mt. Mlanje, Nyasaland. 9.1.1913. S. A. Neave." A small white label bears the inscription, " M385." Slide No. 9168.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera itrinea Meyrick

Plate 70, Figures 1-1b

Lecithocera itrinea Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 444.

"♂. 12-13 mm. . . N. Coorg, 3,500 feet (*Newcome*); Ceylon (without further record); from June to September, nine specimens."

Lectotype : ♂, 13 mm., "Dibidi, N. Coorg. *Newcome*. 10.6.06." Slide No. 8786.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera jugalis Meyrick

Plate 70, Figures 2-2c

Lecithocera jugalis Meyrick, 1918, Exotic Microlepidoptera, 2 : 109.

"♀. 11 mm. . . Kanara, Dharwar, September (*Maxwell*); one specimen."

Type : The above indicated female, dated "22.9.15." Slide No. 8744.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Lecithocera leucoceros Meyrick

Plate 70, Figures 3-3c

Lecithocera leucoceros Meyrick, 1932, Exotic Microlepidoptera, 4 : 204.

"♀. 13-14 mm. . . Japan, Tokio, June (*S. Issiki*); 2 ex."

Lectotype : ♀, 13 mm., "Tokio, Japan. SI. 21.6.18." Slide No. 8792.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Lecithocera lycopis (Meyrick)


Plate 70, Figures 4-4b

Brachmia lycopis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 717.

"♂♀. 19 mm. . . Maskeliya and Madulsima, Ceylon (*de Mowbray, Green*); in November, January, and May, three specimens."


Lectotype : ♂, "Madulsima, Ceylon. *Green*. 11.06." Slide No. 8836.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.






1




2



3



4



1c


1b

1a

2a



2b



3a



3b



4a



4b

LECITHOCERA

Lecithocera macella Meyrick

Plate 71, Figures 1-1c

Lecithocera macella Meyrick, 1918, Exotic Microlepidoptera, 2 : 105.

“ ♀. 13 mm. . . S. India, Nilgiris, Maduvatam, 6,000 feet, April (*Andrewes*); two specimens.”

Lectotype : One of the above indicated females, both of which are labelled, “ Nilgiri Hills. H. L. Andrewes. Naduvatam. IV.11. 6,000’.” Slide No. 8736.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, signum.

Lecithocera mazina Meyrick

Plate 71, Figures 2-2b

Lecithocera mazina Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 445.

“ ♂. 14 mm. . . Simla, in July; one specimen.”

Type : The above indicated male, “ Simla, India. R. .7.89.” Slide No. 8763.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera megalopis Meyrick

Plate 71, Figures 3-3b

Lecithocera megalopis Meyrick, 1916, Exotic Microlepidoptera, 1 : 575.

“ ♂♀. 16-17 mm. . . Philippines, Mt. Apo, 6,500 feet, in May (*Mounsey*); four specimens.”

Lectotype : ♂, 17 mm., “ Mt. Apo, 6,500 feet, Mindanao. M. .5.10.” Slide No. 8802.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera metacausta Meyrick

Plate 71, Figures 4-4b

Lecithocera metacausta Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 446.

“ ♂♀. 13-15 mm. . . Khasis, from October to March; eight specimens.”

Lectotype : ♂, 13 mm., “ Khasi Hills, Assam. 10.1906.” Slide No. 8765.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera metasaris (Meyrick)

Plate 72, Figures 1-1b

Brachmia metasaris Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 712.

"♂♀. 17-18 mm. . . . Khasis; in May, two specimens."

Lectotype: ♂, 18 mm., "Khasi Hills, Assam. .5.1907." Slide No. 8774.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera monobyrsa Meyrick

Plate 72, Figures 2-2b

Lecithocera monobyrsa Meyrick, 1931, Exotic Microlepidoptera, 4 : 80.

"♂. 18 mm. . . . Uganda, Madi, May (*G. D. H. Carpenter*); 1 ex. (Brit. Mus.)."

Type: The male so marked in the British Museum, "Uganda, Madi, V-1927. *G. D. H. Carpenter*." Slide No. 9162.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera nefasta Meyrick

Plate 72, Figures 3-3b

Lecithocera nefasta Meyrick, 1916, Exotic Microlepidoptera, 1 : 575.

"♂. 21 mm. . . . Kanara, Supa, in April (*Maxwell*); one specimen."

Type: The male denoted above, dated "25.4.12." Slide No. 8794.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera neosticta Meyrick




Plate 72, Figures 4-4b






Lecithocera neosticta Meyrick, 1918, Exotic Microlepidoptera, 2 : 107.

"♂. 14 mm. . . . Coorg, Dibidi, 3,500 feet, August (*Newcome*); one specimen."

Type: The above indicated male, "Dibidi, N. Coorg. LN. 20.8.08." Slide No. 8733.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.





LECITHOCERA

Lecithocera niphomitra Meyrick

Plate 73, Figures 1-1c

Lecithocera niphomitra Meyrick, 1931, Exotic Microlepidoptera, 4 : 78.

"♀. 17-18 mm. . . . Sikkim, Gangtok, 6,000 feet, May (*Colonel F. M. Bailey*); 2 ex."

Lectotype: ♀, 18 mm., "Gangtok, Sikkim. B. 6,000' .5.28." Slide No. 8779.

One specimen is missing.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, signum.

Lecithocera nubigena (Meyrick)

Plate 73, Figures 2-2c

Brachmia nubigena Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 720.

"♂. 17 mm. . . . Haputale, Ceylon (*Fletcher*); in August, one specimen."

Type: The above indicated male, dated "30.8.07." Slide No. 8837.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed; 2c, part of denuded abdomen showing dorsal spines.

Lecithocera nyctiphron Meyrick

Plate 73, Figures 3-3b

Lecithocera nyctiphron Meyrick, 1931, Exotic Microlepidoptera, 4 : 81.

"♂. 19 mm. . . . Sikkim, Gangtok, 6,000 feet, April (*Colonel F. M. Bailey*); 1 ex.
Allied to *octavana*."

Type: The above indicated male dated ".4.28." Slide No. 8851.

Figure 3, right wings (image reversed); 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera ochrocapna Meyrick

Plate 73, Figure 4

Lecithocera ochrocapna Meyrick, 1923, Exotic Microlepidoptera, 3 : 40.

"♀. 21 mm. . . . Philippines, Mindanao, Mt. Apo, 6,500 feet, May (*Mounsey*). Near *orbata*, . . ."

Type: The above indicated female, without abdomen, dated ".5.10."

Figure 4, left wings.

Lecithocera ochrometra Meyrick

Plate 74, Figures 1-1b

Lecithocera ochrometra Meyrick, 1933, Exotic Microlepidoptera, 4 : 356.

"♂. 19 mm. . . . N. Rhodesia, Congo-Zambesi watershed (*Dr. H. S. Evans*); 1 ex. (Brit. Mus.)."

Type : The above indicated male, so marked in the British Museum, dated "1928." Slide No. 9166.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera octavana (Meyrick)

Plate 74, Figures 2-2c

Brachmia octavana Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 714.

"♂♀. 22-23 mm. . . . Khasis; in June, July and October, four specimens."

Lectotype : ♀, 22 mm., "Khasi Hills, Assam. .10.1906." Slide No. 8850. Two specimens are missing.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Lecithocera octonias Meyrick

Plate 74, Figure 3

Lecithocera octonias Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 447.

"♂. 19 mm. . . . Borneo, Kuching (*Hewitt*); in November, one specimen."

Type : The male denoted above, "Kuching, Borneo. JH. .11.00." Slide No. 8844. The genitalia of the type are missing although the abdomen appeared intact when the specimen was dissected.

Figure 3, left wings.


Lecithocera officialis Meyrick

Lecithocera officialis Meyrick, 1912, Ann. Transvaal Mus., 3 : 67.


"♀. 15 mm. . . . Haenertsburg (*Swierstra*); in December, one specimen. Type in Coll. Meyrick."

Type : The unique type is in poor condition and is without abdomen. The abdomen was, presumably, missing when described since Meyrick did not mention it. The pin-label data are: "Haenertsburg, Transvaal. C.J.S. .6.12.09."

[continued on p. 163.]



LECTITHOCERA



LECITHOCERA

Lecithocera opportuna Meyrick

Plate 75, Figures 1-1b

Lecithocera opportuna Meyrick, 1923, Exotic Microlepidoptera, 3 : 38.

"♂♀. 16-17 mm. . . . Assam, Cherrapunji (*Fletcher*); 6 ex."

Lectotype: ♂, 16 mm. [barely!], "Cherrapunji, Assam. TBF. .22." Slide No. 8753.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia and aedeagus removed.

Lecithocera orbata (Meyrick)

Plate 75, Figures 2-2c

Brachmia orbata Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 450.

"♀. 18 mm. . . . Borneo, Kuching (*Hewitt*); one specimen."

Type: The female indicated above, "Kuching, Borneo. JH. .07." Slide No. 8820.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Lecithocera oxalea Meyrick

Plate 75, Figures 3-3b

Lecithocera oxalea Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 449.

"♂. 16 mm. . . . N. Coorg, 3,500 feet, in June (*Newcome*); one specimen."

Type: The above indicated male, "Dibidi, N. Coorg. Newcome. 1.6.07." Slide No. 8862.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera oxycona Meyrick

Plate 75, Figures 4-4b

Lecithocera oxycona Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 444.

"♂. 11 mm. . . . N. Coorg, 3,500 feet (*Newcome*); Gooty (*Campbell*); Konkan (*Young*); in June, three specimens."

Lectotype: ♂, "Gooty, S. India. WHC. .07." Slide No. 8804.

Figure 4, left forewing; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera pachyntis Meyrick

Plate 76, Figures 1-1b

Lecithocera pachyntis Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 17.

"♂. 13-14 mm. . . . *Hab.* Koni; two specimens."

Lectotype : ♂, 14 mm., "Koni, Burma. NM. /88." Slide No. 8788.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera parallactis (Meyrick)

Plate 76, Figures 2-2b

Torodora parallactis Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 17.

"♂. 24 mm. . . . *Hab.* Mone; one specimen."

Type : The above indicated male, "Mone, Burma. NM. /88." Slide No. 8863.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera parasema (Meyrick)

Plate 76, Figures 3-3b

Brachmia parasema Meyrick, 1913, Exotic Microlepidoptera, 1 : 66.

"♂♀. 13-15 mm. . . . Bengal, Pusa, in May and June (*Fletcher*); five specimens. Allied to *exophthalma*."

Lectotype : ♂, 13 mm., dated "13.6.10." Slide No. 8868.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera paroena (Meyrick)

Plate 76, Figures 4-4b

Macrotona paroena Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 148.

"♂. 23-25 mm. . . . Three specimens, Maskeliya and Maturatta, Ceylon, in March, May, and October (*Pole, de Mowbray*)."

Lectotype : ♂, 23 mm., "Maskeliya, Ceylon. Pole. .5.04." Slide No. 8865.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.




1



1a




1b



2



2a



2b




3



3a




3b



4




4a



4b


LECTHOCERA



1



1a




1b



2



2a




2b


2c



3



3a




3b



4



4a



4b

LECITHOCERA

Lecithocera paroristis (Meyrick)

Plate 77, Figures 1-1b

Brachmia paroristis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 718.

"♂. 24-25 mm. . . . Madulsima, Ceylon (*Vaughan*); in May and June, two specimens. Much like *epomia*, . . ."

Lectotype : ♂, 25 mm. . . . "Madulsima, Ceylon. *Vaughan*. .5.05." Slide No. 8847.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera parthenopis Meyrick

Plate 77, Figures 2-2c

Lecithocera parthenopis Meyrick, 1932, Exotic Microlepidoptera, 4 : 204.

"♀. 17 mm. . . . Formosa, Hassensan, August (*S. Issiki*); 1 ex. Allied to *opportuna*."

Type : The above indicated female, "Hassensan, Formosa. Sl. 31.8.29." Slide No. 8773.

Figure 1, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of genital plate and ostium.

Lecithocera pallax (Meyrick)

Plate 77, Figures 3-3b

Brachmia pallax Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 713.

"♂♀. 16-20 mm. . . . Khasis, from June to September, three specimens."

Lectotype : ♂, 20 mm., "Khasi Hills, Assam. .6.1906." Slide No. 8772.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera pelomorpha Meyrick

Plate 77, Figures 4-4b

Lecithocera pelomorpha Meyrick, 1931, Bull. Sec. sci. Acad. roum., 14 : 69.

"♂♀. 18-21 mm. . . . 8 ex., July. Nearest *praeses*, . . ."

Lectotype : ♂, 19 mm., "Kwanhsien, China. F. .7.30." Slide No. 8809.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera percnobela (Meyrick)

Plate 78, Figures 1-1b

Brachmia percnobela Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 723.

"♀. 17-19 mm. . . . Nilgiris, 3,500 feet (*Andrewes*); in August, two specimens."

Lectotype: ♀, 17 mm., Nilgiri Hills, S. India HLA. 3,500' .8.07." Slide No. 8812.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium.

Lecithocera perfida Meyrick

Plate 78, Figures 2-2b

Lecithocera perfida Meyrick, 1918, Exotic Microlepidoptera, 2 : 105.

"♂. 14 mm. . . . S. India, Nilgiris, Pykara, 7,000 feet, March (*Andrewes*); one specimen."

Type: The above indicated male, "Nilgiri Hills, H. L. Andrewes. 7,000 feet. Pykara iii.13." Slide No. 8737.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera perpensa Meyrick

Plate 78, Figures 3-3b

Lecithocera perpensa Meyrick, 1918, Exotic Microlepidoptera, 2 : 153.

"♂. 13 mm. . . . Assam, Shillong, 5,000 feet, September (*Fletcher*); one specimen."

Type: The above indicated male dated ".9.17." Slide No. 8789.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera philosopha (Meyrick)


Plate 78, Figures 4-4b

Brachmia philosopha Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 708.

"♂♀. 13-15 mm. . . . Khasis; in March, three specimens."

Lectotype: ♂, 13 mm., "Khasi Hills, Assam. .3.1907." Slide No. 8814.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



LECTTHOCERA




1




2



3




4



1a



2a



3a



4a

1b

2b

3c

3b

4b

4c

LECITHOCERA

Lecithocera phoberopis Meyrick

Plate 79, Figures 1-1b

Lecithocera phoberopis Meyrick, 1938, in Caradja and Meyrick, Deuts. Ent. Zeit. Iris, 52 : 5.

"... ♀ 19 mm. . . . Yül., VI, 1 ex. Near *diplosticta* Meyr."

Type: The above indicated female, "Likiang, China. H. .6.34." Slide No. 8785.

Figure 1, left wings; 1a, detail of genital plate and ostium; 1b, ventral view of female genitalia.

Lecithocera phratriastis Meyrick

Plate 79, Figures 2-2b

Lecithocera phratriastis Meyrick, 1929, Exotic Microlepidoptera, 3 : 523.

"♂. 13 mm. . . . Ceylon, Madulsima, May (*Vaughan*); 1 ex."

Type: The above indicated male, dated "5.08." Slide No. 8760.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus removed; 2b, aedeagus.

Lecithocera praeses Meyrick

Plate 79, Figures 3-3c

Lecithocera praeses Meyrick, 1919, Exotic Microlepidoptera, 2 : 236.

"♀. 25 mm. . . . Kumaon, Bhim Tal, 5,000-6,000 feet, May (*Maxwell*); one specimen."

Type: The above indicated female dated "5.5.18." Slide No. 8856.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Lecithocera proclivis Meyrick

Plate 79, Figures 4-4c

Lecithocera proclivis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 446.

"♀. 16-17 mm. . . . Nilgiris, 6,000 feet, in May (*Andrewes*); two specimens."

Lectotype: ♀, 16 mm., "Nilgiri Hills, S. India. HLA. 6,000' .5.07." Slide No. 8767.

Figure 4, left wings; 4a, signum; 4b, detail of genital plate and ostium; 4c, ventral view of female genitalia.

Lecithocera protolyca Meyrick

Plate 80, Figures 1-1b

Lecithocera protolyca Meyrick, 1938, in Caradja and Meyrick, Deuts. Ent. Zeit. Iris, 52 : 5.

"... ♂, 18 mm. . . . Yül., 2,800 m., VI, 1 ex. Nearest . . . *mazina* Meyr., . . ."

Type : The above indicated male, "Likang, China. H. .6.34." Slide No. 8783.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera protoma Meyrick

Plate 80, Figures 2-2c

Lecithocera protoma Meyrick, 1914, Exotic Microlepidoptera, 1 : 198.

"♀. 14 mm. . . . Gold Coast, Aburi (*Patterson*); one specimen. Type in British Museum."

Type : The female so marked in the British Museum dated "1912." A small white label bears the inscription, "M209." A third label, in Meyrick's hand, reads, "*Lecithocera protoma* Meyr. type." Slide No. 9173.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Lecithocera protrocha (Meyrick)

Plate 80, Figures 3-3a

Brachmia protrocha Meyrick, 1916, Exotic Microlepidoptera, 1 : 576.

"♂. 22 mm. . . . S. India, Ootacamund, 7,500 feet, in December (*Fletcher*); one specimen. Allied to *capnacula*."

Type : The above indicated male dated ".12.13." The left hand wings are missing. Slide No. 8858.

Figure 3, right wings (image reversed); 3a, ventral view of male genitalia with aedeagus removed; 3b, aedeagus.

Lecithocera ptochas Meyrick







Plate 80, Figures 4-4c

Lecithocera ptochas Meyrick, 1918, Exotic Microlepidoptera, 2 : 104.


"♀. 10 mm. . . . Bengal, Pusa, June (*Fletcher*); one specimen."

Type : The above indicated female dated 19.6.11." Slide No. 8822.

Figure 4, left wings; 4a, signum; 4b, detail of ostium; 4c, ventral view of female genitalia.



LECTTHOCERA



1




1a


1b



2



3b



3d



3



3a



3c

LECITHOCERA

Lecithocera puteolata (Meyrick)

Plate 81, Figures 1-1b

Brachmia puteolata Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 716.

“♂. 21-23 mm. . . . Cuddapah, 4,000 feet (*Campbell*); two specimens.”

Lectotype : ♂, 23 mm., Cuddapah, India. WHC. 4,000' .08.” Slide No. 8811.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera querula Meyrick

Plate 81, Figure 2

Lecithocera querula Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 449.

“♂. 17 mm. . . . Java, Bandong; one specimen.”

Type : The above indicated male, without abdomen, “Bandong, Java. R. .07.”

Figure 2, left wings.

Lecithocera recurvata Meyrick

Plate 81, Figures 3-3d

Lecithocera recurvata Meyrick, 1923, Exotic Microlepidoptera, 3 : 39.

“♀. 16-18 mm. . . . Philippines, Mindanao, Baco R., February (*Mounsey*); 2 ex.”

Lectotype : ♀, 18 mm., “Baco R. Mindanao. M. .2.10.” Slide No. 8823.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, signum; 3c, detail of genital plate and ostium; 3d, several segments of denuded abdomen showing tergal spines.

Continued from p. 148.

Lecithocera omphacias Meyrick

Plate 74, Figures 4-4b

Lecithocera omphacias Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 445.

“♂. 12 mm. . . . Madulsima, Ceylon, in May (*Fletcher*); one specimen.”

Type : The male denoted above, dated .5.08.” Slide No. 8776.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Lecithocera responsa Meyrick

Plate 82, Figures 1-1b

Lecithocera responsa Meyrick, 1918, Exotic Microlepidoptera, 2 : 108.

"♂. 18 mm. . . . Bombay, Belgaum (*Bell*); one specimen."

Type : The male denoted above, "Belgaum, S. India. T. R. Bell. .11." Slide No. 8732.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera rusticana (Meyrick)

Plate 82, Figures 2-2b

Brachmia rusticana Meyrick, 1918, Exotic Microlepidoptera, 2 : 113.

"♂. 19 mm. . . . S. India, Anamalais, 4,000 feet, January (*Fletcher*); one specimen."

Type : The male indicated above dated ".1.12." Slide No. 8859.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera semirupta Meyrick

Plate 82, Figures 3-3c

Lecithocera semirupta Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 445.

"♀. 16 mm. . . . Khasis, in October; one specimen."

Type : The female denoted above, "Khasi Hills, Assam. .10.1906." Slide No. 8762.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Lecithocera sinuosa Meyrick


Plate 82, Figures 4-4b

Lecithocera sinuosa Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 444.


"♂♀. 9-10 mm. . . . Maskeliya and Matale, Ceylon (*Pole*); from February to August, six specimens."

Lectotype : ♂, 9 mm., "Maskeliya, Ceylon. Pole .6.06." Slide No. 8787.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1



1a 1b




2



2a 2b



3



3a 3b 3c




4



4a 4b

LECTTHOCERA



LECITHOCERA

Lecithocera sortilega (Meyrick)

Plate 83, Figures 1-1b

Brachmia sortilega Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 714.

"♂♀. 21-23 mm. . . . Khasis; from May to July, fourteen specimens."

Lectotype: ♂, 21 mm., "Khasi Hills, Assam .5.1907." Slide No. 8849. Three specimens are missing.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera sporochlora Meyrick

Plate 83, Figures 2-2b

Lecithocera sporochlora Meyrick, 1929, Exotic Microlepidoptera, 3 : 523.

"♂. 17 mm. . . . Ceylon, Maskeliya, January (*Pole*); 1 ex. A distinct form."

Type: The above indicated male dated ".1.06." Slide No. 8797.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera staurophora Meyrick

Plate 83, Figures 3-3c

Lecithocera staurophora Meyrick, 1931, Exotic Microlepidoptera, 4 : 81.

"♂. 19 mm. . . . British New Guinea, Biagi, Mambare R., 5,000 feet (*Meek*); 1 ex. (Coll. Paravicini). Perhaps allied to *deloma* Durr."

Type: The female, erroneously recorded as a male, so marked in the British Museum, "Biagi, Mambare R., 5,000 ft., B.N.G., I.-IV.06. (A. S. Meek)." Slide No. 9165.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Lecithocera stelophanes Meyrick

Plate 83, Figures 4-4c

Lecithocera stelophanes Meyrick, 1938, Trans. Royal Ent. Soc. London, 87 : 514.

".. 13 mm. . . . Mafulu, 4,000 feet, December; 1 ex."

Type: The female so marked in the British Museum, "Papua: Mafulu. 4,000 ft. XII.1933. L. E. Cheesman." A small white label reads, "C175." Slide No. 9171.

Figure 4, left wings; 4a, signum; 4b, detail of genital plate and ostium; 4c, ventral view of female genitalia.

Lecithocera storestis (Meyrick)

Plate 84, Figures 1-1b

Brachmia storestis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 711.

"♂. 10 mm. . . . Maskeliya, Ceylon (*Alston*); in December, one specimen."

Type: The above indicated male dated ".12.06." Slide No. 8807.

Figure 1, right wings (image reversed); 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera stomobapta Meyrick

Plate 84, Figures 2-2b

Lecithocera stomobapta Meyrick, 1929, Exotic Microlepidoptera, 3 : 524.

"♀. 12-14 mm. . . . Coorg, Dibidi, 3,500 feet (*Newcome*); Bombay, Dharwar (*Maxwell*); June, August, February, 5 ex. Perhaps allied to *contracta*."

Lectotype: ♀, 12 mm., "Dibidi, N. Coorg. Newcome. 12.6.06." Slide No. 8805.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium.

Lecithocera strangalistis (Meyrick)

Plate 84, Figures 3-3b

Brachmia strangalistis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 722.

"♂♀. 16 mm. . . . Khasis; in April, August and October, three specimens."

Lectotype: ♂, "Khasi Hills, Assam. .4.1906." Slide No. 8798.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera strepsicrena Meyrick


Plate 84, Figures 4-4c


Lecithocera strepsicrena Meyrick, 1931, Exotic Microlepidoptera, 4 : 81.

"♂. 16 mm. . . . British New Guinea, Kumusi R. (*Meek*); 1 ex. (Coll. Paravicini). Allied to *coleasta*."

Type: The male so marked in the British Museum, "Kumusi R., N. E. Brit. N. Guin., low elev., V-IX.1907 (A. S. Meek)." A small white label bears the inscription, "M586." Slide No. 9164.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed; 4c, part of denuded abdomen displaying ventral tufts.





Lecithocera strophopa (Meyrick)

Plate 85, Figures 1-1b

Brachmia strophopa Meyrick, 1923, Exotic Microlepidoptera, 3 : 46.

"♂. 21 mm., S. India, Palnis, Kodaikanal, 7,000 feet, August (*Fletcher*); 2 ex. Very like *rusticana*, . . ."

Lectotype: ♂, 21 mm., "Palnis, India. 7,000' TBF. .8.21." Slide No. 8860. The female bears identical data except it is dated ".9.21." Presumably the original female is missing.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera symptomatica Meyrick

Plate 85, Figures 2-2b

Lecithocera symptomatica Meyrick, 1931, Exotic Microlepidoptera, 4 : 79.

"♂. 10 mm. . . . Burma, Thaton, March (*T. B. Fletcher*); 1 ex."

Type: The above indicated male, "Thaton, Burma. AGR. 1.3.18." Slide No. 8756. Figure 2, left wings; 2a, ventral view of female genitalia (damaged); 2b, signum.

Lecithocera syntropha Meyrick

Plate 85, Figures 3-3b

Lecithocera syntropha Meyrick, 1918, Exotic Microlepidoptera, 2 : 109.

"♂. 15 mm. . . . N. W. India, Quetta, July (*Nurse*); one specimen."

Type: The male indicated above, labelled "Quetta, W. Himalaya. CGN. .7.02." Slide No. 8780.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera theconoma Meyrick

Plate 85, Figures 4-4b

Lecithocera theconoma Meyrick, 1926, Sarawak Mus. Journ., 3 : 156.

"♂♀. 17-19 mm. . . . Mt. Murud, 4,500 feet; Lio Matu; three specimens."

Lectotype: ♀, 17 mm., "Mt. Murud, Borneo. 4,500' 22.11.22." Slide No. 8781. Two specimens are missing.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of ostium.

Lecithocera thiochlora Meyrick

Plate 86, Figures 1-1b

Lecithocera thiochlora [sic!] Meyrick, 1931, Exotic Microlepidoptera, 4 : 79.

"♂. 18-19 mm. . . . Madras, Palnis, Kodaikanal, 7,000 feet, August, September (T. B. Fletcher); 5 ex."

Lectotype: ♂, 19 mm., "Kodaikanal, India. TBF. 7,000' .9.29." Slide No. 8758.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lecithocera trigonopis (Meyrick)

Plate 86, Figures 2-2b

Tiriza trigonopis Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 737.

"♂. 21-24 mm. . . . Simla, in May; two specimens (Nurse)."

Lectotype: ♂, 24 mm., "Simla, Punjab. CGN. .5.97." Slide No. 8869.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lecithocera tylobathra Meyrick

Plate 86, Figures 3-3b

Lecithocera tylobathra Meyrick, 1931, in Caradja, Bull. Sec. sci. Acad. roum. 14 : 69.

"♂. 14-15 mm. ♀ 18 mm. . . . 6 ex., July. Probably allied to *pelomorpha*, . . ."

Lectotype: ♂, 14 mm. [barely!], "Kwanhsien, China. F. .7.28." Slide No. 8808.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Lecithocera xanthochalca Meyrick

Plate 86, Figures 4-4b

Lecithocera xanthochalca Meyrick, 1914, Exotic Microlepidoptera, 1 : 199.

"♀. 16 mm. . . . Nyassaland, Mt. Mlanje, in December (Neave); one specimen. Type in British Museum."

Type: The above indicated female, so marked in the British Museum, "Mt. Mlanje, Nyassaland. 31.XII.1913. S. A. Neave." A small white label bears the inscription "M43." A third label, in Meyrick's hand, reads, "*Lecithocera xanthochalca* Meyr. type." Slide No. 9169.

Figure 4, left wings; 4a, ventral view of female genitalia (damaged); 4b, detail of ostium and genital plate.



1



1a

1b




2



2a

2b



3




3a

3b




4



4a

4b



LECITHOCERA

Lecithocera xanthocosma (Meyrick)

Plate 87, Figures 1-1c

Brachmia xanthocosma Meyrick, 1923, Exotic Microlepidoptera, 3 : 46.

“ ♂♀. 19-21 mm. . . . Uganda, Kampala (*Hargreaves.*); 2 ex. (type Brit. Mus.).”

Type: The female so marked in the British Museum, “ Kampala, Uganda. 1-13.XI.1921. H. Hargreaves.” A small white label reads, “ M189.” Slide No. 9167.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signum; 1c, detail of genital plate and ostium.

Lecithocera xanthophaea Meyrick

Plate 87, Figures 2-2b

Lecithocera xanthophaea Meyrick, 1926, Sarawak Mus. Journ., 3 : 158.

“ ♂♀. 18 mm. . . . Mt. Poi, 4,500-5,300 feet, Mt. Murud, 6,500 feet, six specimens. Nearly allied to *hemichrysa*, . . .”

Lectotype: ♂, “ Mt. Poi, Borneo. 5,300'.” Slide No. 8801. Five specimens are missing but, if they are still in existence, their location is unknown.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of the male genitalia with aedeagus removed.

Lecithocera zopheropis Meyrick

Plate 87, Figures 3-3b

Lecithocera zopheropis Meyrick, 1931, Exotic Microlepidoptera, 4 : 78.

“ ♀. 16 mm. . . . Sikkim, Gangtok, 6,000 feet, May (*Colonel F. M. Bailey*); 1 ex. Allied to *contracta*.”

Type: The female indicated above dated “.5.28.” Slide No. 8777.

Figure 3, left wings; 3a, detail of genital plate and ostium; 3b, ventral view of female genitalia.

MACRERNIS Meyrick

Macrernis Meyrick, 1887, Trans. Ent. Soc. London, 1887 : 275. (*Typus generis* : *Macrernis heliapta* Meyrick, ibid. [by monotypy]).

Macrernis heliapta Meyrick

Plate 88, Figures 1-1d

Macrernis heliapta Meyrick, 1887, Trans. Ent. Soc. London, 1887 : 275.


“♂. 14 mm. . . . Kandy, Ceylon; one specimen in December.”

Type : The above indicated male dated “18.12.86.” Slide No. 8669.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1



1a



1b




1c




1d

MACRERNIS



1



1a



1b

MEROCRATES

MEROCRATES Meyrick

Merocrates Meyrick, 1931, Exotic Microlepidoptera, 4 : 62. (*Typus generis* : *Merocrates themelias* Meyrick, *ibid.* [by monotypy]).

Merocrates themelias Meyrick

Plate 89, Figures 1-1b

Merocrates themelias Meyrick, 1931, Exotic Microlepidoptera, 4 : 62.

“♂. 16 mm. . . . British New Guinea, Biagi, Mambare R., 5,000 feet (*Meek*); 1 ex. (Coll. Paravicini).”

Type : The male, without abdomen, so marked in the British Museum, “Biagi, Mambare R., 5,000 ft. B.N.G., I-IV. 06. (A. S. Meek.).”

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus.

MNESTERIA Meyrick

Mnesteria Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 438. (*Typus generis* : *Tipha pharetrata* Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 593 [by original designation]).

Mnesteria pharetrata (Meyrick)

Plate 90, Figures 1-1d

Tipha pharetrata Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 593.

“♂♀. 20-21 mm. . . . Two specimens, Kandy and Peradeniya, Ceylon (*Green*).”

Type : Lost. There is a long series of this species from Maskeliya, Ceylon one of which I figure for the type of the genus. Slide No. 8695.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Mnesteria basanistis (Meyrick)

Plate 90, Figures 2-2b

Tingentera basanistis Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 453.

“♂♀. 14-17 mm. . . . Maskeliya, Ceylon, in June, from September to November, and in January; six specimens (*Pole, de Mowbray*).”

Lectotype : ♂, 16 mm., “Maskeliya, Ceylon. de Mowbray. .1.05.” Slide No. 8696.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Mnesteria sideraula Meyrick





Plate 90, Figures 3-3b


Mnesteria sideraula Meyrick, 1916, Exotic Microlepidoptera, 1 : 573.

“♂♀. 16-18 mm. . . . Ceylon, Namunukuli, Newera Eliya, Patipola, Maskeliya, 4,000-7,000 feet, from February to May (*Green, Pole, de Mowbray*); six specimens.”

Lectotype : ♂, 17 mm., “Namunukuli, Ceylon. EEG. .2.10.” Slide No. 8697.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.





MONERISTA

MONERISTA Meyrick

Monerista Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 208. (*Typus generis* : *Timyra hippastis* Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 451 [by original designation]).

Monerista hippastis (Meyrick)

Plate 91, Figures 1-1d

Timyra hippastis Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 451.

“ ♂♀. 10-12 mm. . . . Khasi Hills, from June to September; twelve specimens.”

Lectotype : ♂, 10 mm., “ Khasi Hills, Assam. .6.1906.” Slide No. 8693.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

NEOCORODES Meyrick

Neocorodes Meyrick, 1923, Exotic Microlepidoptera, 3 : 36. (*Typus generis* : *Neocorodes amnesta* Meyrick, *ibid.* [by monotypy]).

Neocorodes amnesta Meyrick


Plate 92, Figures 1-1b

Neocorodes amnesta Meyrick, 1923, Exotic Microlepidoptera, 3 : 26.


“♂. 10 mm. . . . Cyprus, Platres, 5,000-6,000 feet, September (*Hayward*); 1 ex.”

Type : The male without abdomen, so marked in the British Museum. “Platres, Cyprus. KJH. 5,000' .9.21.” Wing slide No. 9372.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus.



1



1a



1b

NEOCORODES




1




1a



1b



1c



1d

NOSPHESTICA

NOSPHESTICA Meyrick

Nosphistica Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 733. (*Typus generis* : *Nosphistica erratica* Meyrick, ibid. [by monotypy]).

Nosphistica erratica Meyrick

Plate 93, Figures 1-1d

Nosphistica erratica Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 733.

“♂♀. 15-17 mm. . . . Maskeliya and Kandy, Ceylon (*Pole, Green*); in March and September, two specimens.”

Lectotype : ♂, 17 mm., “Maskeliya, Ceylon. *Pole*. .3.03.” Slide No. 8922.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

OLBOTHREPTA Meyrick

Olbothrepta Meyrick, 1925, in Wytzman, Genera Insectorum, fasc. 184 : 209. (*Typus generis* : *Timyra hydrosema* Meyrick, 1916, Exotic Microlepidoptera, 1 : 572 [by original designation]).

Olbothrepta hydrosema (Meyrick)




Plate 94, Figures 1-1e

Timyra hydrosema Meyrick, 1916, Exotic Microlepidoptera, 1 : 572.


“ ♂♀. 10-12 mm. . . . Kanara, Ganesh Gudi and Manchikeri, in May (*Maxwell*); Coorg, Dibidi, 3,500 feet, from December to February and in May and August (*Newcome*); Mysore, Bababudins, 4,500 feet, in November (*Fletcher*); fourteen specimens.”

Lectotype : ♂, 12 mm., “ Bababudins, Mysore. TBF. 4,500' .11.12.” Slide No. 8686.

Figure 1, left wings; 1a, aedeagus; 1b, venation of right wings; 1c, palpus from left side; 1d, denuded abdomen showing posterior tufts and tergal spines; 1e, ventral view of male genitalia with aedeagus removed.




OLBOTHREPTA



1a



1b



2



2a



2b



3



3a



3b



1c



2c

Olbothrepta corythista (Meyrick)

Plate 95, Figures 1-1c

Timyra corythista Meyrick, 1918, Exotic Microlepidoptera, 2 : 98.

"♂. 13 mm. . . . Madras, Anamalais, 3,000 feet, in January (*Fletcher*); one specimen. Allied to *sphaeritis*" [*sic*!].

Type: The male denoted above, "Anamalais, India. TBF. 3,000' .1.12." Slide No. 8687.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed; 1c, denuded abdomen showing modified 8th sternite.

Olbothrepta sphaeristis (Meyrick)

Plate 95, Figures 2-2c

Timyra sphaeristis Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 450.

"♂♀. 16-17 mm. . . . Palni Hills (6,000 feet); two specimens (*Campbell*)."

Lectotype: ♂, 17 mm., "Palni Hills, S. India. Campbell. 6,000' .06." Slide No. 8688.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed; 2c, 8th sternite, enlarged.

Olbothrepta zonosphaera Meyrick

Plate 95, Figures 3-3b

Olbothrepta zonosphaera Meyrick, 1935, in Caradja and Meyrick, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, p. 73.

"... ♂. 16 mm. . . . 10 ex., Tienmushan, V.VI.VII. Allied to *sphaeristis* Meyr. from S. India."

Lectotype: ♂, "Tien-Mu-Shan, China. H. 5,300' .7.32." There are only two specimens in the Meyrick collection, one without abdomen. Slide No. 8689.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

OXYGNOSTIS Meyrick

Oxygnostis Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 206. (*Typus generis* : *Tipha diacma* Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 142 [by original designation]).

Oxygnostis diacma (Meyrick)


Plate 96, Figures 1-1d

Tipha diacma Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 142.


“ ♂♀. 17-22 mm. . . . Four specimens, Maskeliya, Ceylon, from December to February (*de Mowbray*).”

Lectotype : ♂, 21 mm., “ Maskeliya, Ceylon. *de Mowbray*. .2.05.” Slide No. 8694.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1



1a



1b



1c



1d


OXYGNOSTIS



1



1a




1b



2



2a



2b

PACHNISTIS

PACHNISTIS Meyrick

Pachnistis arens Meyrick

Plate 97, Figures 1-1b

Pachnistis arens Meyrick, 1913, Exotic Microlepidoptera, 1 : 66.“ ♀. 13 mm. . . . Bengal, Pusa, in June (*Fletcher*); one specimen.”*Type*: The female denoted above, “ Pusa, Bengal. TBF. 26.6.11.” Slide No. 8919.

Figure 1, left wings; 1b, ventral view of female genitalia; 1b, detail of ostium.

Pachnistis inhonesta Meyrick

Plate 97, Figures 2-2b

Pachnistis inhonesta Meyrick, 1916, Exotic Microlepidoptera, 1 : 579.“ ♂. 13 mm. . . . Kanara, Achve, in February (*Maxwell*); one specimen.”*Type*: The above indicated male, “ Achve, Kanara. RM. 29.2.12.” Slide No. 8920.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus removed; 2b, aedeagus.

PARELLIPTIS Meyrick

Parelliptis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 439. (*Typus generis* : *Parelliptis scytalias* Meyrick, ibid. [by monotypy]).

Parelliptis scytalias Meyrick

Plate 98, Figures 1-1d

Parelliptis scytalias Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 439.

"♂. 14-15 mm. . . . Maskeliya, Ceylon (*Pole*); in July and from October to February, ten specimens."

Lectotype : ♂, 14 mm., "Maskeliya, Ceylon. *Pole*. .12.05." Slide No. 8750.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Parelliptis librata Meyrick





Plate 98, Figures 2-2b

Parelliptis librata Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 445.

"♀. 24 mm. . . . Java, Bandong; one specimen."

Type : The above indicated female, "Bandong, Java. R. .07." Slide No. 8751.


Figure 2, left wings; 2a, signum; 2b, detail of genital plate and ostium.



PARELLIPTIS



1



1a



1b



1c



1d

PERIPHORECTIS

PERIPHORECTIS Meyrick

Periphorectis Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 235. (*Typus generis* : *Lecithocera ichorodes* Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 445 [by original designation]).

Periphorectis ichorodes (Meyrick)

Plate 99, Figures 1-1d

Lecithocera ichorodes Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 445.

“♂. 15 mm. . . . Nilgiris, 6,000 feet, in May (*Andrewes*); one specimen.”

Type: The male denoted above, “Nilgiri Hills, S. India. HLA. 6,000' .5.07.” Slide No. 8925.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

PHANOSCHISTA Meyrick

Phanoschista Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 207. (*Typus generis* : *Tingentera meryntis* Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 455 [by original designation]).

Phanoschista meryntis (Meyrick)


Plate 100, Figures 1-1d

Tingentera meryntis Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 455.

“ ♂♀. 17-19 mm. . . . Nilgiri Hills (6,000 feet), in May; nine specimens (*Andrewes*).”

Lectotype : ♂, 19 mm., “ Nilgiri Hills, S. India. HLA. 6,000' .5.07.” Slide No. 8676.


Figure 1, left wings; 1a, venation of right wings; 1b, anterior view of head showing palpus and basal segments of antenna; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1



1a



1b




1c



1d

PHANOSCHIISTA



PHATNOTIS

PHATNOTIS Meyrick

Phatnotis Meyrick, 1913, Journ. Bombay Nat. Hist. Soc., 22 : 180. (*Typus generis* : *Phatnotis factiosa* Meyrick, l.c., p. 181 [by original designation]).

Phatnotis factiosa Meyrick

Plate 101, Figures 1-1d

Phatnotis factiosa Meyrick, 1913, Journ. Bombay Nat. Hist. Soc., 22 : 181.

"♂♀. 21-22 mm. . . . Palni Hills, 6,000 feet (*Campbell*); two specimens."

Lectotype : ♂, 22 mm., "Palni Hills, S. India. Campbell. 6,000' .06." Slide No. 8981.

Figure 1, left wings; 1a, venation of right wings; 1b, oblique view of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Phatnotis legata Meyrick

Plate 101, Figures 2-2c

Phatnotis legata Meyrick, 1913, Journ. Bombay Nat. Hist. Soc., 22 : 181.

"♀. 21-23 mm. . . . N. Coorg, 3,500 feet (*Newcome*); Cuddapah, 4,000 feet (*Campbell*); in May, six specimens."

Lectotype : ♀, 21 mm., "Dibidi, N. Coorg. Newcome. .07." Slide No. 8982. Only two specimens bear a May date and both lack the abdomen.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

PHILARACHNIS Meyrick

Philarachnis Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 247. (*Typus generis* : *Brachmia xerophaga* Meyrick, 1914, Ent. Mon. Mag., 50 : 219 [by original designation]).

Philarachnis xerophaga (Meyrick)


Plate 102, Figures 1-1d

Brachmia xerophaga Meyrick, 1914, Ent. Mon. Mag., 50 : 219.

“♂. 11-12 mm. . . at Guindy (7 miles south of Madras City) . . .”

Lectotype : ♂, 12 mm., “Guindy, Madras. TBF. bred 9.4.14.” Slide No. 8962. The six original specimens are in the Meyrick collection but four of them are females.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior view of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



PHYLARACHNIS



1



1a



1b



1c

PHILOPTILA

PHILOPTILA Meyrick

Philoptila Meyrick, 1918, Exotic Microlepidoptera, 2 : 111. (*Typus generis* : *Philoptila effrenata* Meyrick, ibid. [by monotypy]).

Philoptila effrenata Meyrick

Plate 103, Figures 1-1c

Philoptila effrenata Meyrick, 1918, Exotic Microlepidoptera, 2 : 111.

“♂. 16 mm. . . . Kanara, Nagody, 2,500 feet, September (*Fletcher*); one specimen.”

Type : The male indicated above, “Nagody, S. Kanara. TBF. 2,500, feet. .9.13.” Slide No. 8926. The type was destroyed after photography and palpi are not available for illustration.

Figure 1, left wings; 1a, venation of right wings; 1b, ventral view of male genitalia with aedeagus removed; 1c, aedeagus.

PLACANTHES Meyrick

Placanthès Meyrick, 1923, Exotic Microlepidoptera, 2 : 42. (*Typus generis* : *Placanthès xanthomorpha* Meyrick, ibid. [by monotypy]).

Placanthès xanthomorpha Meyrick


Plate 104, Figure 1-1a

Placanthès xanthomorpha Meyrick, 1923, Exotic Microlepidoptera, 3 : 42.


“ ♂. 24 mm. . . . Philippines, Mindoro, Laguna de Naujan, March (*Mounsey*); 1 ex.”

Type : The male, without abdomen, denoted above, “ Laguna de Nauhan, Mindoro. M. .13.3.10.” Slide No. 8924. The palpi of the type are missing.


Figure 1, left wings; 1a, venation of right wings.




PLACANTHIES



1




1a



1b



1c



1d

PSAMMORIS

PSAMMORIS Meyrick

Psammoris Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 149. (*Typus generis* : *Psammoris carpaea* Meyrick, ibid. [by monotypy]).

Psammoris carpaea Meyrick

Plate 105, Figures 1-1d

Psammoris carpaea Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 149.

"♂. 13-14 mm. . . . Two specimens, Maskeliya, Ceylon, in January and July (Pole)."

Lectotype : ♂, 13 mm., dated ".7.04." Slide No. 8728.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior view of head showing palpi; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

PSEUDOCRATES Meyrick

Pseudocrates Meyrick, 1918, Exotic Microlepidoptera, 2 : 99. (*Typus generis* : *Pseudocrates antisphena* Meyrick, *ibid.* [by original designation]).

Pseudocrates antisphena Meyrick

Plate 106, Figures 1-1d

Pseudocrates antisphena Meyrick, 1918, Exotic Microlepidoptera, 2 : 99.

“♂. 13 mm. . . . S. India, Nilgiris, Pykara, 7,000 feet, in March (*Andrewes*); two specimens.”

Lectotype : One of the above indicated males, both of which are labelled, “ Nilgiri Hills, H. L. Andrewes. 7,000 ft., Pykara. III.13.” Slide No. 8729.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Pseudocrates soritica Meyrick


Plate 106, Figures 2-2b

Pseudocrates soritica Meyrick, 1918, Exotic Microlepidoptera, 2 : 100.


“♂. 13 mm. . . . S. India, Palnis, 6,000 feet (*Campbell*).”

Type : The male denoted above, “ Palni Hills, S. India. Campbell. 6,000' .06.” Slide No. 8730.


Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.



1




1a




1b




1c



1d



2




2a



2b

PSEUDOCRATES



PTILOTHYRIS

PTILOTHYRIS Walsingham

Ptilothyris neuroplaca (Meyrick), new combination

Plate 107, Figures 1-1c

Idiopteryx neuroplaca Meyrick, 1933, Exotic Microlepidoptera, 4 : 359.

"♀. 18 mm. . . N. Rhodesia, Congo-Zambesi watershed (*Dr. H. S. Evans*); 1 ex. (Brit. Mus.) Allied to *obliquella*."

Type : The female so marked in the British Museum dated, "1928." Slide No. 9135.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, signum.

Ptilothyris serangota Meyrick

Plate 107, Figures 2-2c

Ptilothyris serangota Meyrick, 1932, Exotic Microlepidoptera, 4 : 205.

"♂. 20-22 mm. . . . Uganda, Kampala, April, December (*G. H. E. Hopkins*); 3 ex. (type Brit. Mus.)."

Type : The male so marked in the British Museum, "Uganda, M36, Masuba [?] Rd. 3.iv.1931. G. H. E. Hopkins." Slide No. 9133. A small white label reads, "M3305."

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed; 2c, lateral aspect of denuded abdomen showing spinous terga and posterior hair-pencils.

SCAEOSTREPTA Meyrick

Scaeostrepta Meyrick, 1931, Exotic Microlepidoptera, 4 : 77. (*Typus generis* : *Scaeostrepta geranoptera* Meyrick, *ibid.* [by monotypy]).

Scaeostrepta geranoptera Meyrick


Plate 108, Figures 1-1d

Scaeostrepta geranoptera Meyrick, 1931, Exotic Microlepidoptera, 4 : 77.


“♂. 19 mm. . . . Dutch New Guinea, Upper Setekwa R., Snow Mts., 2,500 feet, September (*Meek*); 1 ex. (Coll. Paravicini).”

Type : The male so marked in the British Museum, “Upper Setekwa R., Snow Mts. Dutch N.G., 2-3,000 feet, Sept. 1910 (A. S. Meek).” A small white label reads, “M598.” Slide No. 9175.


Figure 1, left wings; 1a, venation of right wings; 1b, palpi; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1



1a



1b




1c





1d

SCAEOSTREPTA

1



1a




1b

1c



1d



SPHAEROLBIA

SPHAEROLBIA Meyrick

Sphaerolbia Meyrick, 1934, Exotic Microlepidoptera, 4 : 513. (*Typus generis* : *Sphaerolbia chrematistis* Meyrick, *ibid.* [by monotypy]).

Sphaerolbia chrematistis Meyrick

Plate 109, Figures 1-1d

Sphaerolbia chrematistis Meyrick, 1934, Exotic Microlepidoptera, 4 : 513.

“♂♀. 13 mm. . . . Assam, Shillong, 5,000 feet, May, June (*T. B. Fletcher*); 2 ex.”

Lectotype : ♂, Shillong, Assam. TBF. 12.6.28.” The female is missing. Slide No. 8690.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

STELECHORIS Meyrick

Stelechoris Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 243 (*Typus generis* : *Pachnistis exaema* Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 707 [by original designation]).

Stelechoris exaema (Meyrick)

Plate 110, Figures 1-1d

Pachnistis exaema Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 707.

"♂♀. 13-17 mm. . . . Kegalle, Matale, Peradeniya, Maskeliya, Haputale, Ceylon (*Green, Pole, Alston*); Cuddapah, 4,000 feet (*Campbell*); in March, April, and from July to September, twelve specimens. Very like *cherandra*, . . ."

Lectotype : ♂, 14 mm., "Matale, Ceylon. JP. .8.06." Slide No. 8952. Four specimens are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Stelechoris amphisticta (Meyrick), new combination

Plate 110, Figures 2-2b

Brachmia amphisticta Meyrick, 1914, Exotic Microlepidoptera, 1 : 279.

"♂. 13-14 mm. . . . Portuguese East Africa, E. of Mt. Chiperone, in April (*Neave*); three specimens. Type in British Museum."

Type : The male so marked in the British Museum, dated "4.IV.1913."; also indicated, "Kola Ruu Valley, E. of Mt. Mlanje." Slide No. 9146.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Stelechoris cherandra (Meyrick)


Plate 110, Figures 3-3b

Brachmia cherandra Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 151.


"♂. 20 mm. . . . One specimen, Maskeliya, Ceylon, in May (*Pole*).

Type : The above indicated male dated ".5.04." Slide No. 8953.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.



1




1a



1b




1c



1d

2a




2



2b





3



3a



3b



STRYPHOCOPA

STRYPHNOCOPA Meyrick

Stryphnoscopa Meyrick, 1920, Exotic Microlepidoptera, 2 : 306. (*Typus generis* : *Stryphnoscopa trinotata* Meyrick, l.c., 307 [by monotypy]).

Stryphnoscopa trinotata Meyrick

Plate III, Figures 1-1c

Stryphnoscopa trinotata Meyrick, 1920, Exotic Microlepidoptera, 2 : 307.

“♂. 12 mm. . . . Assam, Khasis, November; one specimen.”

Type : The above indicated male, “Khasi Hills, Assam. .11.1906.” Slide No. 8634. The palpi of this type are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, aedeagus; 1c, ventral view of male genitalia with aedeagus removed.

TECHNOGRAPHIA Meyrick

Technographa Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 207. (*Typus generis* : *Tingentera ephestris* Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 454 [by original designation]).

Technographa ephestris (Meyrick)


Plate 112, Figures 1-1d

Tingentera ephestris Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 454.


“ ♂. 16-18 mm. . . . Maskeliya, Ceylon, in February; two specimens (*Pole*).”

Lectotype : ♂, 16 mm., “ Maskeliya, Ceylon, Pole. .2.06.” Slide No. 8677.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1



1a



1b




1c




1d

TECHNOGRAPHIA



1



1a



1b



1c



1d

TEUCRODOXA

TEUCRODOXA Meyrick

Teucrodoxa Meyrick, 1925, in Wytsman, Genera Insectorum, fasc. 184 : 206. (*Typus generis* : *Mnesteria spiculifera* Meyrick, 1918, Exotic Microlepidoptera, 2 : 152 [by original designation]).

Teucrodoxa spiculifera (Meyrick)

Plate 113, Figures 1-1d

Mnesteria spiculifera Meyrick, 1918, Exotic Microlepidoptera, 2 : 152.

“♂♀. 20-22 mm. . . . Ceylon, Namunukuli, 6,000 feet, February (*Green*); twelve specimens. Very like *monetella*, . . .”

Lectotype : ♂, 22 mm., “Namunukuli; Ceylon. EEG. .2.10.” Slide No. 8698.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

THUBANA Walker

Thubana bullulata (Meyrick)

Plate 114, Figures 1-1b

Lecithocera bullulata Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 443.

“♂. 17 mm. . . . Khasis, in November; one specimen.”

Type: The male denoted above, “Khasi Hills, Assam. .11.1906.” Slide No. 8830.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Thubana deltaspis Meyrick

Plate 114, Figures 2-2b

Thubana deltaspis Meyrick, 1935, Exotic Microlepidoptera, 4 : 563.

“♂. 20 mm. . . . Formosa, Sozan, September (*Prof. S. Issiki*); 1 ex. Nearly approaching the Chinese *leucosphena* Meyr., . . .”

Type: The above indicated male dated “.9.34.” Slide No. 8827.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Thubana isocrypta (Meyrick)

Plate 114, Figures 3-3b

Brachmia isocrypta Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 709.

“♀. 15 mm. . . . Maskeliya, Ceylon (*Pole*); in June, one specimen.”

Type: The female denoted above, “Maskeliya, Ceylon. Pole. .6.06.” Slide No. 8819.

Figure 3, left wings; 3a, detail of genital plate and ostium; 3b, ventral view of female genitalia.

Thubana laxata (Meyrick)


Plate 114, Figures 4-4b

Brachmia laxata Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 713.

“♂♀. 18-22 mm. . . . Khasis; from July to September, five specimens.”

Lectotype: ♂, 20 mm., “Khasi Hills, Assam. .9.1906.” Slide No. 8828.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.






1



1a



1b



2



1c



3



3a



3b

THUBANA

Thubana leucosphena Meyrick

Plate 115, Figures 1-1c

Thubana leucosphena Meyrick, 1931, in Caradja and Meyrick, Bull. Sec. sci. Acad. roum., 14 : 69.

"♂. 19-20 mm. . . . 2 ex., July. A third example, ♂ [*sic*], 17 mm. . . . is notwithstanding these differences probably the other sex of this species."

Lectotype: ♀, 19 mm., "Kwanhsien, China. F. .7.30", erroneously recorded as a male. Slide No. 8831.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, signum.

Thubana nardinopa (Meyrick)

Plate 115, Figure 2

Lecithocera nardinopa Meyrick, 1918, Exotic Microlepidoptera, 2 : 103.

"♂. 24 mm. . . . Coorg, Dibidi, 3,500 feet, March (*Newcome*); one specimen."

Type: The male indicated above, without abdomen, "Dibidi, N. Coorg. LN. .11.13." The date of "March" appears to be an error since every other detail agrees with the description.

Figure 2, left wings.

Thubana nodosa (Meyrick)

Plate 115, Figures 3-3b

Lecithocera nodosa Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 447.

"♂. 18 mm. . . . Malay States, Padang Rengas; one specimen."

Type: The above indicated male, "Padang Rengas, Malay States. R. .07." Slide No. 8829.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Thubana residua (Meyrick)

Plate 116, Figures 1-1b

Lecithocera residua Meyrick, 1923, Exotic Microlepidoptera, 3 : 41.

“♂. 23 mm. . . . Assam, Khasis; 1 ex.”

Type : The above indicated male, “Khasi Hills, Assam. .9.1906.” Slide No. 8824.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Thubana xanthoteles (Meyrick)

Plate 116, Figures 2-2b; 3-3d

Lecithocera xanthoteles Meyrick, 1923, Exotic Microlepidoptera, 3 : 38.

Lecithocera melitopyga Meyrick, 1923, l.c. 41. (New synonymy).

[xanthoteles]

“♀. 18-20 mm. . . . Assam, Sadiya, May (*Fletcher*); Burma, Rangoon, August; 2 ex.”

Lectotype : ♀, 22 mm. [!], “Sadiya, Assam. TBF. .5.20.” Slide No. 8826.





Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium.

[melitopyga]

“♀. 18 mm. . . . Ceylon, May (*Alston*); 1 ex.”


Type : The female denoted above, labelled “? Ceylon. 25.5.10.” Slide No. 8825.

Figure 3, left wings (damaged); 3a, ventral view of female genitalia; 3b, signum; 3c, denuded segments of abdomen showing dorsal spines; 3d, detail of genital plate and ostium.





1




1a



1b



1c



1d

THYMBRISTIS

THYMBRISTIS Meyrick

Thymbristis Meyrick, 1925, in Wytzman, Genera Insectorum, fasc. 184: 230. (*Typus generis*: *Onebala molybdias* Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 201 : 456 [by original designation]).

Thymbristis molybdias (Meyrick)

Plate 117, Figures 1-1d

Onebala molybdias Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 456.

“♂♀. 13-15 mm. . . Maskeliya, Ceylon (*Alston, Pole*); in February, May, June and from October to December; six specimens.”

Lectotype: ♂, 15 mm. . . “Maskeliya, Ceylon. *Pole*. .10.05.” Slide No. 8902.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

TIMYRA Walker

Timyra alloptila Meyrick

Plate 118, Figures 1-1b

Timyra alloptila Meyrick, 1916, Exotic Microlepidoptera, 1 : 570.

"♂. 24-25 mm. . . . Ceylon, Maskeliya, in August (*Alston*); two specimens."

Lectotype : ♂, 25 mm. . . . "Maskeliya, Ceylon. *Alston*. .8.06." Slide No. 8653.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Timyra aulonitis Meyrick

Plate 118, Figures 2-2b

Timyra aulonitis Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 447.

"♂♀. 17-19 mm. . . . Kandy and Peradeniya, Ceylon, in August, October and February, five specimens (*Green*)."

Lectotype : ♂. 19 mm. . . . "Kandy, Ceylon. *Green*. .10.06." Slide No. 8640.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Timyra autarcha Meyrick

Plate 118, Figures 3-3b

Timyra autarcha Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 445.

"♂♀. 18-19 mm. . . . Palni Hills (6,000 feet); N. Coorg (3,500 feet); in May, two specimens (*Campbell, Newcome*)."

Lectotype : ♂. 19 mm. . . . "Palni Hills, S. India. *Campbell*. 6000'. .06." Slide No. 8638.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Timyra cicinnota Meyrick

Plate 118, Figures 4-4b

Timyra cicinnota Meyrick, 1916, Exotic Microlepidoptera, 1 : 570.

"♂♀. 21-22 mm. . . . Ceylon, Colombo (*Mackwood*); two specimens."

Lectotype : ♂. 22 mm. . . . "Colombo, Ceylon. *FM*. .9.1." Slide No. 8652.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1




1a



1b



2



2a



2b




3



3a



3b



4




4a




4b

TIMYRA



1



2



3



4

1a



1b

2a



2b

3a



3b



4a



4b

TIMYRA

Timyra dipsalea Meyrick

Plate 119, Figures 1-1b

Timyra dipsalea Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 446.

“♂. 17-19 mm. . . . Khasi Hills, in June; five specimens.”

Lectotype: ♂. 19 mm. . . . “Khasi Hills, Assam. .6.1906.” Slide No. 8645.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Timyra lecticaria Meyrick

Plate 119, Figures 2-2b

Timyra lecticaria Meyrick, 1916, Exotic Microlepidoptera, 1 : 571.“♂. 18 mm. . . . Ceylon, Colombo (*Mackwood*); one specimen.”*Type*: The above indicated male, “Colombo, Ceylon. FM. .91.” Slide No. 8655.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Timyra machlas Meyrick

Plate 119, Figures 3-3b

Timyra machlas Meyrick, 1905, Journ. Bombay Nat. Hist. Soc. 16 : 595.“♂♀. 20-22 mm. . . . “Two specimens, Kandy, Ceylon, in September and October (*Green*).”*Lectotype*: ♂, 22 mm., dated “.9.02.” Slide No. 8679.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Timyra marmaritis Meyrick

Plate 119, Figures 4-4b

Timyra marmaritis Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 144.“♂. 21-23 mm. . . . Five specimens, Maskeliya and Maturatta, Ceylon, in March, May, June, and October (*Pole, de Moxe*bray).”*Lectotype*: ♂. 22 mm. . . . “Maskeliya, Ceylon. Pole. .6.04.” Two specimens are missing. Slide No. 8649.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Timyra metallanthes Meyrick

Plate 120, Figures 1-1b

Timyra metallanthes Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 596.

“♂. 19 mm. . . . One specimen, Maskeliya, Ceylon (*Pole*).”

Type : The above indicated specimen, “Maskeliya, Ceylon. Pole. .03.” Slide No. 8680.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Timyra orthadia Meyrick

Plate 120, Figures 2-2b

Timyra orthadia Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 145.

“♂♀. 16-18 mm. . . . Eight specimens, Madulsima, Matale, and Maskeliya, Ceylon, in January, April, and October (*Vaughan, Alston, Pole*).”

Lectotype : ♂, 18 mm. “Madulsima, Ceylon. Vaughan. .4.05.” Slide No. 8468.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Timyra parochra Meyrick

Plate 120, Figures 3-3b

Timyra parochra Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 146.

“♂. 23-27 mm. . . . Five specimens, Maturatta, Ceylon, in July (*Pole*).”

Lectotype : “♂, 26 mm., “Maturatta, Ceylon. J.P. .04.” Slide No. 8651.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Timyra pastas Meyrick


Plate 120, Figures 4-4b

Timyra pastas Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 444.

“♂♀. 19-23 mm. . . . N. Coorg (3,500 feet), in May, September and October; five specimens (*Newcome*).”

Lectotype : ♂, 22 mm., “Dibidi, N. Coorg. Newcome. 8.10.06.” Slide No. 8637.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.




1



1a




1b




2



2a



2b



3



3a



3b



4









4a



4b

TIMYRA



Timyra peronetrus Meyrick

Plate 121, Figures 1-1b

Timyra peronetrus Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 145.

"♂. 29-30 mm. . . . Three specimens, Maskeliya, Ceylon, in January and February (Pole, Alston). Very similar to *crassella*, . . ."

Lectotype : ♂, 30 mm., "Maskeliya, Ceylon. Pole. .11.04." Slide No. 8650.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Timyra phorcis Meyrick

Plate 121, Figures 2-2c

Timyra phorcis Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 444.

"♀. 13-14 mm. . . . Puttalam, Ceylon, from September to November; three specimens (Pole)."

Lectotype : ♀, 14 mm., "Puttalam, Ceylon. Pole. .11.04." Slide No. 8636.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of genital plate and ostium.

Timyra praeceptrix Meyrick

Plate 121, Figures 3-3b

Timyra praeceptrix Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 461.

"♂♀. 21-25 mm. . . . Maskeliya, Pundaluoya, Bogawantalawa, Dickoya, and Maturatta, Ceylon (Pole, Green, de Mowbray), from February to April, and August to October; twelve specimens."

Lectotype : ♂, 24 mm., "Bogawantalawa, Ceylon. JP. .3.04." Slide No. 8654.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Timyra pristica Meyrick

Plate 121, Figures 4-4b

Timyra pristica Meyrick, 1916, Exotic Microlepidoptera, 1 : 571.

"♂♀. 16-18 mm. . . . Ceylon, Namunukuli, 6,000 feet, in February (Green); four specimens."

Lectotype : ♂, 18 mm., "Namunukuli, Ceylon. EEG. .2.10." Slide No. 8656.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Timyra schoenota Meyrick

Plate 122, Figures 1-1b

Timyra schoenota Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 448.

“ ♂♀. 24-27 mm. . . . Palni Hills and Cuddapah; three specimens (*Campbell*).”

Lectotype : ♂, 24 mm., “ Palni Hills, S. India. *Campbell*. .06.” Slide No. 8641.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Timyra selmatias Meyrick

Plate 122, Figures 2-2c

Timyra selmatias Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 450.

“ ♀. 18-19 mm. . . . Maskeliya, Ceylon, in August and October; two specimens (*Alston*).”

Lectotype : ♀, 19 mm., Maskeliya, Ceylon, *Alston*. .8.06.” Slide No. 8647.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Timyra stachyophora Meyrick





Plate 122, Figures 3-3b

Timyra stachyophora Meyrick, 1908, Journ. Bombay Nat. Hist. Soc. 18 : 445.

“ ♂. 18-19 mm. . . . Diyatalawa (4,000 feet), Ceylon, in August and September (*Fletcher*); three specimens.”

Lectotype : ♂, 19 mm., “ Diyatalawa, Ceylon. *BF*. 31.8.06.” Slide No. 8639.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.



TIMYRA




1



1a




1b



2




2a



2c



3



2b

3a



3b

TIMYRA

Timyra stasiotica Meyrick

Plate 123, Figures 1-1b

Timyra stasiotica Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 447.

“ ♂♀. 24-28. . . . Maskeliya, Ceylon, in April, May and August; five specimens (*Green, Pole, de Mowbray*).”

Lectotype : ♂, 28 mm., “Maskeliya, Ceylon. *Green*. 4.05.” Slide No. 8646.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Timyra toxastis Meyrick

Plate 123, Figures 2-2c

Timyra toxastis Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 449.

“ ♀. 17-20 mm. . . . N. Coorg (3,500 feet), in June and November; three specimens (*Newcome*).”

Lectotype : ♀, 17 mm., “Dibidi, N. Coorg. *Newcome*. 4.11.06.” Slide No. 8643.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of genital plate and ostium.

Timyra xanthaula Meyrick

Plate 123, Figures 3-3b

Timyra xanthaula Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 448.

“ ♂. 19-22 mm. . . . Palni Hills (6,000 feet); three specimens (*Campbell*).”

Lectotype : ♂, 22 mm., “Palni Hills, S. India. *Campbell*.” Slide No. 8642.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

TISIS Walker

Tisis argyrophaea Meyrick

Plate 124, Figures 1-1c

Tisis argyrophaea Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 439.

“ ♀. 21 mm. . . . Borneo, Kuching (*Hewitt*); one specimen.”

Type : The female denoted above, “ Kuching, Borneo. JH. .07.” Slide No. 8625.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signum; 1c, detail of ostium and genital plate.

Tisis charadraea Meyrick

Plate 124, Figures 2-2b

Tisis charadraea Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 439.

“ ♂. 20 mm. . . . Malay States, Padang, Rengas; one specimen.”

Type : The above indicated male, “ Padang Rengas, Malay Peninsula. R. .06.” Slide No. 8627.

Figure 3, left wings (damaged); 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Tisis eurylampis Meyrick

Plate 124, Figures 3-3c

Tisis eurylampis Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 438.

“ ♀. 17 mm. . . . Borneo, Kuching (*Hewitt*), in December; one specimen.”

Type : The female mentioned above, “ Kuching, Borneo. JH. 4.12.00.” Slide No. 8624.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.

Tisis helioclina (Meyrick)





Plate 124, Figures 4-4b

Tipha helioclina Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 19.

“ ♂♀. 20-22 mm. . . . *Hab.* Fort Stedman; two specimens.”

Lectotype : ♂. 20 mm., “ Fort Stedman, Burma. NM. . /93.” Slide No. 8631.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.






1



1a



1b




2



2a




2b



3




3a



3b




3c



4



4a



4b

Tisis hemixysta Meyrick

Plate 125, Figures 1-1b

Tisis hemixysta Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 438.“♂♀. 18-20 mm. . . . Borneo, Kuching (*Hewitt*), in September; two specimens.”*Lectotype*: ♂, 20 mm., “Kuching, Borneo. JH. .07.” Slide No. 8628.

Figure 1, right wings (image reversed); 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Tisis hyacinthina Meyrick

Plate 125, Figures 2-2b

Tisis hyacinthina Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 439.“♂♀. 13-15 mm. . . . Borneo, Kuching (*Hewitt*); in February, three specimens. . .”*Lectotype*: ♂, 13 mm., “Kuching, Borneo. JH. .07.” Slide No. 8629.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Tisis imperatrix Meyrick

Plate 125, Figures 3-3c

Tisis imperatrix Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 440.“♀. 20 mm. . . . Borneo, Kuching (*Hewitt*); one specimen.”*Type*: The female denoted above, “Kuching, Borneo. JH. .07.” Slide No. 8626.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, signum; 3c, detail of genital plate and ostium.

Tisis isoplasta Meyrick

Plate 125, Figures 4-4b

Tisis isoplasta Meyrick, 1929, Exotic Microlepidoptera, 3 : 516.

“♂. 22 mm. . . . Java; 1 ex.”

Type: The above indicated male, “Java. .27.” Slide No. 8630.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

TORODORA Meyrick

Torodora Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 16. (*Typus generis* : *Torodora characteris* Meyrick, *ibid.* [by monotypy]).

Torodora characteris Meyrick

Plate 126, Figures 1-1d

Torodora characteris Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 16.

“ ♂♀. 18-22 mm. . . . *Hab.* Koni; two specimens.”

Lectotype : ♂, 22 mm., “ Koni, Burma. NM. /9/88.” The lectotype is actually a little more than 22 mm. Slide No. 8943.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Torodora artiasta (Meyrick)

Plate 126, Figure 2

Brachmia artiasta Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 715.

“ ♀. 22 mm. . . . Nilgiris, 3,500 feet (*Andrewes*); in August, one specimen.”

Type : The female, without abdomen, indicated above, “ Nilgiri Hills, S. India. HLA. 3,500' .8.07.”

Figure 2, left wings.

Torodora syrphetodes (Meyrick)

Plate 126, Figures 3-3b

Brachmia syrphetodes Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 152.

“ ♂♀. 25-27 mm. . . . Two specimens, Maskeliya, Ceylon, in April and June (*Pole*).

Lectotype : ♂, 27 mm., dated “.4.04.” Slide No. 8944.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Torodora typhlopis (Meyrick)







Plate 126, Figure 4




Brachmia typhlopis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 20 : 715.

“ ♂♀. 22-30 mm. . . . N. Coorg, 3,500 feet (*Newcome*), in February and September, two specimens.”

Lectotype : ♀, 30 mm., Dibidi, N. Coorg. Newcome. 14.9.06.” Both specimens lack abdomens and the ♂ is otherwise badly broken.

Figure 4, left wings.






1b



1c



1d

TRICHOBOCIS

TRICHOBOSCIS Meyrick

Trichoboscis Meyrick, 1929, Exotic Microlepidoptera, 3 : 529. (*Typus generis* : *Trichoboscis pansarista* Meyrick, ibid. [by monotypy]).

Trichoboscis pansarista Meyrick

Plate 127, Figures 1-1d


Trichoboscis pansarista Meyrick, 1929, Exotic Microlepidoptera, 3 : 526.

“♂. 15 mm. . . . Sikkim, 1,800 feet, January (*E. C. Dudgeon*); 1 ex.”


Type : The above indicated male dated, “.1.97.” Slide No. 8915.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.


HYPONOMEUTIDAE




1




2




3



3a 3b




4



4a 4b



5



5a 5b

ACROLEPIA

ACROLEPIA Curtis

Acrolepia bythodes Meyrick

Plate 128, Figure 1

Acrolepia bythodes Meyrick, 1919, Exotic Microlepidoptera, 2 : 227.“♂. 14 mm. . . . Peru, Matucana, 7,780 feet, July (*Parish*); one specimen. . . .”*Type*: The above indicated specimen, without abdomen, dated, “.7.14.”

Figure 1, left wings.

Acrolepia chalcolampra Meyrick

Plate 128, Figure 2

Acrolepia chalcolampra Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 402.

“♂. 11 mm. . . . S. Chile, Llanquihue Province, Puerto Varas, December; 1 ex.”

Type: The male denoted above, in the British Museum, dated “16.xii.1926.” A small white label bears the inscription “M126.” A partial abdomen, which does not appear to belong to this insect, is glued on.

Figure 2, left wings.

Acrolepia chariphanes Meyrick

Plate 128, Figures 3-3b

Acrolepia chariphanes Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 402.

“♂♀. 10-11 mm. . . . S. Chile, Llanquihue Province, Peulla, December; 5 ex. . . .”

Type: The male, so marked in the British Museum, and dated, “12 13.xii-1926.” Slide No. 8019. A small white label bears the inscription “M121.”

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Acrolepia elaphrodes Meyrick

Plate 128, Figures 4-4b

Acrolepia elaphrodes Meyrick, 1919, Exotic Microlepidoptera, 2 : 226.“♂♀. 12-13 mm. . . . Peru, Matucana, 7,780 feet, July (*Parish*); three specimens.” Slide No. 8032.*Lectotype*: A male measuring 13 mm. The three specimens bear identical data and are dated “.7.14.”

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

[continued on p. 260.]

Acrolepia jaspidata Meyrick

Plate 129, Figures 1-1b

Acrolepia jaspidata Meyrick, 1919, Exotic Microlepidoptera, 2 : 227.

“♂. 11-12 mm. . . . Peru, Lima, 500 feet, August (*Parish*); two specimens. Very similar to *elaphrodes*. . . .”

Lectotype: The male measuring 11 mm. (barely!). Slide No. 8033. Both specimens bear identical data and are dated “8.14.”

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia (left harpe detached and out of focus) with aedeagus removed.

Acrolepia leucoscia Meyrick

Plate 129, Figures 2-2b

Acrolepia leucoscia Meyrick, 1927, Exotic Microlepidoptera, 3 : 359.

“♂. 17-18 mm. . . . Texas, Alpine, 5,000 feet, April; 4 ex.”

Lectotype: A male measuring 18 mm. Slide No. 8031. The four original specimens bear identical data, “Brewster Co. Texas. 5,000 ft. .4.26.”

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Acrolepia marmaropis Meyrick

Plate 129, Figures 3-3a

Acrolepia marmaropis Meyrick, 1919, Exotic Microlepidoptera, 2 : 226.

“♂♀. 12-13 mm. . . . Colombia, La Crumbre, 6,600 feet, May (*Parish*); two specimens.”

Lectotype: The male. “La Crumbre, Colombia. P. 6,600 ft. 5-14.” Slide No. 8028. Both specimens bear identical data.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus *in situ*.

Continued from p. 259.

Acrolepia halosema Meyrick


Plate 128, Figures 5-5b

Acrolepia halosema Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 404.

“♂♀. 11 mm. . . . Argentina, Territory Rio Negro, Lake Gutierrez, November; 2 ex.”

Type: The male, so designated in the British Museum, dated “3-14-xi-1926.” Slide No. 8021.


Figure 5, left wings; 5a, aedeagus; 5b, ventral view of male genitalia (slightly turned) with aedeagus removed.




1



1a



1b




2




2a



2b




3



3a

ACROLEPIA



ACROLEPIA

Acrolepia mixotypa Meyrick

Plate 130, Figures 1-1b

Acrolepia mixotypa Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 403.

"♀. 12-13 mm. . . . Argentina, Territory Rio Negro, Lake Nahuel Huapi, Puerto Blest; S. Chile, Llanquihue Province, Peulla; December; 4 ex. . . ."

Type: The female so labelled in the British Museum, "L. Nahuel Huapi, Puerto Brest. 2-3.xii.1926. Terr. Rio Negro, Argentina. F. & M. Edwards." A small white label bears the inscription, "M131." Slide No. 8020.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium.

Acrolepia niphosperma Meyrick

Plate 130, Figure 4

Acrolepia niphosperma Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 403.

" . 14 mm. . . . Argentina, Territory Rio Negro, Lake Nahuel Huapi, Puerto Blest, December; 1 ex."

Type: The above indicated female, in the British Museum, dated, "2-3.xii.1926." The abdomen of the type is missing.

Figure 4, left wings.

Acrolepia poliopis Meyrick

Plate 130, Figures 2-2c

Acrolepia poliopis Meyrick, 1919, Exotic Microlepidoptera, 2 : 227.

"♀. 16 mm. . . . Peru, Huancayo, 10,650 feet, July (*Parish*); one specimen."

Type: The above indicated female, dated, "7.14." Slide No. 8029.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium; 2c, signa.

Acrolepia prasinula Meyrick

Plate 130, Figure 3

Acrolepia prasinula Meyrick, 1927, Exotic Microlepidoptera, 3 : 359.

"♂. 17 mm. . . . Colombia, Mt. Tolima, 12,500 feet, December; 1 ex."

Type: The above indicated male, without abdomen, dated, ".12.20."

Figure 3, right wings (image reversed).

Acrolepia seraphica Meyrick

Plate 131, Figures 1-1c

Acrolepia seraphica Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 402.

“♀. 9-10 mm. . . . Argentina, Territory Rio Negro, Lake Nahuel Huapi, Puerto Blest, December; 2 ex.”

Type : The female, so marked in the British Museum, dated, “2-3.XII.1926.” A small white label bears the inscription “M127.” Slide No. 8018.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, signum.

Acrolepia syrphacopis Meyrick

Plate 131, Figures 2-2b

Acrolepia syrphacopis Meyrick, 1919, Exotic Microlepidoptera, 2 : 228.

“♂♀. 11-13 mm. . . . Peru, Lima (500 feet), Chosica (2,800 feet), Matucana (7,780 feet), July, August (*Parish*) forty-four specimens.”

Lectotype : A male measuring 11 mm., “Lima, Peru. 500 ft. *Parish* .8-14.” Slide No. 8034. Only fourteen specimens remain in the Meyrick collection.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia (turned to right) with aedeagus removed.

Acrolepia xiphias Meyrick

Plate 131, Figures 3-3c

Acrolepia xiphias Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 401.

“♀. 11-12 mm. . . . S. Chile, Chiloe Island, Ancud, December; 2 ex.”

Type : The female so marked in the British Museum and dated “19.XII.1926.” A small white label bears the inscription, “M125.” Slide No. 8017.

Figure 3, right wings (image reversed); 3a, signum; 3b, detail of genital plate and ostium with posterior portion of ductus bursae; 3c, ventral view of female genitalia.




1




1a




1b



1c



2



2a



2b



2c



3



3a




3b



3c

ACROLEPIA



AETHERASTIS

AETHERASTIS Meyrick

Aetherastis Meyrick, 1909, Journ. Bombay Nat. Hist. Soc., 19 : 422. (*Typus generis* : *Aetherastis uranias* Meyrick, *ibid.* [by monotypy]).

Aetherastis uranias Meyrick

Plate 132, Figures 1-1d

Aetherastis uranias Meyrick, 1909, Journ. Bombay Nat. Hist. Soc., 19 : 422.

"... 28 mm. . . . Peradeniya, Ceylon, in March (*Green*); one specimen. . . ."

Type : The female indicated above dated ".3.06." Slide No. 7468.

Figure 1, left wings; 1a, venation of right wings; 1b, oblique view of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium.

Aetherastis circulata Meyrick

Plate 132, Figures 2-2b

Aetherastis circulata Meyrick, 1918, Exotic Microlepidoptera, 2 : 190.

"♂. 18 mm. . . . Travancore, Trivandrum, bred in May from larva on *Eugenia jambolana* (*Myrtaceae*) (*Fletcher*); one specimen."

Type : The male indicated above, dated ".7.5.14." Slide No. 7469.

Figure 2, right wings (image reversed); 2a, ventral view of male genitalia with aedeagus removed; 2b, aedeagus.

Aetherastis constellata Meyrick

Plate 132, Figures 3-3b

Aetherastis constellata Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 129.

"♂. 16 mm. . . . Wellawaya, Ceylon, in November (*Green*); one specimen."

Type : The male denoted above, dated ".11.05." Slide No. 7470.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

AMIASTASTIS Meyrick

Amiaastastis Meyrick, 1932, Exotic Microlepidoptera, 4 : 347. (*Typus generis* : *Amiaastastis manicola* Meyrick, ibid. [by original designation]).

Amiaastastis manicola Meyrick

Plate 133, Figures 1-1d

Amiaastastis manicola Meyrick, 1932, Exotic Microlepidoptera, 4 : 347.

“ ♂. 25 mm. . . . Argentina, Alta Gracia (*C. Bruch*); 1 ex.”

Type : The above indicated male, “ Alta Gracia, Argentina. CB. .32.” Slide No. 8044.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Amiaastastis brachycasis Meyrick





Plate 133, Figures 2-2b

Amiaastastis brachycasis Meyrick, 1932, Exotic Microlepidoptera, 4 : 348.


“ ♂. 13 mm. . . . Argentina, Alta Gracia (*C. Bruch*); 1 ex.”

Type : The male denoted above, “ Alta Gracia, Argentina. CB. .32.” Slide No. 8045.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.



AMLIANTASTIS



ANTICRATES

ANTICRATES Meyrick

Anticrates Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 612. (*Typus generis* : *Anticrates chrysantha* Meyrick, ibid. [by monotypy]).

Anticrates chrysantha Meyrick

Plate 134, Figures 1-1d

Anticrates chrysantha Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 612.

“♂. 16 mm. . . . One specimen, Maskeliya, Ceylon (*Pole*).”

Type : The male indicated above, dated “.03.” Slide No. 7478.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Anticrates agrippina Meyrick

Plate 135, Figures 1-1b

Anticrates agrippina Meyrick, 1930, Exotic Microlepidoptera, 3 : 594.

" ♀. 20-22 mm. . . . Celebes, Macassar (*Doherty*); 2 ex. (Coll. Paravicini)."

Type : The larger of the two specimens, so marked in the British Museum, " Celebes, Macassar. W. Doherty. 1896." The abdomen of the type is missing.

Female genitalia figured from the " co-type." Slide No. 7497.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium.

Anticrates anticlina (Meyrick)

Plate 135, Figures 2-2c

Pyrozela anticlina Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 747.

" ♂♀. 18-19 mm. . . . Sikkim and Bhotan (1,800 feet), in May; two specimens (*Dudgeon*)."

Lectotype : The female, " 1,800' Sikkim. GCD. .5.96." Slide No. 7479. The male is missing.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, ostium and posterior section of ductus bursae; 2c, signa.

Anticrates argyrolintha Meyrick


Plate 135, Figures 3-3b

Anticrates argyrolintha Meyrick, 1938, Trans. R. Ent. Soc. London, 87 : 524.



" ♂♀. 19-21 mm. . . . Mt. Tafa, 8,500 feet, February, March. 11 ex."

Type : The male, so marked in the British Museum, " Papua, Mt. Tafa. 8,500 ft. III. 1934. L. E. Cheesman." Slide No. 7499.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.



ANTICRATES



ANTICRATES

Anticrates autobrocha Meyrick

Plate 136, Figures 1-1b

Anticrates autobrocha Meyrick, 1922, Exotic Microlepidoptera, 2 : 553.

"♀. 16 mm. . . . Assam, Gauhati, April (*Fletcher*); 1 ex."

Type: The above indicated female dated ".4.20." Slide No. 7488.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signum and portion of ductus bursae.

Anticrates decaplaca Meyrick

Plate 136, Figures 2-2c

Anticrates decaplaca Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 127.

"♀. 16 mm. . . . Anuradhapura, Ceylon, in December (*Mackwood*); one specimen."

Type: The female indicated above, "Anuradhapura, Ceylon, F.M.M. .12.09." Slide No. 7484.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium; 2c, signum.

Anticrates difflua Meyrick

Plate 136, Figures 3-3b

Anticrates difflua Meyrick, 1927, Insects of Samoa, Part III, Lepidoptera, fasc. 2 : 106.

"♂♀. 14-16 mm. . . . Upolu, Malololelei, 2,000 feet, February, June, December; 4 ex."

Type: The male so marked in the British Museum, "Samoa Is. Upolu, Malololelei. 25. II. 1924. 2,000 ft. F. A. Buxton and G. H. Hopkins." Slide No. 7496.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Anticrates erythromima (Meyrick)

Plate 137, Figures 1-1b

Pyrozela erythromima Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 415.

"♂♀. 14-18 mm. . . . Nine specimens, (5♂, 4♀), Maskeliya, Ceylon, in January, March, May, August and October (*de Mowbray, Pole*) . . ."

Lectotype: A male measuring 18 mm., "Maskeliya, Ceylon. *de Mowbray*. .8.04." One specimen is missing. Slide No. 7481.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed (right harpe out of focus).

Anticrates eulimna Meyrick

Plate 137, Figures 2-2c

Anticrates eulimna Meyrick, 1913, Exotic Microlepidoptera, 1 : 140.

"♂. 15 mm. . . . Borneo, Kuching, in May (*Hewitt*); one specimen."

Type: The specimen referred to above, erroneously recorded as a male. The type female is labelled, "Kuching, Borneo. JH. 15.5.00." Slide No. 7482.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium and posterior position of ductus bursae; 2c, signum.

Anticrates lucifera Meyrick

Plate 137, Figures 3-3b

Anticrates lucifera Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 128.

"♂♀. 13-14 mm. . . . Karwar, Kanara, bred in August (*Maxwell*); three specimens. . . ."

Lectotype: The male, "Kharwar, Kanara. RM. 17.8.09." Slide No. 7486.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Anticrates miltochorda Meyrick

Plate 137, Figures 4-4b

Anticrates miltochorda Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 128.

"♀. 18-19 mm. . . . Khasis, in October; two specimens."

Lectotype: The larger of the two females, "Khasi Hills, Assam. .10.1906." Slide No. 7485.

Figure 4, left wings; 4a, detail of ostium; 4b, ventral view of female genitalia.




1



1a



2



2a


1b

2b

2c




3




3a

3b




4



4a

1b



ANTICRATES

Anticrates paratarsa Meyrick

Plate 138, Figures 1-1b

Anticrates paratarsa Meyrick, 1913, Exotic Microlepidoptera, 1 : 141.

"♀. 15 mm. . . . Philippines, Mindoro, Laguna de Naujan, in March (*Mounsey*); one specimen."

Type: The specimen denoted above dated "5.3.10.", erroneously recorded as a female. Slide No. 7489.

Figure 1, left forewing; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Anticrates thermastris Meyrick

Plate 138, Figures 2-2c

Anticrates thermastris Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 129.

"♀. 12-15 mm. . . . Nilgiris, at 3,500 feet, in January (*Andrewes*); Ganesh, Gudi, Kanara, in May (*Maxwell*); two specimens."

Lectotype: The female, "Nilgiri Hills. H. L. Andrewes. 1.09. 3,500 ft." Slide No. 7487.

Figure 2, left wings; 2a, oblique view of female genitalia; 2b, oblique view of ostium; 2c, signum.

Anticrates tridelta (Meyrick)

Plate 138, Figures 3-3b

Pyrozela tridelta Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 747.

"♂♀. 20-24 mm. . . . Khasi Hills; twelve specimens."

Lectotype: A male measuring 20 mm., "Khasi Hills, Assam. D. 1906." Slide No. 7477. Two specimens are missing.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Anticrates venatrix Meyrick

Plate 138, Figures 4-4c

Anticrates venatrix Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 128.

"♀. 21 mm. . . . Pykara, Nilgiris, at 7,000 feet, in April (*Andrewes*); one specimen." Very like *lucifera* . . ."

Type: The above indicated female, "Pykara, Nilgiris HLA. 7,000' 4.13." Slide No. 7483.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, signum; 4c, detail of ostium and posterior section of ductus bursae.

ARGYRESTHIA Hübner

Argyresthia anthocephala Meyrick

Plate 139, Figures 1-1b

Argyresthia anthocephala Meyrick, 1936, Exotic Microlepidoptera, 4 : 622.

"♂♀. 10 mm. . . . Japan, Honsyû, Kyoto, April (*K. Takeuchi*); 2 ex."

Lectotype: The male. Slide No. 7590. Both specimens are labelled, "Kyoto, Japan. Sl. 34."

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Argyresthia aphoristis Meyrick

Plate 139, Figures 2-2b

Argyresthia aphoristis Meyrick, 1938, Deuts. Ent. Zeit. Iris, 52 : 22.

"... ♂♀. 12-13 mm. . . . Yül., 2,800-3,200 m., August, September; 4 ex. . . ."

Lectotype: A male in the Meyrick collection, measuring 13 mm., . . . "Likiang, China. H. 9,000' .8.35." Slide No. 7573.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Argyresthia calliphanes Meyrick

Plate 139, Figures 3-3b

Argyresthia calliphanes Meyrick, 1913, Exotic Microlepidoptera, 1 : 135.

"♂♀. 13-14 mm. . . . Canada, Toronto, from June to August (*Parish*); fifty specimens. Allied to *goedartella*, . . ."

Lectotype: A male measuring 13 mm., dated ".6.13." Slide No. 8037. Only 14 specimens remain in the Meyrick collection.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus removed; 3b, aedeagus.

Argyresthia chalcocausta Meyrick

Plate 139, Figures 4-4c

Argyresthia chalcocausta Meyrick, 1935, in Caradja and Meyrick, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 91.

"... ♀. 11 mm. . . . 3 ex., Tienmushan, Shanghai, V. Allied to *reticulata* . . ."

Lectotype: The female in the Meyrick collection, "Tien-Mu-Shan, China. C. 5,000' .5.32." Slide No. 7572.


Figure 4, left wings; 4a, signum; 4b, ventral view of female genitalia; 4c, detail of ostium.



1



1a



1b




2



2a



2b



3



3a



3b



4




4a



4b

3b



1

2




2a



4c




2b



3

4



3a



3b



4a



4b

Argyresthia chalcochrysa Meyrick

Plate 140, Figure 1

Argyresthia chalcochrysa Meyrick, 1918, Exotic Microlepidoptera, 2 : 187.“♂. 12 mm. . . . Canada, Parry Sound, July (*Parish*); one specimen.”*Type* : The above indicated male, without abdomen, dated “.7.15.”

Figure 1, left wings.

Argyresthia chionochrysa Meyrick

Plate 140, Figures 2-2b

Argyresthia chionochrysa Meyrick, 1931, Exotic Microlepidoptera, 4 : 92.“♂. 10 mm. . . . Tibet, Yatung, 10,000 feet, June (*Colonel F. M. Bailey*); 1 ex.”*Type* : The specimen indicated above, dated “.6.28”, erroneously recorded as a male. Slide No. 7577. Meyrick probably was misled by the single bristle of frenulum. The abdomen was *not* glued on.

Figure 2, left wings; 2a, lateral aspect of female genitalia; 2b, signum.

Argyresthia dislocata Meyrick

Plate 140, Figures 3-3b

Argyresthia dislocata Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 123.

“♂♀. 8-9 mm. . . . Khasis, in April, September and November; twelve specimens.”

Lectotype : A male, “Khasi Hills, Assam. .9.1906.” Slide No. 7593. One specimen is missing.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Argyresthia gephyritis Meyrick

Plate 140, Figures 4-4c

Argyresthia gephyritis Meyrick, 1938, Deuts. Ent. Zeit. Iris, 52 : 22.

“. . . ♀ 15 mm. . . . Yül., 2,800-3,200 m., July; 1 ex.”

Type : The above indicated female, “Likiang, China. H. 9,000' .7.35.” Slide No. 7574.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of ostium; 4c, signum.

Argyresthia icterias Meyrick

Plate 141, Figures 1-1a

Argyresthia icterias Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 984.

"♂♀. 9-10 mm. . . . Sixteen specimens, Maskeliya, Ceylon, from February to June (Pole, de Mowbray)."

Lectotype : A male measuring 8 mm., "Maskeliya, Ceylon. Pole. .3.06." Six specimens are missing. Slide No. 7596.

Figure 1, left wings; 1a, oblique view of male genitalia with aedeagus *in situ*.

Argyresthia idiograpta Meyrick

Plate 141, Figure 5

Argyresthia idiograpta Meyrick, 1935, in Caradja and Meyrick, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 91.

"... ♀. 9 mm. . . . 2 ex., Tienmushan, V. Most like *reticulata* Stgr."

Type : The specimen in the Meyrick collection, "Tien-Mu-Shan, China. H. 5,300' .5.32.", without abdomen.

Figure 5, left wings.

Argyresthia iopleura Meyrick

Plate 141, Figures 2-2b

Argyresthia iopleura Meyrick, 1918, Exotic Microlepidoptera, 2 : 817.

"♂. 7 mm. . . . Kumaon, Almora, 6,000 feet, bred from twigs of *Pinus longifolia* (Beeson), probably feeding in the shoots; one specimen."

Type : The above indicated male dated ".8.14." Slide No. 7571.

Figure 2, left wings; 2a, aedeagus; 2b, lateral aspect of male genitalia with aedeagus removed.

Argyresthia leuculias Meyrick

Plate 141, Figures 3-3b


Argyresthia leuculias Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 123.

"♂♀. 8-9 mm. . . . Maskeliya, Ceylon, from March to June (Pole, de Mowbray); six specimens."


Lectotype : The male, "Maskeliya, Ceylon. Pole. .5.06." Slide No. 7592.

Figure 3, right wings (image reversed); 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed (left harpe out of focus).


[continued on p. 291.]




1



2



3



4



2a




2b




3a




4a



5




1a



3b



1b



Argyresthia mesocausta Meyrick

Plate 142, Figures 1-1b

Argyresthia mesocausta Meyrick, 1913, Exotic Microlepidoptera, 1 : 135.

"♂. 7 mm. . . . Canada, Toronto, in June (*Parish*); one specimen. Intermediate between *austerella* and *thuiella*."

Type: The male denoted above, dated ".6.12." Slide No. 8036.

Figure 1, left wings; 1a, ventral view of male genitalia (damaged); 1b, aedeagus.

Argyresthia niphospora Meyrick

Plate 142, Figures 2-2c

Argyresthia niphospora Meyrick, 1938, Deuts. Ent. Zeit. Iris, 52 : 23.

"... ♀ 13 mm. . . . Yül., 4,000-5,000 m., June; 1 ex."

Type: The female denoted above, "Likiang, China. H. 13,000' 6.35." Slide No. 7575.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium; 2c, signum.

Argyresthia nymphocoma Meyrick

Plate 142, Figures 3-3b

Argyresthia nymphocoma Meyrick, 1919, Exotic Microlepidoptera, 2 : 234.

"♂. 9 mm. . . . Ontario, Muskoka Lake, August (*Parish*); one specimen. Most like *annettella*."

Type: The male indicated above, "Muskoka, Canada. P. .8.18." Slide No. 8038.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Argyresthia plectrodes Meyrick

Plate 142, Figures 4-4c

Argyresthia plectrodes Meyrick, 1913, Exotic Microlepidoptera, 1 : 135.

"♂. 7 mm. . . . Borneo, Kuching, in August (*Hewitt*); one specimen."

Type: The specimen referred to above, erroneously recorded as a male, dated ".8.07." Slide No. 7589.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of ostium; 4c, signum.

Argyresthia psamminopa Meyrick

Plate 143, Figures 1-1b

Argyresthia psamminopa Meyrick, 1932, Exotic Microlepidoptera, 4 : 339.

"♂♀. 12-14 mm. . . . Kashmir, Gulmarg, 8,800 feet, June, July, "beaten from *Abies pindra*, but never in numbers" (*T. B. Fletcher*); 13 ex. Nearest *chrysidella*."

Lectotype: A male measuring 14 mm., dated ".6.31." Slide No. 7595. There are only four specimens in the Meyrick collection.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Argyresthia semitruncata Meyrick

Plate 143, Figures 2-2c

Argyresthia semitruncata Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 123.

"♀. 9-10 mm. . . . Khasis, in October, five specimens."

Lectotype: A female measuring 9 mm., "Khasi Hills, Assam. .10.1906." Slide No. 7594.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of ostium.

Argyresthia subrimosa Meyrick

Plate 143, Figures 3-3b

Argyresthia subrimosa Meyrick, 1932, Exotic Microlepidoptera, 4 : 227.

"♂. 14 mm. . . . N. China, Kwanhsien, July (*Franck*); 1 ex. . . ."

Type: The above indicated male dated ".7.28." Slide No. 7591.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus removed; 3b, aedeagus.

Argyresthia trochaula Meyrick


Plate 143, Figures 4-4c

Argyresthia trochaula Meyrick, 1938, Deuts. Ent. Zeit. Iris, 52 : 22.


". . . ♀ 16 mm. . . . Yül., 2,800 m., VII, 2 ex. . . ."

Lectotype: The female, "Likiang, China. H. .7.34." Slide No. 7576.


Figure 4, left wings; 4a, ventral view of female genitalia; 4b, signum; 4c, detail of ostium.




ARGYRESTHIA




1



1a




1b



1c



1d



1e

ASTOXENA

ASTOXENA Meyrick

Astoxena Meyrick, 1930, Exotic Microlepidoptera, 3 : 593. (*Typus generis* : *Astoxena clotho* Meyrick, *ibid.* [by monotypy]).

Astoxena clotho Meyrick

Plate 144, Figures 1-1c

Astoxena clotho Meyrick, 1930, Exotic Microlepidoptera, 3 : 593.

"♂. 25 mm. . . . French Guiana, R. Maroni; 1 ex. (Coll. Paravicini)."

Type : The specimen denoted above, so marked in the British Museum, "Guyane française. Rio Maroni. Bar.", erroneously recorded as a male. Slide No. 7510.

Figure 1, left wings (damaged); 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, detail of genital plate and ostium; 1d, ventral view of female genitalia; 1e, denuded abdomen illustrating dorsal spines.

Continued from p. 284.

Argyresthia melitaula Meyrick

Plate 141, Figures 4-4b

Argyresthia melitaula Meyrick, 1918, Exotic Microlepidoptera, 2 : 187.

"♂♀. 7-8 mm. . . . Colombia, La Crumbre, 6,600 feet, May (*Parish*); three specimens."

Lectotype : A male measuring 7 mm. Slide No. 8035. The three specimens bear identical data and are dated, ".5-14."

Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus removed; 4b, aedeagus.

ATTEVA Walker

Atteva aleatrix Meyrick

Plate 145, Figures 1-1c

Atteva aleatrix Meyrick, 1922, Exotic Microlepidoptera, 2 : 551.

"♀. 32 mm. . . . Fiji, Lumi, August (*Simmonds*); 1 ex. (Brit. Mus.)."

Type: The above indicated female, so marked in the British Museum, dated "28-VIII-1920." Slide No. 7534.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signum.

Atteva balanota Meyrick

Plate 145, Figures 2-2c

Atteva balanota Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 471.

"♀. 31 mm. . . . Philippines, Manila; one specimen."

Type: The above indicated specimen "Manila, Philippines. W. .05." Slide No. 7556.

Figure 2, left wings; 2a, signum; 2b, detail of ostium and posterior section of ductus bursae; 2c, ventral view of female genitalia.

Atteva monerythra Meyrick

Plate 145, Figures 3-3c

Atteva monerythra Meyrick, 1926, Trans. Ent. Soc. London, 74 : 278.

"♀. 26-28 mm. . . . Charles Island, July; 3 ex. Closely related to *hyginiella*, . . ."

Type: The female so marked in the British Museum, "Charles Island, Galapagos, at light, 31.7.24. C. L. Collenette." Slide No. 7533.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, signum; 3c, detail of ostium.

Atteva scolecias Meyrick


Plate 145, Figures 4-4c


Atteva scolecias Meyrick, 1928, Exotic Microlepidoptera, 3 : 419.

"♀. 32-33 mm. . . . Philippines, Mt. Makiling, Luzon (*Baker*); 2 ex. The absence of vein 7 of forewings is an exceptional feature."


Lectotype: The larger of the two females, both of which bear identical data, "Mt. Makiling, Philippines. B. .27." Slide No. 7555.

Figure 4, left wings; 4a, signum; 4b, detail of anterior portion of ductus bursae; 4c, ventral view of female genitalia.





1



1a



1b

CALAMOTIS

CALAMOTIS Meyrick

Calamotis Meyrick, 1918, Exotic Microlepidoptera, 2 : 188. (*Typus generis* : *Calamotis prophracta* Meyrick, l.c. 189 [by monotypy]).

Calamotis prophracta Meyrick

Plate 146, Figures 1-1b

Calamotis prophracta Meyrick, 1918, Exotic Microlepidoptera, 2 : 189.

“♂. 12 mm. . . . Kanara, Sidalgundi, February (*Maxwell*); one specimen.”

Type : The male indicated above, without abdomen, dated “15.2.14.”

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus.

CALLIATHLA Meyrick

Calliathla Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 405.
(*Typus generis* : *Calliathla peplophanes* Meyrick, *ibid.* [by monotypy]).

The branching of veins 3 and 4 of the hind wing is abnormal; 5 and 6 are short-stalked on both sides, not parallel as described by Meyrick.

Calliathla peplophanes Meyrick


Plate 147, Figures 1-1d

Calliathla peplophanes Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 405.


"♀. 19 mm. . . . Argentina, Territory Rio Negro, Lake Nahuel Huapi, December; 1 ex." This specimen has vein 5 of forewings abnormally furcate in one wing."

Type: The female denoted above, in the British Museum, dated "2-3.xii.1926." Slide No. 8016. A small white label bears the inscription "M106."


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium.



CALLIATHILA



1




1a



1b



1c




1d



2



2a



2b



2c

CALLITHRINCA Meyrick

Callithrinca Meyrick, 1913, Exotic Microlepidoptera, 1 : 140. (*Typus generis* : *Pseudodia evocatella* Walker, 1863. List of the specimens of lepidopterous insects in the collection of the British Museum, 28 : 537 [by original designation]).

Callithrinca evocatella (Walker)

Plate 148, Figures 1-1c

The type of this genus is figured from the type in the British Museum. Slide No. 9518.

Figure 1, left forewing; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, signa; 1e, detail of genital plate and ostium.

Callithrinca niphopyrrha Meyrick

Plate 148, Figures 2-2b

Callithrinca niphopyrrha Meyrick, 1927, Exotic Microlepidoptera, 3 : 361.

"♂♀. 17-18 mm. . . . Fiji, Labasa, Wainikoro, October, February (*Veitch, Greenwood*); 2 ex. Type Brit. Mus."

Type : The female, so marked in the British Museum, "Labasa, Fiji. Oct. 1922. R. Veitch." Slide No. 7498.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium.

CARMENTINA Meyrick

Carmentina Meyrick, 1930, Exotic Microlepidoptera, 3 : 597. (*Typus generis* : *Carmentina iridesma* Meyrick, l.c., p. 598 [by monotypy]).

Carmentina iridesma Meyrick


Plate 149, Figures 1-1d

Carmentina iridesma Meyrick, 1930, Exotic Microlepidoptera, 3 : 598.









“ ♀. 18 mm. . . . Solomon Is., Bougainville (*Meek*); 1 ex. (Coll. Paravicini). A strikingly distinct new form.”

Type : The female indicated above, so marked in the British Museum, “ Bougainville. A. S. Meek.” Slide No. 7511.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia (bursa copulatrix missing from type); 1d, detail of genital plate and ostium.



CARMENTINA



CEROSTOMA Latreille

Cerostoma electropa Meyrick

Plate 150, Figures 1-1b

Cerostoma electropa Meyrick, 1914, Exotic Microlepidoptera, 1 : 228.

" ♀. 20 mm. . . . Arizona, Palmerlee; one specimen."

Type : The female denoted above, " Palmerlee, Arizona. R. .11." Slide No. 8010.
Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signa.*Cerostoma hydraea* Meyrick

Plate 150, Figures 2-2c

Cerostoma hydraea Meyrick, 1919, Exotic Microlepidoptera, 2 : 228." ♂♀. 14-18 mm. . . . Peru, Oroya, 12,200 feet (*Parish*); two specimens. A variable species, allied to the European *caudella*."*Lectotype* : The male. Slide No. 8012. Both specimens are dated ".7.14."

Figure 2, left wings; 2a, posterior abdominal tufts; 2b, ventral view of male genitalia with aedeagus removed (tegumen, uncus, etc., oblique); 2c, aedeagus.

Cerostoma leptaula Meyrick

Plate 150, Figures 3-3b

Cerostoma leptaula Meyrick, 1927, Exotic Microlepidoptera, 3 : 360.

" ♀. 29 mm. . . . Texas, Alpine, 5,000 feet, April; 1 ex."

Type : The specimen referred to above, erroneously recorded as a female, " Brenster Co. Texas. 5,000 ft. .4.26." Slide No. 8023.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Cerostoma malacodoxa Meyrick

Plate 150, Figures 4-4b

Cerostoma malacodoxa Meyrick, 1932, Exotic Microlepidoptera, 4 : 340." ♂. 17 mm. . . . Argentina, Alta Gracia (*C. Bruch*); 1 ex. Nearest *electropa* Meyr."*Type* : The above indicated specimen " Alta Gracia, Argentina. CB. .32.", erroneously recorded as a male. Slide No. 8011.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of ostium.

CHALCONYMPHA Meyrick

Chalconympha Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 401.
(*Typus generis* : *Chalconympha eurypepla* Meyrick, ibid. [by monotypy]).

Chalconympha eurypepla Meyrick


Plate 151, Figures 1-1d

Chalconympha eurypepla Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 401.



"♂. 22 mm. . . . Argentina, Territory Rio Negro, Lake Nahuel Huapi, Puerto Blest, December; 1 ex."

Type : The above indicated male in the British Museum, dated "2-3.xii.1926." Slide No. 8015. A small white label bears the numeral "M155."

Figure 1, left wings; 1a, venation of right wings (apex missing); 1b, lateral aspect of head showing palpus (obscured by glue); 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



CHALCONYMPHA



COMOCRITIS

COMOCRITIS Meyrick

Comocritis Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 24. (*Typus generis* : *Comocritis olympia* Meyrick, *ibid.* [by monotypy]).

Comocritis olympia Meyrick

Plate 152, Figures 1-1d

Comocritis olympia Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 24.

"♂. 30 mm. . . . *Hab.* Koni; one specimen."

Type : The above indicated male, "Koni, Burma. NM. .10.88." Slide No. 7466.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Comocritis cyanobactra Meyrick

Plate 153, Figures 1-1b

Comocritis cyanobactra Meyrick, 1922, Exotic Microlepidoptera, 2 : 552.

"♂. 16 mm. . . . Assam (*Fletcher*); 1 ex. Regarded by Mr. Antram as a variety of *C. pieria*, but unquestionably very distinct."

Type: The male indicated above, "Assam. A. .20." Slide No. 7463.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Comocritis enneora Meyrick

Plate 153, Figures 2-2b

Comocritis enneora Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 130.

"♂. 17 mm. . . . Khasis, in May; one specimen . . ."

Type: The above indicated male, "Khasi Hills, Assam. .5.1907." Slide No. 7462.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus removed; 2b, aedeagus.

Comocritis heliconia Meyrick

Plate 153, Figures 3-3b

Comocritis heliconia Meyrick, 1933, Exotic Microlepidoptera, 4 : 374.

"♂♀. 14-21 mm. . . . Java, bred December from larvae feeding on bark of a jungle tree (*Dr. L. G. E. Kalshoven*); 4 ex. . . ."

Lectotype: A male measuring 16 mm., "Java. K. bred. .12.31." Slide No. 7464. Two specimens are missing.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Comocritis nephelista Meyrick


Plate 153, Figures 4-4b

Comocritis nephelista Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 129.

"♂♀. 16-20 mm. . . . Kandy and Maskeliya, Ceylon, from March to June (*Mackwood, Pole*); four specimens. . . ."

Lectotype: The male, "Maskeliya, Ceylon. Pole. .4.04." Slide No. 7461.

Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus removed; 4b, aedeagus.







1



2



3



4



1a




1b



2a



2b




3a



3b



4a



4b

Comocritis pieria Meyrick

Plate 154, Figures 1-1b

Comocritis pieria Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 415.

"♂♀. 14-19 mm. . . . Eleven specimens, all bred, Neboda, Ceylon, in March and April (*Green*) . . ."

Lectotype: A male measuring 17 mm., dated ".3.05." Slide No. 7458.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Comocritis pindarica Meyrick

Plate 154, Figures 2-2b

Comocritis pindarica Meyrick, 1924, Exotic Microlepidoptera, 3 : 118.

"♂. 34 mm. . . . Dutch New Guinea, Weyland Mts., 6,000 feet (*Pratt*); 1 ex. Very like the Indian *olympia*. . . ."

Type: The male indicated above, "Weyland Mts., 6,000 ft., Dutch N. Guinea. Nov.-Dec. 1920. C., F., & J. Pratt." Slide No. 7465.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus removed; 2b, aedeagus.

Comocritis praecolor Meyrick

Plate 154, Figures 3-3b

Comocritis praecolor Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 129.

"♂. 15 mm. . . . Trincomali, Ceylon, in November (*Green*); one specimen."

Type: The male denoted above dated ".11.06." Slide No. 7460.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Comocritis thespias Meyrick

Plate 154, Figures 4-4b

Comocritis thespias Meyrick, 1909, Journ. Bombay Nat. Hist. Soc., 19 : 423.

"♂. 34 mm. . . . Kandy, Ceylon, in October (*Green*); one specimen. Very similar to *C. olympia*."

Type: The above indicated male dated ".10.07." Slide No. 7459.

Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus removed; 4b, aedeagus.

DIAPHRAGMISTIS Meyrick

Diaphragmistis Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 126 (*Typus generis* : *Diaphragmistis macroglena* Meyrick, ibid. [by monotypy]).

Diaphragmistis macroglena Meyrick



Plate 155, Figures 1-1d

Diaphragmistis macroglena Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 126.

“♂. 15 mm. . . . Khasis, in November; one specimen . . .”

Type : The above indicated male, “Khasi Hills, Assam. .11.1906.” Slide No. 7559. Abdomen with paired posterior tufts from intersegmental membrane of eighth segment.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1a



1b




1c



1d

DIAPHIRAGMISTIS



EPICHTHONODES

EPICHTHONODES Meyrick

Epichthonodes Meyrick, 1938, Trans. R. Ent. Soc. London, 87 : 524. (*Typus generis* : *Epichthonodes caustopola* Meyrick, l.c., p. 525 [by monotypy]).

Epichthonodes caustopola Meyrick

Plate 156, Figures 1-1d

Epichthonodes caustopola Meyrick, 1938, Trans. R. Ent. Soc. London, 87 : 525.

"♂. 30 mm. . . Mt. Tafa, 8,500 feet, February. 1 ex."

Type : The above indicated specimen so marked in the British Museum, "Papua, Mt. Tafa, 8,500 ft. II. 1934. L. E. Cheesman." Slide No. 7532.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of aedeagus; 1d, ventral view of male genitalia with aedeagus removed (left harpe damaged).

ERIOPYRRHA Meyrick

Eriopyrrha Meyrick, 1913, Exotic Microlepidoptera, 1 : 141, (*Typus generis* : *Mieza colabristis* Meyrick, 1907, Proc. Linnean Soc. New South Wales, 32 : 89 [by original designation]).

Eriopyrrha colabristis (Meyrick)

Plate 157, Figures 1-1e

The type of this genus is figured from a male specimen in the British Museum (Natural History). Slide No. 9560.

Figure 1, left wings; 1a, venation of right wings (drawing by Arthur Smith); 1b, lateral aspect of head to show palpus; 1c, aedeagus; 1d, distal end of aedeagus, enlarged; 1e, ventral view of male genitalia with aedeagus removed.

GYMNOGRAMMA Zeller

Gymnogramma tabulatrix Meyrick

Plate 157, Figures 2-2a

Gymnogramma tabulatrix Meyrick, 1930, Exotic Microlepidoptera, 3 : 597.


“♂. 19 mm., . . . Madagascar, Ste. Maria (*Perrot*); 1 ex. (Coll. Paravicini). Allied to *sphaerobola*.”

Type : The above indicated specimen, “Ste. Marie de Madagascar. Perrot Frères. x-xii. 1896.” Slide No. 7509.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus *in situ*.



1



1a

1b



1d




1c



1e




2



2a





HIERODRYAS

HIERODRYAS Meyrick

Hierodryas Meyrick, 1931, Exotic Microlepidoptera, 4 : 88. (*Typus generis* : *Hierodryas eriochiras* Meyrick, *ibid.* [by monotypy]).

Hierodryas eriochiras Meyrick

Plate 158, Figures 1-1c

Hierodryas eriochiras Meyrick, 1931, Exotic Microlepidoptera, 4 : 88.

“♀. 18-20 mm. . . . Assam, Shillong, July (*T. B. Fletcher*); 2 ex. A curious and interesting new form.”

Lectotype : The female in the Meyrick collection, measuring 18 mm., “Shillong, Assam. TBF. 31.7.28.” Slide No. 7495. One specimen is missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, genital plate and ostium; 1e, signum.

HYPONOMEUTA Latreille

Hyponomeuta antistatica Meyrick

Plate 159, Figures 1-1c

Hyponomeuta antistatica Meyrick, 1931, Exotic Microlepidoptera, 4 : 87.

"♀. 25-26 mm. . . . Java, Mt. Merbabu, 3,300-5,000 feet; " numerous on the so-called *Euonymus japonica* " (Dr. W. Roepke); 2 ex. (type Brit. Mus.)."

Type: The specimen so labelled in the British Museum. The pin-label data read, " Merbaboe, 1,000 m., VI.16. W. Roepke." Slide No. 7527.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, signum.

Hyponomeuta athyris Meyrick

Plate 159, Figure 2

Hyponomeuta athyris Meyrick, 1928, Exotic Microlepidoptera, 3 : 415.

"♀. 16 mm. . . . Natal, Weenen, December (Thomasset); 1 ex. (Brit. Mus.)."

Type: The above indicated female, so marked in the British Museum, " Natal, Weenen, XII. 1926. H. P. Thomasset." The abdomen of the type is missing.

Figure 2, left wings.

Hyponomeuta bolidias Meyrick

Plate 159, Figures 3-3c

Hyponomeuta bolidias Meyrick, 1913, Exotic Microlepidoptera, 1 : 137.

"♀. 21 mm. . . . Siam, Muoklek; one specimen. Allied to *alienella*. . . ."

Type: The female denoted above dated ".1.05." Slide No. 7552.

Figure 3, left wings; 3a, signum; 3b, ventral view of female genitalia; 3c, detail of genital plate and ostium.

Hyponomeuta calcarata Meyrick


Plate 159, Figures 4-4b


Hyponomeuta calcarata Meyrick, 1924, Exotic Microlepidoptera, 3 : 117.

"♂♀. 18-20 mm. . . . Bermuda, Bailey's Bay, at light (*Ogilvie*); 4 ex. (type Brit. Mus.). Interesting because of European (not American) affinity; . . ."

Type: The male so marked in the British Museum. The pin-label data read, " Bermuda Agric. Station. The Highlands, Bailey's Bay. 1924. L. Ogilvie. At light." Slide No. 7528.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.





HYPONOMEUTA

Hyponomeuta calculosa Meyrick

Plate 160, Figures 1-1b

Hyponomeuta calculosa Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 127.

"♂♀. 14-17 mm. . . Khasis, in October and November; fourteen specimens."

Lectotype: A male measuring 14 mm., "Khasi Hills, Assam. 10.1906." Slide No. 7536.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta catharotis Meyrick

Plate 160, Figures 2-2b

Hyponomeuta catharotis Meyrick, 1935, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 88.

"... ♂♀. 17-19 mm., Lungtan, V. many ex."

Lectotype: A male measuring 17 mm., "Nanking, China. H. 5.33." Slide No. 7544.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta chalcocoma Meyrick

Plate 160, Figures 3-3b

Hyponomeuta chalcocoma Meyrick, 1938, Deuts. Ent. Zeit. Iris., 52 : 17.

"♂. 14-15 mm. . . Yül., 2,800 to 3,200 m., VI, VII, 5 ex. . ."

Lectotype: The male in the Meyrick collection, "Likiang, China. H. 6.34." Slide No. 7535.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta cinefacta Meyrick

Plate 160, Figures 4-4b

Hyponomeuta cinefacta [sic!] Meyrick, 1935, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 89.

"... ♂. 17-18 mm. . . 10 ex. Tienmushan, III, IV."

Lectotype: A male measuring 17 mm., "Tien-Mu-Shan, China. H. 5,300' 4.32." Slide No. 7545.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta corpuscularis Meyrick

Plate 161, Figures 1-1c

Yponomeuta corpuscularis Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 18 : 153.

“♂. 27 mm. . . . Nilgiri Hills (6,000 feet), in May; one specimen (*Andrewes*).”

Type: The specimen indicated above; erroneously recorded as a male, “Nilgiri Hills, S. India. HLA. 6,000' .5.07.” Slide No. 7551.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signum.

Hyponomeuta corusca Meyrick

Plate 161, Figures 2-2c

Hyponomeuta corusca Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 127.

“♀. 18 mm. . . . Khasis, in August; one specimen.”

Type: The above indicated female, “Khasi Hills, Assam. .8.1906.” Slide No. 7537.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium; 2c, signum.

Hyponomeuta disemanta Meyrick


Plate 161, Figures 3-3c

Hyponomeuta disemanta Meyrick, 1933, Exotic Microlepidoptera, 4 : 373.




“♀. 20 mm. . . . Sierra Leone, Njala, June (*E. Hargreaves*); 1 ex. (Brit. Mus.).”

Type: The above indicated female so marked in the British Museum, “Sierra Leone, Njala. 11.vi.32. *E. Hargreaves*.” Slide No. 7531.

Figure 3, left wings; 3a, signum (with long central tooth-like process); 3b, detail of ostium; 3c, ventral view of female genitalia.



HYPONOMEUTA



HYPONOMEUTA

Hyponomeuta elementaris Meyrick

Plate 162, Figures 1-1b

Hyponomeuta elementaris Meyrick, 1931, Exotic Microlepidoptera, 4 : 172.

"♂. 15 mm. . . . Japan, Gifu, July (*K. Nagano*); 1 ex. Nearest *melanaster*."

Type: The male indicated above dated "11.7.13." Slide No. 7546.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta hemileuca Meyrick

Plate 162, Figures 2-2b

Hyponomeuta hemileuca Meyrick, 1932, Exotic Microlepidoptera, 4 : 346.

"♂♀. 16-18 mm. . . . Uganda, Busana, April (*G. L. R. Hancock*); 8 ex. (type Brit. Mus.) . . ."

Type: The male so designated in the British Museum, "Uganda, Busana, 21.iv.1932. *G. L. R. Hancock*." Slide No. 7530. Paired hair pencil from intersegmental membrane between segments 7 and 8.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta hexabola Meyrick

Plate 162, Figures 3-3b

Hyponomeuta hexabola Meyrick, 1935, Exotic Microlepidoptera, 4 : 602.

"♂. 19 mm. . . . Japan, (Kyûsyû), Amakusa, June (*Prof. T. Esaki*); 1 ex."

Type: The above indicated male "Amakusa, Japan. SI. 34." Slide No. 7549. The "SI" (for Prof. S. Issiki) is undoubtedly a *lapsus*.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta halidora (Meyrick), new combination

Plate 163, Figures 1-1b

Oxygrapha halidora Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 624.

"♂♀. 12-15 mm. . . . Patipola and Maskeliya, Ceylon (*Green, Pole, Alston*); Khasis; in February, and from May to September, nine specimens."

Lectotype : A male measuring 13 mm., "Maskeliya, Ceylon. *Green*. .6.06." Slide No. 6895. One specimen is missing.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed. Harpe with deep pocket to receive hair-pencil from 8th segment.

Hyponomeuta ocypora Meyrick

Plate 163, Figures 2-2b

Hyponomeuta ocypora Meyrick, 1932, Trans. Ent. Soc. London, 80 : 115.

"♂. 22 mm. . . . Jem-Jem Forest, nearly 9,000 feet, October; 1 ex. Allied to *subplumbella*; . . ."

Type : The above indicated male, so marked in the British Museum, "Abyssinia, Djem-Djem Forest. Nearly 9,000 ft. 1.x.1926, H. Scott." Slide No. 7529.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus removed; 2b, aedeagus.

Hyponomeuta praetincta Meyrick

Plate 163, Figures 3-3b

Hyponomeuta praetincta Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 126.

"♂♀. 14-16 mm. . . . Khasis, in October and November; four specimens."

Lectotype : A male measuring 14 mm., Khasi Hills, Assam. 11.1906." Slide No. 7538.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta refrigerata Meyrick


Plate 163, Figures 4-4b

Hyponomeuta refrigerata Meyrick, 1931, Exotic Microlepidoptera, 4 : 172.


"♂. 22 mm. . . . Japan, Sapporo, July. (*Okuni*); 1 ex. Closely related to *minuella* and *polysticta* . . ."

Type : The male indicated above, dated, "16.7.18." Slide No. 7547.


Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus removed; 4b, aedeagus.




1



1a



2



3



4



1b




2a

2b




3b



4a

4b



HYPONOMEUTA

Hyponomeuta melanaster Meyrick

Plate 164, Figures 1-1b

Hyponomeuta melanaster Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 746.

"♂♀. 20-24 mm. . . . Puttalam, Ceylon, in December and January; two specimens (Pole)."

Lectotype: The male, Puttalam, Ceylon. Pole. .1.05." Slide No. 7543.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta mochlocrossa Meyrick

Plate 164, Figures 2-2b

Hyponomeuta mochlocrossa Meyrick, 1935, Exotic Microlepidoptera, 4 : 602.

"♂. 16 mm. . . . Japan, Tokyo, July (*Prof. S. Issiki*); 3 ex. Allied to the Chinese *cinefacta* . . ."

Lectotype: One of the above indicated males, all of which bear identical data, "Tokyo, Japan. SI. .34." Slide No. 7550.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Hyponomeuta munda Meyrick

Plate 164, Figures 3-3b

Hyponomeuta munda Meyrick, 1921, Exotic Microlepidoptera, 2 : 438.

"♂. 14 mm. . . . Bombay, Kharaghoda, August (*Maxwell*); 1 ex. Nearly related and similar to *calculosa* . . ."

Type: The male denoted above dated "26.8.19." Slide No. 7541.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus removed; 3b, aedeagus.

Hyponomeuta numerosa Meyrick

Plate 164, Figures 4-4b

Hyponomeuta numerosa Meyrick, 1921, Exotic Microlepidoptera, 2 : 438.

"♀. 24 mm. . . . Punjab, Murree, 7,500 feet, June (*Dutt*); 1 ex. . . ."

Type: The female denoted above dated ".6.18." Slide No. 7542.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of genital plate and ostium.

Hyponomeuta spodocrossa Meyrick

Plate 165, Figures 1-1c

Hyponomeuta spodocrossa Meyrick, 1935, Exotic Microlepidoptera, 4 : 602.

“ ♀. 24-25 mm. . . . Japan (Honsyû), Yumoto, August (*Prof. S. Issiki*); 2 ex. Nearest *polysticta* Butl., . . .”

Lectotype : The larger of the two females, both of which are labelled, “ Yumoto, Japan. SI. .5.8.34.” Slide No. 7548.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signa.

Hyponomeuta stenodoxa Meyrick

Plate 165, Figures 2-2c

Hyponomeuta stenodoxa Meyrick, 1931, Exotic Microlepidoptera, 4 : 87.

“ ♀. 17 mm. . . . Bombay, Mahableshwar, May (*R. M. Maxwell*); 1 ex.”

Type : The female indicated above, dated “ 3.5.30.” Slide No. 7553.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Hyponomeuta trachydelta Meyrick

Plate 165, Figure 3

Hyponomeuta trachydelta Meyrick, 1931, Exotic Microlepidoptera, 4 : 172.

“ ♂. 23 mm. . . . Japan, Hokkaido, Teinesan, September (*S. Issiki*); 1 ex.”

Type : The above indicated male, without abdomen, “ Teinesan, Japan. SI. 22.9.18.”

Figure 3, left wings.

Hyponomeuta tyrodes Meyrick

Plate 165, Figures 4-4b

Hyponomeuta tyrodes Meyrick, 1913, Exotic Microlepidoptera, 1 : 138.

“ ♂. 29 mm. . . . Japan; one specimen.”

Type : The male denoted above, “ Japan. R. .07.” Slide No. 7526. The abdomen of this species is spined.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.



1



1a



1b


1c



2




2a



2b




3



3b




4



4a



4b



LACTURA Walker

Lactura apoplectica Meyrick

Plate 166, Figures 1-1a

Lactura apoplectica Meyrick, 1930, Exotic Microlepidoptera, 3 : 594.

"♂. 22 mm. . . . Solomon Is., Bougainville (*Meek*); 1 ex. (Coll. Paravicini). Allied to *oroglypta*."

Type: The above indicated male, so marked in the British Museum. Slide No. 7504.

Figure 1, right wings (image reversed); 1a, ventral view of male genitalia with aedeagus removed. Aedeagus not figured.

Lactura coacervata Meyrick

Plate 166, Figures 2-2b

Lactura coacervata Meyrick, 1938, Trans. R. Ent. Soc. London, 87 : 523.

"♀. 23 mm., Sabron, 2,000 feet, January. 1 ex."

Type: The specimen so marked in the British Museum, erroneously recorded by Meyrick as a female. The type is labelled, "Dutch New Guinea. Cyclops Mts., Sabron. Camp 2 : 2,000 ft. VI. 1936. L. E. Cheesman." Slide No. 7502. The discrepancies in sex and date can be attributed to error only. There was only one specimen, according to Meyrick's records, and all the material treated in the above paper was collected by Miss Cheesman on one expedition.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Lactura coleoxantha Meyrick

Plate 166, Figures 3-3b

Lactura coleoxantha Meyrick, 1924, Exotic Microlepidoptera, 3 : 122.

"♂. 40-42 mm. . . . Dutch New Guinea, Weyland Mts., 6,000 feet, December, January (*Pratt*); 5 ex."

Type (?): The male measuring 44(!) mm., so marked in the British Museum. Slide No. 7501. This specimen is either spurious or Meyrick recorded the data in error. The "type" is labelled, "Brit. New Guinea, Mambare R. Biagi. Meek."

The specimen described by Meyrick (Exotic Microlep. vol. 3, p. 595, 1930) and recorded as a female is, obviously, not the type; but none of the original series can be found. This specimen (figured) is identical with *marস্যas*.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

[continued on p. 340.]

Lactura eurypercna Meyrick

Plate 167, Figures 1-1b

Lactura eurypercna Meyrick, 1930, Exotic Microlepidoptera, 3 : 597.

"♂. 29 mm. . . . British New Guinea, Biagi, Mambare R., 5,000 feet (*Meek*); 1 ex. (Coll. Paravicini). Near *pyrilampis*."

Type : The male denoted above, so marked in the British Museum. Slide No. 7508.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lactura infervescens Meyrick

Plate 167, Figures 2-2d

Lactura infervescens Meyrick, 1930, Exotic Microlepidoptera, 3 : 596.

"♀. 28 mm. . . . Trobriand Is., Kiriwini, April (*Meek*); 1 ex. (Coll. Paravicini). Next *parallela*."

Type : The female denoted above, so marked in the British Museum. Slide No. 7507.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium; 2c, signum; 2d, bands of teeth in ductus bursae.

Lactura magocosma (Meyrick), new combination


Plate 167, Figures 3-3c


Anticrates magocosma Meyrick, 1930, Exotic Microlepidoptera, 3 : 594.

"♂♀. 23-24 mm. . . . Dutch New Guinea, Mt. Goliath (5,000 feet) and Snow Mts. (3,500 feet) (*Meek*); 2 ex (Coll. Paravicini). Allied to *autobrocha*. . ."

Type : The female, so marked in the British Museum, "nr. Oetakwa R., Snow Mts., Dutch N.G. up to 3,500 ft., X.XII, 1910 (*Meek*)." Slide No. 7503.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of ostium; 3c, signum (oblique view).





LACTURA

Lactura marsyas Meyrick

Plate 168, Figures 1-1b

Lactura marsyas Meyrick, 1938, Trans. R. Ent. Soc. London, 87 : 524.

"♂. 45-48 mm. . . Mt. Tafa, 8,500 feet, February. 2 ex. Nearest *coleoxantha* Meyr."

Type: The male, measuring 48 mm., so marked in the British Museum, "Papua, Mt. Tafa. 8,500 ft. II.1934. L. E. Cheesman." Slide No. 7500.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Lactura oroglypta Meyrick

Plate 168, Figures 2-2c

Lactura oroglypta Meyrick, 1930, Exotic Microlepidoptera, 3 : 595.

"♀. 20 mm. . . British New Guinea, Biagi, Mambare R., 5,000 feet (*Meek*); 1 ex. (Coll. Paravicini). Near *leucophthalma*."

Type: The above indicated specimen, so marked in the British Museum. Slide No. 7505.

Figure 2, left wings; 2a, oblique view of female genitalia; 2b, signa; 2c, detail of ostium.

Lactura rubriflora Meyrick

Plate 168, Figure 3

Lactura rubriflora Meyrick, 1930, Exotic Microlepidoptera, 3 : 596.

"♂. 25 mm. . . British New Guinea, Biagi, Mambare R., 5,000 feet (*Meek*); 1 ex. (Coll. Paravicini). Nearly allied to *rubritexta*."

Type: The above indicated male, so marked in the British Museum. The abdomen of the type is missing.

Figure 3, left wings.

LAMYRISTIS Meyrick

Lamyristis Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 21 : 131. (*Typus generis* : *Lamyristis leucopselia* Meyrick, ibid. [by monotypy]).

Lamyristis leucopselia Meyrick

Plate 169, Figures 1-1d

Lamyristis leucopselia Meyrick, 1911, Journ. Bombay Nat. Hist. Soc., 21 : 131.

"♂♀. 17-20 mm. . . . Maskeliya, Ceylon, in May (*Pole, Alston*); three specimens. . . "

Lectotype : A female measuring 20 mm., "Maskeliya, Ceylon. Alston. .04." Slide No. 7476. All specimens are females, as indicated by the multiple frenulum, the male sex having been erroneously recorded due, perhaps to the peculiar scaling of the last abdominal segment.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium.

Continued from p. 336.

Lactura erythrodesma Meyrick

Plate 166, Figures 4-4c

Lactura erythrodesma Meyrick, 1930, Exotic Microlepidoptera, 3 : 595.

"♂. 17 mm. . . . British New Guinea, Kumusi R. (*Meek*); 1 ex. (Coll. Paravicini). Next *autocosma*."

Type : The male denoted above, so marked in the British Museum. Slide No. 7506.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed; 4c, posterior paired abdominal tufts.




1



1b



1c




1a




1d


LAMYRISTIS



1



1a



1b

1c



1d

LITANEUTIS

LITANEUTIS Meyrick

Litaneutis Meyrick, 1913, Exotic Microlepidoptera, 1 : 143. (*Typus generis* : *Litaneutis sacrifica* Meyrick, *ibid.* [by monotypy]).

Litaneutis sacrifica Meyrick

Plate 170, Figures 1-1d

Litaneutis sacrifica Meyrick, 1913, Exotic Microlepidoptera, 1 : 143.

"♂. 13-16 mm. . . . Assam, Khasis, in March; Queensland, Cairns, in September and October (*Dodd*), Cooktown (*Meek*); six specimens."

Lectotype : The male measuring 14 mm., "Khasi Hills, Assam. .3.1907." Slide No. 7492. Five specimens are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus, lateral aspect; 1d, ventral view of male genitalia with aedeagus removed.

LYCOPHANTIS Meyrick

Lycophantis Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 122. (*Typus generis* : *Lycophantis chalcoleuca* Meyrick, l.c., p. 123 [by monotypy]).

Lycophantis chalcoleuca Meyrick


Plate 171, Figures 1-1c

Lycophantis chalcoleuca Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 123.


“ ♂♀. 8-12 mm. . . . Khasis; from September to November, twelve specimens.”

Lectotype : A male measuring 10 mm., “ Khasi Hills, Assam. .11.1906.” Slide No. 7707. Two specimens are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, lateral aspect of male genitalia with aedeagus *in situ*.



1



1a




1b




1c


LYCOPHANTIS



1




1a




1b



1c



1d



1e

MELITONYMPHA

MELITONYMPHA Meyrick

Melitonympha Meyrick, 1927, Exotic Microlepidoptera 3 : 360 (*Typus generis* : *Melitonympha heteraula* Meyrick, ibid. [by monotypy]).

Melitonympha cockerella (Busck), new combination

Plate 172, Figures 1-1c

Abebaea cockerella Busck, 1903, Journ. New York Ent. Soc., 11 : 54.

Melitonympha heteraula Meyrick, 1927, Exotic Microlepidoptera, 3 : 360 (New synonymy).

[heteraula]

“ ♀. 15 mm. . . . Texas, Alpine, 6,000 feet, May; 1 ex.”

Type : The female denoted above, labelled “Brenster Co. Texas. 6,000 ft. .5.26.”
Slide No. 9721.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of genital plate and ostium; 1e, signum.

METANOMEUTA Meyrick

Metanomeuta Meyrick, 1935, in Caradja and Meyrick, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen der Kiangsu, Chekiang und Hunan, 87. (*Typus generis* : *Metanomeuta fulvicrinis* Meyrick, 1935, ibid. [hereby designated]).

Metanomeuta fulvicrinis Meyrick

Plate 173, Figures 1-1d; 2-2b

Metanomeuta fulvicrinis Meyrick, 1935, in Caradja and Meyrick, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 87.

Metanomeuta zonoceros Meyrick, l.c., p. 88. (New synonymy).

[fulvicrinis]

“... ♂♀. 15 mm. . . . 4 ex., Tienmushan, Hoengshan V-VII, X. 5 ex.”

Lectotype : The male, in the Meyrick collection, “ Tien-Mu-Shan, China. H. 5,000' .6.32.” Slide No. 7557.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

[zonoceros]

“... ♂. 11-12 mm. . . . 3 ex. Hoengshan VII-VIII.”

Lectotype : The male in the Meyrick collection measuring 12 mm., “ Hoeng-Shan, China. H. 3,000' .8.33.” Slide No. 7558.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.



1




1a

1b



1c



1d



2




2a



2b

METANOMEUTA



METHARMOSTIS

METHARMOSTIS Meyrick

Metharmostis Meyrick, 1921, Exotic Microlepidoptera, 2 : 439. (*Typus generis* : *Metharmostis asaphaula* Meyrick, ibid. [by monotypy]).

Metharmostis asaphaula Meyrick

Plate 174, Figures 1-1c

Metharmostis asaphaula Meyrick, 1921, Exotic Microlepidoptera, 2 : 439.

“ ♂♀. 7-8 mm. . . . Bombay, Nasik, October (*Beeson*); 3 ex.”

Lectotype : The female in the Meyrick collection, “ Nasik, Bombay. CB. .10.19.”
Slide No. 7494. Two specimens are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior view of head and palpi; 1c, ventral view of female genitalia; 1d, detail of ostium showing lateral patches of modified scales; 1e, signum.

NOSYMNA Walker

Nosymna lapillata Meyrick

Plate 175, Figures 1-1c

Nosymna lapillata Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 127.

“♀. 50 mm. . . . Darjiling, in March; one specimen . . .”

Type : The female denoted above, “Darjiling, Bengal. P. 16.3.89.” Slide No. 7473.
Figure 1, left wings; 1a, ventral view of female genitalia; 1b, signa; 1c, ostium.

Nosymna ochrochorda Meyrick


Plate 175, Figures 2-2a

Nosymna ochrochorda Meyrick, 1924, Exotic Microlepidoptera, 3 : 118.


“♂. 50 mm. . . . Sumatra, north of Korintzi Valley, 5,000 feet, October (*Pratt*);
1 ex. . . .”

Type : The above indicated male, “North Korintji Valley, S. W. Sumatra. 5,000 ft.
Sept.-Oct. 1921. C., F., & J. Pratt.” Slide No. 7472.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus *in situ*.



NOSYMNA



ORINYMPHA

ORINYMPIA Meyrick

Orinympha Meyrick, 1927, Exotic Microlepidoptera, 3 : 360. (*Typus generis* : *Orinympha aetherias* Meyrick, l.c., p. 361 [by monotypy]).

Orinympha aetherias Meyrick

Plate 176, Figures 1-1c

Orinympha aetherias Meyrick, 1927, Exotic Microlepidoptera, 3 : 361.

"♀. 16 mm. . . . Texas, Alpine, 5,000 feet, April; 1 ex."

Type : The specimen referred to above, erroneously recorded as a female, " Brenster Co. Texas. 5,000 ft. 4-26." Slide No. 8043. The palpi are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, 8th sternum; 1c, 8th tergum; 1d, aedeagus; 1e, ventral view of male genitalia with aedeagus removed.

ORTHENCHES Meyrick

Orthenches clytandra Meyrick

Plate 177, Figures 1-1b

Orthenches clytandra Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 406.

"♂. 17 mm. . . . S. Chile, Llanquihue Province, Casa Pangué, December; 1 ex."

Type: The male so marked in the British Museum labelled, "Casa Pangué. 4-10-XII.1926." A second label reads, "S. Chile: Llanquihue prov. F. & M. Edwards. BM 1927-63." Slide No. 6479.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Orthenches dissimulatrix Meyrick

Plate 177, Figures 2-2b

Orthenches dissimulatrix Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 407.

"♀. 20 mm. . . . S. Chile, Llanquihue Province, Casa Pangué, December; 1 ex. Has the aspect of a *Plutella*. . . ."

Type: The female so marked in the British Museum labelled, "Casa Pangué, 4-10-XII.1926." A second label reads, "S. Chile: Llanquihue prov. F. & M. Edwards. BM 1927-63." Slide No. 6456.

Figure 2, left wings; 2a, detail of ostium; 2b, ventral view of female genitalia.

Orthenches osteacma Meyrick

Plate 177, Figures 3-3b

Orthenches osteacma Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 406.

"♂. 19 mm. . . . Argentina, Territory Rio Negro, Lake Gutierrez, November; 1 ex."


Type: The specimen so marked in the British Museum labelled, "L. Gutierrez. 3-14-XI. 1926." A second label is as follows: "Argentina: Terr. Rio Negro. F. & M. Edwards. BM 1927-63." Slide No. 6481.

Figure 3, right wings (image reversed); 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

[continued on p. 359.]




1



1a




1b




2




2a



2a



2b




3



3a




3b



4





4a



4b

ORTHENCHES



ORTHIOSTOLA

ORTHIOSTOLA Meyrick

Orthiostola Meyrick, 1927, Exotic Microlepidoptera, 3 : 357. (*Typus generis* : *Orthiostola lyroda* Meyrick, *ibid.* [by monotypy]).

Orthiostola lyroda Meyrick

Plate 178, Figures 1-1b

Orthiostola lyroda Meyrick, 1927, Exotic Microlepidoptera, 3 : 357.

"♂. 17 mm. . . . Colombia, San Antonio, 6,600 feet, February; 1 ex."

Type : The male denoted above, dated, ".2.20." The abdomen of the type is missing.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior aspect of head showing palpus.

Continued from p. 356.

Orthenches semicretata Meyrick

Plate 177, Figures 4-4b

Orthenches semicretata Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 406.

"♂♀. 20-21 mm. . . . Argentina, Territory Rio Negro, Bariloche and Lake Gutierrez, November; 3 ex."

Type : The male so marked in the British Museum labelled, "L. Gutierrez. 3-14.XII.1926." A second label reads, "Argentina: Terr. Rio Negro. F. & M. Edwards. BM 1927-63." Slide No. 6480.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Orthiostola crotalista Meyrick

Plate 179, Figures 1-1c

Orthiostola crotalista Meyrick, 1928, Exotic Microlepidoptera, 3 : 478.

“ ♂♀. 9-11 mm. . . . Peru, Rio Napo and Jurimaguas, March, May; Brazil, Teffé, January (*Parish*); 4 ex. . . .”

Lectotype : A female measuring 10 mm., “ Rio Napo, Peru. *Parish*. 5.20.” Slide No. 8027. The four original specimens are females, the male sex having been recorded erroneously.

Figure 1, left forewing; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signa.

Orthiostola psaltria Meyrick





Plate 179, Figure 3

Orthiostola psaltria Meyrick, 1928, Exotic Microlepidoptera, 3 : 479.


“ ♂. 11 mm. . . . Brazil, Obidos, September (*Parish*); 1 ex. The different form of forewings is very distinctive.”

Type : The above indicated male, without abdomen, dated, “.9.19.”


Figure 3, left wings.



ORTHIOSTOLA and PARADOXUS



1



1a



1b

ORTHOSARIS

ORTHOSARIS Meyrick

Orthosaris Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 126. (*Typus generis* : *Orthosaris strictulata* Meyrick, ibid. [by monotypy]).

Orthosaris strictulata Meyrick

Plate 180, Figures 1-1b

Orthosaris strictulata Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 126.

"♂. 12 mm. . . . Matala, Ceylon, in August (*Pole*); one specimen."

Type : The male, without abdomen, designated above, dated ".8.06."

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus.

PARADOXUS Stainton

Paradoxus deformis Meyrick

Plate 179, Figures 2-2c

Paradoxus deformis Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 124.

"♀. 13 mm. . . . Kegalle, Ceylon (*Alston*); one specimen."

Type : The above indicated female, "Kegalle, Ceylon. CCA. 109." Slide No. 7706.

Figure 2, left wings; 2a, signum; 2b, ventral view of female genitalia; 2c, detail of genital plate and ostium.

PERISCEPTIS Meyrick

Perisceptis Meyrick, 1931, Journ. Linnean Soc. London, 37 : 283. (*Typus generis* : *Perisceptis horiarcha* Meyrick, ibid. [by monotypy]).

Perisceptis horiarcha Meyrick




Plate 181, Figures 1-1d

Perisceptis horiarcha Meyrick, 1931, Journ. Linnean Soc. London, 37 : 283.

“♂. 13 mm. . . . 1 ex., December.”


Type: The male referred to above, “Makthalawaiya, Paraguay. GSC. .12.26.”
Slide No. 8046.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1b 1c 1d

PERISCEPTIS



PHASMATOGRAPHA

PHASMATOGRAPHIA Meyrick

Phasmatographa Meyrick, 1928, Exotic Microlepidoptera, 3 : 418. (*Typus generis* : *Phasmatographa neurotypa* Meyrick, l.c., p. 419 [by monotypy]).

Phasmatographa neurotypa Meyrick

Plate 182, Figures 1-1c

Phasmatographa neurotypa Meyrick, 1928, Exotic Microlepidoptera, 3 : 419.

"♀. 22 mm. . . . Siam, Khow Sai Dow Mt., 1,000 feet, February (*Dr. W. L. Abbott*); 1 ex."

Type : 'The female denoted above, dated ".2.99." Slide No. 7467.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium and posterior portion of ductus bursae; 1e, signum.

PHILAUSTERA Meyrick

Philaustera Meyrick, 1927, Exotic Microlepidoptera, 3 : 358. (*Typus generis* : *Philaustera signigera* Meyrick, *ibid.* [by monotypy]).

Philaustera signigera Meyrick


Plate 183, Figures 1-1d

Philaustera signigera Meyrick, 1927, Exotic Microlepidoptera, 3 : 358.



“ ♂. 17 mm. . . . Colombia, San Antonio, 6,600 feet, February; 1 ex.”

Type : The above indicated male, dated, “ 2.20.” Slide No. 8024.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



PHILAUSTERA



PLUTELLA Schrank

Plutella acrodelta Meyrick

Plate 184, Figures 1-1b

Plutella acrodelta Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 408.

"♂. 15 mm. . . . Argentina, Territory Rio Negro, Lake Gutierrez, November; 2 ex."

Type: The male so marked in the British Museum, "L. Gutierrez, 3-14.xi.1926. Argentina: Terr. Rio Negro. F. & M. Edwards. BM 1927-63." A small white label bears the inscription "M153." Slide No. 6493.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Plutella culminata Meyrick

Plate 184, Figures 2-2b

Plutella culminata Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 409.

"♀. 17-18 mm. . . . Argentina, Territory Rio Negro, Lake Correntoso, November; 2 ex."

Type: The female so marked in the British Museum, "L. Correntoso, 18-25.xi.1926. Argentina: Terr. Rio Negro. F. & M. Edwards. BM 1927-63." A small white label bears the inscription "M149." Slide No. 6568.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium and genital plate.

Plutella deltodoma Meyrick

Plate 184, Figures 3-3b

Plutella deltodoma Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 409.

"♂. 16 mm. . . . S. Chile, Llanquihue Province, Puerto Mont, December; 1 ex."

Type: The above indicated male so marked in the British Museum, "Puerto Mont, 24.xii.1926. S. Chile; Llanquihue prov. F. & M. Edwards. BM 1927-63." A small white label bears the inscription "M136."

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Plutella diluta Meyrick

Plate 184, Figures 4-4b

Plutella diluta Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 407.

"♂. 20 mm. . . . S. Chile, Llanquihue Province, Casa Pangué, December; 1 ex."

Type: The above indicated male so marked in the British Museum, "Casa Pangué, 4-10.xii.1926. S. Chile; Llanquihue prov. F. & M. Edwards, BM.1927-63." A small white label bears the inscription "M152."

Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus removed; 4b, aedeagus.

Plutella nephelaegis Meyrick

Plate 185, Figures 1-1c

Plutella nephelaegis Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 408.

" ♂♀. 18-19 mm. . . . Argentina, Territory Rio Negro, Bariloche and Lakes Gutierrez and Nahuel Huapi, October to December; 6 ex."

Type : The female, so designated in the British Museum, labelled " L. Gutierrez, 3-14.xi.1926." Slide No. 6567.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium and genital plate; 1c, signum.

PRAYS Hübner

Prays acmonias Meyrick

Plate 185, Figures 2-2c

Prays acmonias Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 125.

" ♀. 12-13 mm., . . . Rawalpindi (*Manders*); two specimens."

Lectotype : The smaller of the two females, " Rawalpindi, Punjab. N. M. .86." Slide No. 7565.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of ostium and genital plate.

Prays curulis Meyrick

Plate 185, Figure 3

Prays curulis Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 125.

" ♀. 13 mm., . . . Khasis, in September; one specimen."

Type : The above indicated specimen, without abdomen, " Khasi Hills, Assam. .9.1906."

Figure 3, left wings.

Prays ducalis Meyrick


Plate 185, Figures 4-4b

Prays ducalis Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 125.

" ♀. 16 mm., . . . Namunukuli, Ceylon, over 6,000 feet, in February (*Green*); one specimen."

Type : The female denoted above, " Namunukuli, Ceylon. EEG. .2.10." Slide No. 7566.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of ostium.



1



2



3



4



1a



1b




1c




2a



2b




2c




4a




4b






1



1a



1b




1c



2



2a



2b



3



3a




3b



4



4a



4b

PRAYS

Prays endocarpa Meyrick

Plate 186, Figures 1-1c

Prays endocarpa Meyrick, 1919, Exotic Microlepidoptera, 2 : 234; id., 1928, 3 : 419.

"♂. 9 mm. . . Java, bred from *Citrus* fruits in January (Dr. K. W. Dammerman); two specimens. Type in British Museum. . ."

Type : The female so marked in the British Museum. Slide No. 7564. Although the specimen is female and the data read, "E. Java, Citrus. 1912. Dr. Van Hall," I have no doubt that this is the actual type. Stringer made a note in the British Museum copy of the original description, correcting the collector's name.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signa.

Prays erebitis Meyrick

Plate 186, Figures 2-2b

Prays erebitis Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 124.

"♂. 12-13 mm. . . Ootacamund, in December (Fletcher); two specimens."

Lectotype : The larger of the two males. Slide No. 7567. Both bear identical data, "Ootacamund, S. India. TBF. 7,500'. 12.13."

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Prays peperitis Meyrick

Plate 186, Figures 3-3b

Prays peperitis Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 984.

"♂♀. 9-14 mm. . . Seven specimens. Maskeliya, Ceylon, from March to May, and in October and November (Pole). Slide No. 7570.

Lectotype : The male dated ".5.06." Two specimens are missing.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Prays xeroloxa Meyrick

Plate 186, Figures 4-4b

Prays xeroloxa Meyrick, 1935, Exotic Microlepidoptera, 4 : 602.

"♂♀. 10 mm. . . Java, Telawa, bred July from larvae feeding on leaves of *Harri-sonia* sp. (*Simarubaceae*) (Dr. L. G. Kalshoven); 4 ex. Allied to *citri* and *endocarpa*."

Lectotype : The male, dated ".7.34." Slide No. 7569. Two specimens are missing.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

PRNOMEUTA Meyrick

Pronomeuta Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 608. (*Typus generis* : *Pronomeuta sarcopis* Meyrick, ibid. [by monotypy]).

Pronomeuta sarcopis Meyrick


Plate 187, Figures 1-1e

Pronomeuta sarcopis Meyrick, 1905, Journ. Bombay Nat. Hist. Soc., 16 : 608.

“♂♀. 15-18 mm. . . . Two specimens, Heneratgoda, Ceylon, in November (Green).”

Lectotype : The male dated “.11.02.” Slide No. 7554.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, dorsal view of male genitalia with aedeagus removed; 1d, aedeagus; 1e, lateral aspect of denuded abdomen showing hair-pencils between segments 3 and 4, and 4 and 5.



PRONOMEUTA



1



1a



1b



1c



1d



1e

PYROZELA

PYROZELA Meyrick

Pyrozela Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 414. (*Typus generis* : *Pyrozela xanthomima* Meyrick, l.c., p. 415 (by original designation).

Pyrozela xanthomima Meyrick

Plate 188, Figures 1-1c

Pyrozela xanthomima Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 415.

"♂♀. 19-22 mm. . . . Seven specimens (4♂, 3♀), Maskeliya, Ceylon, in February, May, and November (*Pole*)."

Lectotype : A male measuring 20 mm., dated ".5.04." Slide No. 7480. Four of the original specimens are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, posterior abdominal hair-pencils; 1d, aedeagus; 1e, ventral view of male genitalia with aedeagus removed.

SERICOSTOLA Meyrick

Sericostola Meyrick, 1927, *Exotic Microlepidoptera*, 3 : 358. (*Typus generis* : *Sericostola rhodanopa* Meyrick, *ibid.* [by monotypy]).

Sericostola rhodanopa Meyrick


Plate 189, Figures 1-1c

Sericostola rhodanopa Meyrick, 1927, *Exotic Microlepidoptera*, 3 : 358.



“♂♀. 26-34 mm. . . . Colombia, Mt. Socorro (12,500 feet), San Antonio (6,600 feet); 3 ex.”

Lectotype : A male, “Mt. Socorro, Colombia. 12,500' .20.” Slide No. 8009. One specimen is missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, ventral view of male genitalia with aedeagus *in situ*.



SERICOSTOLA



SPILODARCHA

SPILADARCHIA Meyrick

Spiladarcha Meyrick, 1913, Exotic Microlepidoptera, 1 : 139. (*Typus generis* : *Spiladarcha derelicta* Meyrick, ibid. [by monotypy]).

Spiladarcha derelicta Meyrick

Plate 190, Figures 1-1e

Spiladarcha derelicta Meyrick, 1913, Exotic Microlepidoptera, 1 : 139.

“ ♀. 12 mm. . . . British Guiana, Mallali, in March (*Parish*); one specimen.”

Type : The above indicated female dated “.3.13.” Slide No. 8069.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, lateral aspect of female genitalia; 1d, ostium; 1e, signa.

SPILOGENES Meyrick

Spilogenes Meyrick, 1938, Deuts. Ent. Zeit. Iris, 52 : 19. (*Typus generis* : *Spilogenes chalazombra* Meyrick, ibid. [by monotypy]).

Spilogenes chalazombra Meyrick


Plate 191, Figures 1-1e

Spilogenes chalazombra Meyrick, 1938, Deuts. Ent. Zeit. Iris, 52 : 19.

"... ♂♀. 21-23 mm., Yül., 2,800-3,200 m., VI, VII, 10 ex."

Lectotype : A male measuring 22 mm., "Likiang, China. H. .6.34." Slide No. 7490.

Figure 1, left wings; 1a, aedeagus; 1b, venation of right wings; 1c, lateral aspect of head showing palpus; 1d, part of denuded abdomen illustrating anterior hair-pencil; 1e, ventral view of male genitalia with aedeagus removed.




1




1a




1b



1c




1d



1e

SPILOGENES



1




1a



1b



1c



1d

STASIPHRON

STASIPHIRON Meyrick

Stasiphron Meyrick, 1931, Exotic Microlepidoptera, 4 : 171. (*Typus generis* : *Stasiphron cryptomorpha* Meyrick, l.c., p. 172 [by monotypy].

Stasiphron cryptomorpha Meyrick

Plate 192, Figures 1-1d

Stasiphron cryptomorpha Meyrick, 1931, Exotic Microlepidoptera, 4 : 172.

“♂♀. 7-8 mm. . . Bihar, Pusa, bred May-July from larvae feeding on leaflets of *Acacia catechu* (Rangi); 5 ex. . .”

Lectotype : A female measuring 8 mm., “Pusa, Bihar. TBF. bred .5.28.” Slide No. 7713. Two specimens are missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia (damaged); 1d, ostium.

TARPHYSCELIS Meyrick

Tarphyscelis Meyrick, 1913, Exotic Microlepidoptera, 1 : 144. (*Typus generis* : *Tarphyscelis palaeota* Meyrick, l.c., p. 145 (by monotypy)).

Tarphyscelis palaeota Meyrick



Plate 193, Figures 1–1d

Tarphyscelis palaeota Meyrick, 1913, Exotic Microlepidoptera, 1 : 145.



“ ♂♀. 13 mm. . . . Assam, Khasis, in November; two specimens.”

Lectotype : The male. Slide No. 7493. Both are labelled “ Khasi Hills, Assam. .11.1906.”

Figure 1, left wings; 1a, venation of right wings; 1b, oblique view of left palpus and head; 1c, aedeagus; 1d, oblique view of male genitalia with aedeagus removed.



TARPHYSCELIS



TELOSPHRANTIS

TELOSPHRANTIS Meyrick

Telosphrantis Meyrick, 1932, Trans. Ent. Soc. London, 80 : 116. (*Typus generis* : *Telosphrantis aethiopica* Meyrick, ibid. [by monotypy]).

Meyrick had this genus placed in his collection as a synonym of *Trichocirca* Meyrick but I have not been able to confirm this synonymy.

Telosphrantis aethiopica Meyrick

Plate 194, Figures 1-1d

Telosphrantis aethiopica Meyrick, 1932, Trans. Ent. Soc. London, 80 : 116.

"♂♀. 14-16 mm. . . Mt. Chillálo, 9,000 feet, in forest, November; 9 ex."

Type : The male so marked in the British Museum, Abyssinia, Mt. Chillálo. ca. 9,000 ft., 14-16-xi-1926. H. Scott." Slide No. 7512.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

THALASSONYMPHA Meyrick

Thalassonympha Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 404.
(*Typus generis* : *Thalassonympha mysteriodes* Meyrick, l.c., p. 405 [by monotypy]).

Thalassonympha mysteriodes Meyrick


Plate 195, Figures 1-1d

Thalassonympha mysteriodes Meyrick, 1931, Ann. Mus. Nac. Hist. Nat. Buenos Aires, 36 : 405.


“♂. 18-20 mm. . . . Argentina, Territory Rio Negro, Lakes Gutierrez and Correntoso, November; S. Chile, Llanquihue Province, Peulla, December; 5 ex. . . .”

Type : The male, so marked in the British Museum, “L. Gutierrez, Terr. Rio Negro, 3-14.xi.1926. Argentina, F. & M. Edwards.” Slide No. 8022.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1



1a



1b




1c



1d

THALASSONYMPHA



THECOBATHRA

THECOBATHRA Meyrick

Thecobathra Meyrick, 1922, Exotic Microlepidoptera, 2 : 553. (*Typus generis* : *Thecobathra acroperena* Meyrick, *ibid.* [by monotypy]).

Thecobathra acroperena Meyrick

Plate 196, Figures 1-1c

Thecobathra acroperena Meyrick, 1922, Exotic Microlepidoptera, 2 : 553.

“ ♂♀. 17-18 mm. . . . Assam, Cherrapunji (*Fletcher*); 2 ex.”

Lectotype : The female, “ Cherrapunji, Assam. TBF. .22.” Slide No. 7491. The male is missing.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium; 1e, signum.

TRICHOCIRCA Meyrick

See Telosphrantis Meyrick.

TRISOPHISTA Meyrick

Trisophista Meyrick, 1924, Exotic Microlepidoptera, 3 : 117. (*Typus generis* : *Trisophista doctissima* Meyrick, l.c., p. 118 [by monotypy]).

Trisophista doctissima Meyrick


Plate 197, Figures 1-1e

Trisophista doctissima Meyrick, 1924, Exotic Microlepidoptera, 3 : 118.


“ ♀. 22-24 mm. . . . Belgian Congo, Lake Tshohoa, Ruanda district, August (*Barnes*); Uganda, Entebbe (*J. Fraser*); 4 ex.”

Lectotype : ♀, “ Lake Tshohoa, Ruanda dist. Belgian Congo, T.A.B. .8.99.” Slide No. 8753.


Figure 1, left wings; 1a, venation of right wings; 1b, oblique view of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium and genital plate; 1e, signum.




TRISOPHISTA



1



2



3




1a



1b



2a




2b

2c



3a



3b

URODUS

URODUS Herrich-Schäffer

Urodus amphilocha Meyrick

Plate 198, Figures 1-1b

Urodus amphilocha Meyrick, 1924, Exotic Microlepidoptera, 3 : 128.“♂. 14 mm., ♀. 18 mm. . . . Brazil, Santarem, August (*Parish*); 2 ex.”*Lectotype*: The male. Slide No. 7513. Both are labelled, “Santarem, Brazil. Parish. 8-19.”

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Urodus carabopa Meyrick

Plate 198, Figures 2-2c

Urodus carabopa Meyrick, 1925, Exotic Microlepidoptera, 3 : 129.“♀. 18 mm. . . . Peru, Jurimaguas, March (*Parish*); 2 ex.”*Lectotype*: One of the above mentioned females both of which bear identical data, “Jurimaguas, Peru. Parish. .3.20.” Slide No. 7517.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signa; 2c, detail of ostium.

Urodus cyanombra (Meyrick)

Plate 198, Figures 3-3b

Trichostibas cyanombra Meyrick, 1913, Trans. Ent. Soc. London, 1913 : 190.

“♀. 23 mm. . . . Argentina, Parana; one specimen.”

Type: The above indicated female, “R. Parana, Argentina. .11.” Slide No. 7523.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Urodus decens Meyrick

Plate 199, Figures 1-1b

Urodus decens Meyrick, 1925, Exotic Microlepidoptera, 3 : 129.

"♂. 26-28 mm., . . . Costa Rica, Orosi, 4,000 feet; 4 ex."

Lectotype: The male measuring 28 mm., "Orosi, Costa Rica. 4,000' F. .15." Slide No. 7518.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Urodus favigera (Meyrick)

Plate 199, Figures 2-2c

Trichostibas favigera Meyrick, 1913, Trans. Ent. Soc. London, 1913 : 190.

"♀. 36 mm., . . . Peru, Chanchamayo; one specimen."

Type: (?) The above indicated specimen, "Huancabamba, Peru. R. .11." Slide No. 7522. The discrepancy in locality appears to be the result of a *lapsus*.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium; 2c, signa.

Urodus hypsicrates Meyrick

Plate 199, Figures 3-3b

Urodus hypsicrates Meyrick, 1925, Exotic Microlepidoptera, 3 : 130.

"♂. 32 mm., . . . Colombia, Paso del Quindiu, 11,500 feet; 1 ex."

Type: The male denoted above, "Paso del Quindiu. Colomb. Cent. Cord. 3,500 m. Coll. Fassl." Slide No. 7520.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Urodus niphatma Meyrick


Plate 199, Figures 4-4b

Urodus niphatma Meyrick, 1925, Exotic Microlepidoptera, 3 : 130.

"♂. 36 mm., . . . Colombia, Mt. Tolima, 10,000 feet; 1 ex."

Type: The male denoted above dated ".15." Slide No. 7519.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.




2a




1b



2b



2




3a




2c



3b







4a



4b

4

URODUS



URODUS

Urodus perischias Meyrick

Plate 200, Figures 1-1b

Urodus perischias Meyrick, 1925, Exotic Microlepidoptera, 3 : 129."♂. 17 mm. . . . Brazil, Teffé, December (*Parish*); 1 ex."*Type*: The male denoted above dated "12.19." Slide No. 7515.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Urodus pulvinata Meyrick

Plate 200, Figures 2-2b

Urodus pulvinata Meyrick, 1924, Exotic Microlepidoptera, 3 : 128."♂. 17 mm. . . . Peru, R. Napo, May (*Parish*); 1 ex."*Type*: The above indicated male, dated "5.20." Slide No. 7514.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Urodus spumescens Meyrick

Plate 200, Figures 3-3b

Urodus spumescens Meyrick, 1925, Exotic Microlepidoptera, 3 : 131."♂♀. 28-30 mm. . . . Peru, Oconeque, Carabaya, 7,000 feet, February (*Ockenden*); 5 ex." Slide No. 7521. All specimens bear identical data except that only two are dated "11.1905."

Figure 3, left wings; 3a, aedeagus (one large, dentate cornutus is obscured); 3b, ventral view of male genitalia with aedeagus removed.

Urodus sympiestis Meyrick

Plate 200, Figures 4-4c

Urodus sympiestis Meyrick, 1925, Exotic Microlepidoptera, 3 : 129."♂. 15-17 mm. . . . Brazil, Teffé, December, January; Peru, R. Napo, May (*Parish*); 3 ex."*Lectotype*: The male, "Teffé, Brazil, Parish. 12.19." Slide No. 7516.

Figure 4, left wings; 4a, detail of right harpe; 4b, aedeagus; 4c, ventral view of male genitalia with aedeagus removed.

XYROSARIS Meyrick

Xyrosaris campsiptila Meyrick

Plate 201, Figures 1-1b

Xyrosaris campsiptila Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 124.

"♂♀. 12 mm. . . . Puttalam, Ceylon, in November (*Pole*); N. Coorg, 3,500 feet, in May (*Newcome*); three specimens."

Lectotype : The male, "Puttalam, Ceylon. Pole. .11.04." Slide No. 7560.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed. Note lateral scale tufts.

Xyrosaris lichneuta Meyrick

Plate 201, Figures 2-2c

Xyrosaris lichneuta Meyrick, 1918, Exotic Microlepidoptera, 2 : 188.

"♂♀. 15-17 mm. . . . Assam, Khasis, May, October; two specimens."

Lectotype : The female measuring 17 mm., "Khasi Hills, Assam. .5.1907." Slide No. 7563. The second specimen is also a female, the opposite sex recorded in error.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Xyrosaris maligna Meyrick

Plate 201, Figures 3-3c

Xyrosaris maligna Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 984.

"♂♀. 12-14 mm. . . . Six specimens, Maskeliya and Puttalam, Ceylon, in March, May, October and November (*Pole*)."

Lectotype : A female measuring 12 mm., "Puttalam, Ceylon. Pole. .10.04." Slide No. 7561. The abdomen is missing from the single male.

Figure 3, left wings; 3a, signum; 3b, detail of ostium; 3c, ventral view of female genitalia.

Xyrosaris melanopsamma Meyrick


Plate 201, Figures 4-4c


Xyrosaris melanopsamma Meyrick, 1931, Exotic Microlepidoptera, 4 : 171.

"♀. 16-17 mm. . . . Japan, Kii, Iwawakisan, November (*S. Issiki*), Gifu, Ikeno, October (*K. Takeuchi*) 2 ex. Variable."

Lectotype : The female, "Ikeno, Japan. KT. 20.10.18." Slide No. 7562.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of genital plate and ostium; 4c, same, but with emphasis on detail of ductus bursae.





XYROSARIS and ZARCINIA

Xyrosaris mnesicentra Meyrick

Plate 202, Figures 1-1b

Xyrosaris mnesicentra Meyrick, 1913, Exotic Microlepidoptera, 1 : 136.

"♂♀. 14-16 mm. . . . British Guiana, Bartica, from December to February (Parish); four specimens. Very like *celastrella* Kearf. . . ."

Lectotype: ♂, 15 mm., dated ".1.13." Slide No. 8067.

Figure 1, right wings (image reversed); 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

ZARCINIA Chrétien

Zarcinia melanozestas Meyrick

Plate 202, Figures 2-2b

Zarcinia melanozestas Meyrick, 1935, Exotic Microlepidoptera, 4 : 556.

" . 17-19 mm. . . . Dagestan, Chasav-Jurt, July (*Rjabov*); 2 ex., forwarded for study by Mr. N. Filipjev, with kind permission to retain one, . . ."

Lectotype: The female, measuring 17 mm., in the Meyrick collection, "Chasav-Jurt, Dagestan. R. 21.7.28." Slide No. 7475. The abdomen was glued on.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium.

ZELLERIA Stainton

Zelleria cirrhoscia Meyrick

Plate 203, Figures 1-1b

Zelleria cirrhoscia Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 398.

"♂. 16 mm. . . . Argentina, Territory Rio Negro, Lake Gutierrez, November; 1 ex."

Type : The male, so marked in the British Museum, "L. Gutierrez. 3-14.xi.1926. Terr. Rio Negro, Argentina. F. & M. Edwards." A small white label bears the inscription "M116." Slide No. 8048.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Zelleria coniostrepta Meyrick

Plate 203, Figure 2

Zelleria coniostrepta Meyrick, 1938, in Caradja and Meyrick, Deuts. Ent. Zeit. Iris, 52 : 17.

"... ♂. 15 mm. . . . Yül., 2,800 m., VI, 1 ex."

Type : The above indicated specimen, without abdomen, "Likiang, China. H. .6.34."

Figure 2, left wings.

Zelleria leucoschista Meyrick

Plate 203, Figures 3-3b

Zelleria leucoschista Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 399.

"♂. 15 mm. . . . Argentina, Territory, Rio Negro, Bariloche, November; 1 ex."

Type : The above indicated specimen so marked in the British Museum, dated 28.xi.-1-xii.1926. A small white label bears the inscription "M156." Slide No. 8049.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus removed; 3b, aedeagus.



1



2



3



1a



1b




3b




3a

ZELLERIA




1




1a



1b




2



2a



2b



3



3a



3b

ZELLERIA

Zelleria loranthivora Meyrick

Plate 204, Figures 1-1b

Zelleria loranthivora Meyrick, 1930, Exotic Microlepidoptera, 3 : 591.

"♂♀, 10-11 mm. . . Bihar, Pusa, bred February, March from larvae boring and feeding on flower-buds of *Loranthus* (Fletcher); 9 ex. Allied to *strophaea*."

Lectotype: A male measuring 10 mm., "Pusa, India, TBF. bred, .3.29." Slide No. 7712.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed (left harpe out of focus.)

Zelleria metriopa Meyrick

Plate 204, Figures 2-2b

Zelleria metriopa Meyrick, 1933, Exotic Microlepidoptera, 4 : 373.

"♀. 9 mm. . . Java, Seneng, bred from larva feeding on leaves of *Ventilago maderaspatana* (Rhamnaceae); 1 ex. (Dr. L. G. E. Kalshoven)."

Type: The female denoted above, "Seneng, Java. K. bred. 11.31." Slide No. 7710.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium.

Zelleria nivosa Meyrick

Plate 204, Figures 3-3b

Zelleria nivosa Meyrick, 1938, in Caradja and Meyrick, Deuts. Ent. Zeit. Iris, 52 : 16.

"... ♀ 14-15 mm. . . Yül., VII, IX, 2 ex. 3,200 m."

Type: The specimen in the Meyrick collection, which is a *male*, "Likiang, China, H. .7.34." Slide No. 7709.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus removed (right harpe out of focus); 3b, aedeagus.

Zelleria petrias Meyrick

Plate 205, Figures 1-1b

Zelleria petrias Meyrick, 1907, Journ. Bombay Nat. Hist. Soc., 17 : 746.

"♂♀. 20-21 mm., . . . Simla, in April and May; two specimens (*Nurse*)."

Lectotype: The male, "Simla, Punjab. CGN. .4.97." Slide No. 7711.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Zelleria pistopis Meyrick

Plate 205, Figures 2-2b

Zelleria pistopis Meyrick, 1931, Ann. Museo Nacional de Hist. Nat. Buenos Aires, 36 : 398.

"♂♀. 13-17 mm., . . . Argentina, Territory Rio Negro, Bariloche and Lackes Gutierrez, Correntoso, and Nahuel Huapi, November; 6 ex., . . ."

Type: The female so designated in the British Museum, "L. Nahuel Huapi, Eastern End. 28-31-x-1926. Terr. Rio Negro, Argentina. F. & M. Edwards." Slide No. 8047. A small white label bears the inscription "M111."

Figure 2, left wings; 2a, signum; 2b, genital plate and ostium.

Zelleria semitincta Meyrick

Plate 205, Figures 3-3b

Zelleria semitincta Meyrick, 1930, Exotic Microlepidoptera, 3 : 562.

"♂. 14-16 mm., . . . Texas, Fort Davis, 5,000 feet, October; 2 ex."

Lectotype: ♂, 14 mm. Slide No. 8068. Both specimens bear identical data and are dated, ".10.27."

Figure 3, right wings (image reversed); 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Zelleria strophaea Meyrick


Plate 205, Figures 4-4c

Zelleria strophaea Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 124.


"♂♀. 12-17 mm., . . . Maskeliya, Namunukuli (6,000 feet), Puttalam, Ceylon, from September to February, and in June (*Pole, Green*); eleven specimens."

Lectotype: A male measuring 12 mm., "Maskeliya, Ceylon. Pole. .2.06." Slide No. 7708.




Figure 4, right wings (image reversed); 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed; 4c, posterior segments denuded to show internal scale tufts.



ETHMIIDAE



1a



AGRIOCEROS

AGRIOCEROS Meyrick

Agrioceros Meyrick, 1928, Exotic Microlepidoptera, 3 : 417. (*Typus generis* : *Agrioceros platycypha* Meyrick, l.c., p. 418 [by monotypy]).

Agrioceros platycypha Meyrick

Plate 206, Figures 1-1d

Agrioceros platycypha Meyrick, 1928, Exotic Microlepidoptera, 3 : 418.

“♂. 35 mm. . . . Philippines, Kabuntug, September; 1 ex.”

Type : The above indicated male dated “.9.16.” Slide No. 7474. The abdomen of the type was glued on but matched in colour and is, presumably, correctly associated.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, first two segments of denuded abdomen showing modified terga; 1d, ventral view of male genitalia with aedeagus *in situ*.

ELLABELLA Busck

Ellabella Busck, 1925, Proc. Ent. Soc. Washington, 27 : 46, pl. 3.

Probolacma Meyrick, 1927, Exotic Microlepidoptera, 3 : 362. (*Typus generis* : *Probolacma melanoclista* Meyrick, ibid. [by monotypy]). (New synonymy).

Ellabella melanoclista (Meyrick), new combination


Plate 207, Figures 1-1e

Probolacma melanoclista Meyrick, 1927, Exotic Microlepidoptera, 3 : 362.


“ ♀. 24 mm. . . . Texas, Alpine, 5,000 feet, April; 1 ex.”

Type : The female indicated above, “ Brenster Co. Texas. 5,000 ft. .4.26.” Slide No. 7524.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, ventral view of female genitalia; 1d, detail of ostium; 1e, signum.




ELLABELLA



1




1b




2



1a




2b



3



2a



3a

3b



4



1c



4a

ETHMIA Hübner

Ethmia acontias Meyrick

Plate 208, Figures 1-1c

Ethmia acontias Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 409; 1935, Exotic Microlepidoptera, 4 : 603 (sex corrected).

"♂. 17-21 mm. . . . Eight specimens, Puttalam, Ceylon, in April and from September to January (*Pole*)."

Lectotype: A female, dated ".12.04." Slide No. 7448. There are six of the original specimens in the Meyrick collection and all are females.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, signum.

Ethmia argopa Meyrick

Plate 208, Figures 2-2b

Ethmia argopa Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 461.

"♀. 32-34 mm. . . . Malay States, Padang Rengas; two specimens."

Lectotype: The female measuring 32 mm. Both bear identical data, "Pedang Rengas, Malay Penins. R. .07." Slide No. 7439.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium.

Ethmia asbolarcha Meyrick

Plate 208, Figures 3-3b

Ethmia asbolarcha Meyrick, 1938, in Caradja and Meyrick, Deuts. Ent. Zeit. Iris, 52 : 18.

"... ♂♀. 29-31 mm. . . . Yüli, V, 16 ex.; also 1 from Setschuan, Ninguan, VII. Nearest *xanthopleura* Meyr."

Lectotype: A male measuring 30 mm., "Likiang, China. H. .5.34." Slide No. 7445.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Ethmia autoschista Meyrick

Plate 208, Figures 4-4a

Ethmia autoschista Meyrick, 1932, Exotic Microlepidoptera, 4 : 347.

"♂. 25-28 mm. . . . China, Mt. Omei, 4,000 feet, August (*Franck*); 3 ex. Allied to *dehiscens* Meyr. . . ."

Lectotype: The male measuring 25 mm. Slide No. 7450. The three specimens bear identical data and are dated ".8.31."

Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus *in situ*.

Ethmia catapeltica Meyrick

Plate 209, Figures 1-1a

Ethmia catapeltica Meyrick, 1924, Exotic Microlepidoptera, 3 : 119.

"♂. 21 mm. . . Costa Rica, San José; 1 ex. Nearest *baliostola*."

Type: The male indicated above, "San José, Costa Rica. .22." Slide No. 7434.

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*.

Ethmia chalcodora Meyrick

Plate 209, Figures 2-2c

Ethmia chalcodora Meyrick, 1912, Trans. Ent. Soc. London, 1911 : 718.

"♀. 22 mm. . . Argentina, La Plata; two specimens."

Lectotype: One of the above indicated females, both of which are labelled, "La Plata, Argentina. R. .06." Slide No. 7436.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of ostium.

Ethmia colonella Walsingham

Plate 209, Figures 3-3a

Ethmia colonella Walsingham, 1907, Fauna Hawaiiensis, 1 (part 5) : 507, pl. 15, fig. 6.

Ethmia meteoris Meyrick, 1911, Trans. Linnean Soc. London, 14 : 289. (New synonymy).

[*meteoris*]

"♂♀. 22-26 mm. . . Dennis Island, Seychelles (Fryer); Coetivy; in August and September, six specimens. . ."

Type: The male so marked in the British museum, "Coetivy. J. S. Gardiner. V-XII.1905." Slide No. 7438.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus *in situ*.

Ethmia conglobata Meyrick





Plate 209, Figures 4-4a


Ethmia conglobata Meyrick, 1912, Trans. Ent. Soc. London, 1911 : 717.

"♂♀. 27-28 mm. . . Colombia, San Antonio, 5,800 feet, in November; two specimens."

Lectotype: The male. Slide No. 7437. Both specimens are labelled, "San Antonio, W. Colombia. 5,800'. .11.07."

Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus *in situ*.





Ethmia crocosoma Meyrick

Plate 210, Figures 1-1c

Ethmia crocosoma Meyrick, 1914, Exotic Microlepidoptera, 1 : 173.

“♀. 29-32 mm. . . Sikkim, Darjiling, in May; two specimens.”

Lectotype : The smaller of the two females, “Darjiling, Bengal. D. .05.” Slide No. 7449.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signum.

Ethmia dehiscens Meyrick

Plate 210, Figures 2-2c

Ethmia dehiscens Meyrick, 1924, Exotic Microlepidoptera 3 : 120.“♀. 31 mm. . . China, Kwanshien, June (*Franck*); 1 ex.”*Type* : The above indicated female dated “.6.20.” Slide No. 7451. The abdomen was glued on but appeared to be the correct one.

Figure 2, left wings; 2a, signum; 2b, detail of ostium; 2c, ventral view of female genitalia.

Ethmia duplicata Meyrick*See* : *Ethmia hilarella* (Walker)*Ethmia ermineella* (Walsingham)

Plate 210, Figures 3-3a

Psecadia ermineella Walsingham, 1880, Proc. Zool. Soc. London, 1880 : 90, pl. 12, fig. 7.*Ethmia euarithma* Meyrick, 1924, Exotic Microlepidoptera, 3 : 120 (New synonymy).[*euarithma*]“♂. 23 mm. . . W. China, Teng-yuek-ting; 1 ex. Spots as in *ermineella*, but less linear; in *ermineella* the head is wholly white.”*Type* : The male denoted above, “Teng-yuek-Ting, W. China. B. .14.” Slide No. 7452. Walsingham's type (♀) and Meyrick's type of *euarithma* are identical. The head of *ermineella* is not “wholly white,” as stated by Meyrick.Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus *in situ*.

[continued on p. 433.]

Ethmia hamaxastra Meyrick

Plate 211, Figures 1-1b

Ethmia hamaxastra Meyrick, 1930, Exotic Microlepidoptera, 3 : 563.“ ♀. 28 mm. . . . Portuguese E. Africa, Shilouvane, November; 1 ex. (Coll. Paravicini). Near *circumdatella* and *dactylia*.”*Type*: The female indicated above, so marked in the British Museum, “ Shilouvane. H. Junod.” Slide No. 7433.

Figure 1, right wings (image reversed); 1a, ventral view of female genitalia; 1b, detail of ostium and genital plate.

Ethmia hilarella (Walker)

Plate 211, Figures 2-2a


Azinis hilarella Walker, 1863, List of the specimens of lepidopterous insects in the collection of the British Museum, 28 : 542.*Ethmia duplicata* Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 23 : 130. (New synonymy). [duplicata]“ ♂♀. 30-32 mm. . . . Patipola (6,200 feet), Maskeliya, Puttalam, Ceylon, in December and January (*Pole, Fletcher*); three specimens. . . .”*Lectotype*: The male, “ Ceylon, C. P. Patipola; 6,200 ft. 17-XII-07; T.B.F.” Slide No. 7455.Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus *in situ*.*Ethmia iphicrates* Meyrick

Plate 211, Figures 3-3a

Ethmia iphicrates Meyrick, 1921, Exotic Microlepidoptera, 2 : 473.“ ♂♀. 28 mm. . . . Kenia Colony (*Anderson*); 2 ex. Type in Brit. Mus.”*Type*: The male, so marked in the British Museum, “ Kenya, E. Africa. 1918. T. J. Anderson.” Slide No. 7431.Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus *in situ*.*Ethmia meteoris* MeyrickSee *Ethmia colonella* Walsingham.*Ethmia mesozyga* Meyrick

Plate 211, Figures 4-4c


Ethmia mesozyga Meyrick, 1935, Exotic Microlepidoptera, 4 : 603.“ ♂. 21 mm. . . . Japan (Kyûsyû), Hukuoka, May (*Prof. T. Esaki*); 1 ex. Allied to *lapidella* and *decemguttella*.”*Type*: The male indicated above, “ Hukuoka, Japan. TE. 7.5.29.” Slide No. 7435.Figure 4, left wings; 4a, lateral aspect of denuded abdomen showing abdominal hair-pencils; 4b, ventral view of male genitalia with aedeagus *in situ*; 4c, distoventral end of gnathos.



1




1b




2




1a




2a



3



4c




3a




4



4a



4b




1



1a


1b



2



2a



2b




3




3a

3b



4



4a

Ethmia mnesicosma Meyrick

Plate 212, Figures 1-1c

Ethmia mnesicosma Meyrick, 1924, Exotic Microlepidoptera, 3 : 119.

"♀. 22 mm. . . . Costa Rica, San José; 2 ex. Very close to *exornata*. . . ."

Lectotype: One of the females denoted above, both of which are labelled, "San José, Costa Rica. .22." Slide No. 7435.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium and posterior portion of ductus bursae; 1c, signum.

Ethmia pagiopa Meyrick

Plate 212, Figure 2

Ethmia pagiopa Meyrick, 1918, Exotic Microlepidoptera 2 : 189.

"♀. 26 mm. . . . Kashmir, 6,000 feet, May (*Nurse*); one specimen."

Type: The female indicated above, without abdomen, dated ".5.01."

Figure 2, left wings.

Ethmia phoenicura Meyrick

Plate 212, Figures 3-3c

Ethmia phoenicura Meyrick, 1932, Exotic Microlepidoptera, 4 : 346.

"♀. 22 mm. . . . Mexico, Lower California, Los Parros, October (*Dr. W. M. Mann*); 1 ex., Kindly sent by Mr. A. Busck."

Type: The female denoted above dated ".10.22." Slide No. 7430.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of ostium; 3c, signum.

Ethmia praeclara Meyrick

Plate 212, Figures 4-4a

Ethmia praeclara Meyrick, 1910, Trans. Ent. Soc. London, 1910 : 460.

"♂♂. 33-37 mm. . . . Lombok, 1♂; Queensland (Mackay), 1♂, exactly similar and I think certainly identical."

Lectotype: The male, "Lombok, Sunda Id. R. .07." Slide No. 7440.

Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus *in situ*.

Ethmia spyrathodes Meyrick

Plate 213, Figures 1-1a

Ethmia spyrathodes Meyrick, 1922, Exotic Microlepidoptera, 2 : 552.

"♂. 35 mm. . . . Spanish Guinea, San Thome (*de Seabra*); 1 ex. (Brit. Mus.). Near *sabiella*. . . ."

Type: The above indicated male, so marked in the British Museum, "San Thome Id. W. Africa. 1921. A. F. de Seabra." Slide No. 7432.

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*.

Ethmia subsidiaris Meyrick

Plate 213, Figures 2-2a

Ethmia subsidiaris Meyrick, 1935, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 90.

". . . ♂♀. 16-17 mm. . . . Lungtan VII-IX several ex."

Lectotype: A male, without left forewing, "Nanking, China. H. 8.9.33." Slide No. 7456.

Figure 2, right wings (image reversed); 2a, ventral view of male genitalia with aedeagus *in situ*.

Ethmia systematica Meyrick


Plate 213, Figures 3-3c

Ethmia systematica Meyrick, 1922, Exotic Microlepidoptera 2 : 552.


"♂♀. 25-27 mm. . . . Burma, Shan States, Fort Stedman (*Manders*); Assam, Silchar, April (*Fletcher*); 3 ex. Near *argopa*. . . ."

Lectotype: A female measuring 26 mm., "Shan States. /88." One specimen is missing. Slide No. 7444.


Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of genital plate and ostium; 3c, signum.




1




2




3



1a




3c



2a



3a



3b


ETHIMIA




1




1a



2



2a



3



3a



3b

Ethmia xantholitha Meyrick

See Ethmia festiva Busck.

Ethmia xanthopleura Meyrick

Plate 214, Figures 2-2a

Ethmia xanthopleura Meyrick, 1931, Exotic Microlepidoptera, 4 : 174.

"♂. 28 mm. . . . Corca, Gensan, July (*S. Issiki*); 1 ex."

Type: The male indicated above dated ".7.20." Slide No. 7446.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus *in situ*.

Ethmia zelaea Meyrick

Plate 214, Figures 3-3b

Ethmia zelaea Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 409.

"♂. 30 mm. . . . One specimen, North Central Province, Ceylon, in December (*Pole*). . . ."

Type: The male denoted above, dated ".12.04." Slide No. 7447.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus *in situ*; 3b, posterior abdominal tufts.

Continued from p. 425.

Ethmia festiva Busck

Plate 214, Figures 1-1a

Ethmia festiva Busck, 1914, Proc. U.S. Nat. Mus., 47 (No. 2043) : 33.

Ethmia xantholitha Meyrick, 1929, Trans. Ent. Soc. London, 76 : 519. (New synonymy).
[xantholitha]

"♂♀. 18-22 mm. . . . Colombia, Gorgona I., 200 feet, July, October, at light; 53 ex. Near *cypraella*."

Type: The specimen so marked in the British Museum and dated "17.10.24." Slide No. 7429.

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*.

Ethmia galactarcha Meyrick

Plate 210, Figures 4-4b

Ethmia galactarcha Meyrick, 1928, Exotic Microlepidoptera, 3 : 418.

"... 42 mm. . . . Java, Tjibodas, Mt. Gede, August (*Bryant* ♂ *Palmer*); 1 ex. Allied to *lineatonotella*."

Type: The female indicated above, labelled, "Mt. Gede, Java. B. .8.27." Slide No. 7457.

Figure 4, left wings; 4a, oblique view of female genitalia; 4b, oblique view of ostium.

IDIOPTILA Meyrick

See : PYRAMIDOBELA Braun.

PROBOLACMA Meyrick

See : ELLABELLA Busck.

PYRAMIDOBELA Braun

Pyramidobela Braun, 1923, Trans. Amer. Ent. Soc., 49 : 118. (*Typus generis : Enicostoma quinquecristata* Braun, 1921, Proc. Acad. Nat. Sci. Philadelphia, Pt. 1 : 11 [by original designation]).

Idioptila Meyrick, 1927, Exotic Microlepidoptera, 3 : 343. (*Typus generis : Idioptila agyrtodes* Meyrick, l.c., p. 344 [by monotypy]).

Pyramidobela agyrtodes (Meyrick)


Plate 215, Figures 1-1d

Idioptila agyrtodes Meyrick, 1927, Exotic Microlepidoptera, 3 : 344.


“ ♂♀. 18-20 mm. . . . Texas, Alpine, 5,000-8,000 feet, April, May; 100 ex.”

Lectotype : A male measuring 18 mm., “ Brenster Co. Texas. 5,000 ft. .4.26.” Only 30 of the original specimens remain in the Meyrick collection. Slide No. 7525.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.




1




1a



1b




1c



1d

PYRAMIDOBELA

METACHANDIDAE



ANCYLOMETIS

ANCYLOMETIS Meyrick

Ancylometis Meyrick, 1887, Trans. Ent. Soc. London, 1887 : 276. (*Typus generis* : *Ancylometis trigonodes* Meyrick, l.c., p. 277 [subsequent designation by Fletcher, 1929, Mem. Dept. Agric. India, 11 : 14.]).

Ancylometis trigonodes Meyrick

Plate 216, Figures 1-1d

Ancylometis trigonodes Meyrick, 1887, Trans. Ent. Soc. London, 1887 : 277.

"♂, 11 mm. . . . Port Louis, Mauritius; one specimen, in May."

Type : The above indicated male dated, "1/5/84." Slide No. 9513.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Ancylometis asbolopa Meyrick

Plate 216, Figures 2-2c

Ancylometis asbolopa Meyrick, 1923, Exotic Microlepidoptera, 3 : 51.

"♂. 10 mm. . . . S. India, Palnis, Kodaikanal, 7,000 feet, September (*Fletcher*); 1 ex."

Type : The above indicated specimen, erroneously recorded as a male, "Palnis, India, 7,000' TFB. .9.21." The initials should read "TBF." Slide No. 9122.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signum.

Ancylometis crocozona (Meyrick)

Plate 217, Figures 1-1b

Macrosaces crocozona Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 150.

“ ♂♀. 9-10 mm. . . . Khasis, from July to October; five specimens.”

Lectotype : A male measuring 10 mm., “ Khasi Hills, Assam. .9.1906.” Slide No. 7726.

Figure 1, right wings (image reversed); 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Ancylometis glebaria (Meyrick)

Plate 217, Figures 2-2b

Macrosaces glebaria Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 148.

“ ♂♀. 11-14 mm. . . . N. Coorg, 3,500 feet (*Newcome*); in June, October, and November, four specimens.”

Lectotype : A male measuring 14 mm., “ Dibidi, N. Coorg. Newcome. 8.10.06.” Slide No. 7722.

Figure 2, right wings (image reversed); 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Ancylometis hemilyca (Meyrick)

Plate 217, Figures 3-3b

Macrosaces hemilyca Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 149.

“ ♂♀. 11-13 mm. . . . Palnis, 6,000 feet (*Campbell*); four specimens.”

Lectotype : The male, “ Palni Hills, S. India. Campbell 6,000'. .06.” Slide No. 7723. (Pale base on hind wing).

Figure 3, right wings (image reversed); 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Ancylometis orphania (Meyrick)


Plate 217, Figures 4-4b

Macrosaces orphania Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 149.


“ ♂. 15-16 mm. . . . ♀ 15 mm. . . . Palnis, 6,000 feet (*Campbell*); five specimens. . .”

Lectotype : A male, “ Palni Hills, S. India. Campbell. 6,000'. .06.” Slide No. 7725.

Figure 4, right wings (image reversed); 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.




1



1a




1b



2



2a



2b



3



3a



3b



4




4a



4b

ANCYLOMETIS



CENARCHIS

CENARCHIS Meyrick

Cenarchis Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 549. (*Typus generis* : *Cenarchis vesana* Meyrick, l.c., p. 550 [by original designation]).

Cenarchis vesana Meyrick

Plate 218, Figures 1-1c

Cenarchis vesana Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 550.

"♂, 12-14 mm. . . 33 ex."

Type : The female so marked in the British Museum, "Rodriguez Id. VIII.-XI. 1918. H. P. Thomasset & H. J. Snell Coll." Slide No. 9452. A large white label bears the inscription, "*Cenarchis vesana* Meyr. TYPE and . . ." The identity of the writer of this label is not known.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of genital plate and ostium; 1e, signum.

Cenarchis capitolina Meyrick

Plate 219, Figures 1-1b

Cenarchis capitolina Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 550.

"♂. 16 mm. . . . 2 ex."

Type : The male so marked in the British Museum, "Rodriguez Id. VIII.-XI. 1918. H. P. Thomasset & H. J. Snell Coll." Slide No. 9454.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Cenarchis celebrata Meyrick

Plate 219, Figures 2-2b

Cenarchis celebrata Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 551.

"♂. 12 mm. . . . 1 ex."

Type : The male denoted above, so marked in the British Museum, "Rodriguez Id. VIII.-XI. 1918. H. P. Thomasset & H. J. Snell Coll." Slide No. 9457. A small white label bears the number, "185."

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Cenarchis liopsamma Meyrick

Plate 219, Figures 3-3c

Cenarchis liopsamma Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 550.

"♂♀. 11-15 mm. . . . 21 ex."

Type : The female so marked in the British Museum, "Rodriguez Id. VIII.-XI. 1918. H. P. Thomasset & H. J. Snell Coll." Slide No. 9455. A large white label bears the inscription, "*Cenarchis liopsamma* Meyr. TYPE and . . ." The writer of this label is unknown.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, ostium and posterior portion of ductus bursae; 3c, signum.




1



1a



1b




2



2a



2b



3



3a




3b



3c

CENARCHIS



CENARCHIS

Cenarchis plectrophora Meyrick

Plate 220, Figures 1-1c

Cenarchis plectrophora Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 551.

“♂♀. 11 mm. . . . 1 ex.” [!].

Type: The female (!) marked “TYPE♂” in the British Museum “Rodriguez Id. VIII.-XI. 1918. H. P. Thomasset & H. J. Snell Coll.” Slide No. 9456. A small white label bears the number “204.”

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signum.

Cenarchis priscata Meyrick

Plate 220, Figures 2-2c

Cenarchis priscata Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 552.

“♂♀. 13-16 mm. . . . 11 ex.”

Type: The female so marked in the British Museum, “Rodriguez Id. VIII. XI. 1918. H. P. Thomasset & H. J. Snell Coll.” Slide No. 9458. A large white label bears the inscription, “*Cenarchis priscata* Meyr. TYPE and PARATYPES.” The label is not in Meyrick’s handwriting. A third, small white label bears the number “107.”

Figure 2, left wings; 2a, ostium; 2b, signum; 2c, ventral view of female genitalia.

Cenarchis veterata Meyrick

Plate 220, Figures 3-3c

Cenarchis veterata Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 552.

“.. 15-16 mm. . . . 2 ex.”

Type: The female so marked in the British Museum, “Rodriguez Id. VIII. XI. 1918. H. P. Thomasset & H. J. Snell Coll.” Slide No. 9453. A large white label bears the inscription, “*Cenarchis veterata* Meyr. TYPE.”

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, ostium; 3c, signum.

CHANYSTIS Meyrick

Chanystis Meyrick, 1911, Trans. Linnean Soc. London, 14 : 281. (*Typus generis* : *Chanystis syrtopa* Meyrick, *ibid.* [by original designation]).

Chanystis syrtopa Meyrick

Plate 221, Figures 1-1d

Chanystis syrtopa Meyrick, 1911, Trans. Linnean Soc. London, 14 : 281.

“ ♂♀. 15-16 mm., . . . Silhouette, south side of Mont Pot-à-eau, 1,500 feet, in August; two specimens.”

Type : The female, marked “ TYPE ♂,” in the British Museum, “ Seychelles: Silhouette 1,500 ft., Mont Pot-à-eau. viii.1908. H. Scott.” Slide No. 9443.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium.

Chanystis botanodes Meyrick


Plate 221, Figures 2-2b

Chanystis botanodes Meyrick, 1911, Trans. Linnean Soc. London, 14 : 281.


“ ♂♀. 15-18 mm. . . . Silhouette, forest above Mare aux Cochons, and south side of Mont Pot-à-eau, 1,500 feet, in August and September; six specimens.”

Type : The male so marked in the British Museum, “ Seychelles, Silhouette 1,500 ft., Mont Pot-à-eau. viii.1908. H. Scott.” Slide No. 9444.


Figure 2, right wings (image reversed); 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.




CHANYSTIS



1



1a



1b



1c

METACHANDA

METACHANDA Meyrick

Metachanda Meyrick, 1911, Trans. Linnean Soc. London, 14 : 275. (*Typus generis* : *Metachanda thaleropis* Meyrick, l.c., p. 278 [by original designation]).

Metachanda thaleropis Meyrick

Plate 222, Figures 1-1c

Metachanda thaleropis Meyrick, 1911, Trans. Linnean Soc. London, 14 : 278.

“♂♀. 8-10 mm. . . . Mahé Cascade Estate (1,000 feet) and Port Victoria; Silhouette, Mare aux Cochons plateau (1,000 feet) and south side of Mont Pot-à-eau (1,500 feet); in August, September, and from December to February, thirty-one specimens.”

Type : “Seychelles: Silhouette, Mare-aux-Cochons. 1908. H. Scott.” Slide No. 9438.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head to show palpus; 1c, ventral view of male genitalia (damaged).

Metachanda autocentra Meyrick

Plate 223, Figures 1-1b

Metachanda autocentra Meyrick, 1911, Trans. Linnean Soc. London, 14 : 280.

"♂. 12-13 mm. ♀. 15 mm. . . . Silhouette, forest above Mare aux Cochons; Félicité; in September and December, seven specimens."

Type: The male so marked in the British Museum; "Seychelles: Félicité, IX.1908 H. Scott." Slide No. 9419.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Metachanda columnata Meyrick

Plate 223, Figures 2-2c

Metachanda columnata Meyrick, 1911, Trans. Linnean Soc. London, 14 : 276.

"♂♀. 9-10 mm. . . . Silhouette, south side of Mont Pot-à-eau, 1,500 feet, in August; three specimens."

Type: The female, marked "TYPE ♂" in the British Museum, "Seychelles: Silhouette 1,500 ft., Mont Pot-à-eau. VIII.1908. H. Scott." Slide No. 9435.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signum; 2c, detail of ostium.

Metachanda fumata Meyrick

Plate 223, Figures 3-3b

Metachanda fumata Meyrick, 1914, Trans. Linnean Soc. London, 14 : 279.

"♂♀. 9-13 mm. . . . Silhouette, forest above Mare aux Cochons, and south side of Mont Pot-à-eau, 1,500 feet, in August and September; six specimens."

Type: The male so marked in the British Museum, "Seychelles: Silhouette 1,500 ft. Mont Pot-à-eau. 1908. H. Scott." Slide No. 9421.

Figure 3, left forewing; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed. (Right harpe detached).

Metachanda hydraula Meyrick


Metachanda hydraula Meyrick, 1911, Trans. Linnean Soc. London, 14 : 276.

"♀. 12 mm. . . . Silhouette, Mare aux Cochons plateau, in September; one specimen."

Type: The female denoted above, so marked in the British Museum, "Seychelles: Silhouette, Mare-aux-Cochons. ix.1908. H. Scott," without abdomen.

Not figured.


[continued on p. 460.]



1



2



3




4




1a



1b



2a



2b


2c




3a




3b



4a



4b



4c

METACHANDA




1



1a



1b



2



2a



2b




3




3a




3b



4



4a



4b

METACHANDA

Metachanda citrodesma (Meyrick), new combination

Plate 224, Figures 1-1b

Macrosaces citrodesma Meyrick, 1912, Ann. Transvaal Museum, 3 : 74.

"♀. 12 mm. . . . Woodbush Village (Swierstra); in December, one specimen. Type in Coll. Meyrick."

Type : The pin label reads "Woodbush, Transvaal. CJS. 13.12.09." Slide No. 4535.

Figure 1, right wings (image reversed); 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium.

Metachanda classica Meyrick

Plate 224, Figures 2-2b

Metachanda classica Meyrick, 1911, Trans. Linnean Soc. London, 14 : 278.

"♂♀. 10-11 mm. . . . Mahé, Cascade Estate, 1,000 feet; Silhouette, south side of Mont Pot-à-cau, 1,500 feet; in September, January and February, three specimens."

Type : The male so marked in the British Museum, "Seychelles: Cascade Estate, Mahé 800 ft. 1908. H. Scott." Slide No. 9439.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed (right harpe foreshortened).

Metachanda crypsitricha Meyrick

Plate 224, Figures 3-3b

Metachanda crypsitricha Meyrick, 1911, Trans. Linnean Soc. London, 14 : 280.

"♂♀. 10-12 mm. . . . Mahé, Mare aux Cochons, Morne Blanc, Cascade Estate, Port Victoria, and Anonyme Island; Silhouette, Mare aux Cochons and Mont Pot-à-cau; from September to February, eighty-three specimens."

Type : The male so marked in the British Museum, "Seychelles: Silhouette, Mare-aux-Cochon, 1908. H. Scott." Slide No. 9420.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed (gnathos and uncus turned obliquely).

Metachanda declinata Meyrick

Plate 224, Figures 4-4b

Metachanda declinata Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 549.

"♀. 12 mm. . . . 1 ex."

Type : The above indicated female, so marked in the British Museum, "Rodriguez Id. VIII.-XI. 1918. H. P. Thomasset & H. J. Snell. Coll." Slide No. 9450.

Figure 4, right wings (image reversed); 4a, detail of genital plate and ostium; 4b, ventral view of female genitalia.

Metachanda fortunata Meyrick

Plate 225, Figures 1-1c

Metachanda fortunata Meyrick, 1911, Trans. Linnean Soc. London, 14 : 279.

"♂♀. 8-10 mm. . . . Mahé, Cascade Estate, 1,000 feet; Silhouette, forest above Mare aux Cochons; 1,000 feet; Félicité; in September, December, and February, thirteen specimens."

Type: The female in the British Museum marked "TYPE ♂," "Seychelles: Félicité. 1908. H. Scott." Slide No. 9434.

Figure 1, dorsal view of moth; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, signum.

Metachanda glaciata Meyrick

Plate 225, Figures 2-2c

Metachanda glaciata Meyrick, 1911, Trans. Linnean Soc. London, 14 : 277.

"♀. 15 mm. . . . Silhouette, Mare aux Cochons plateau, 1,000 feet, in September; one specimen."

Type: The above indicated female, so marked in the British Museum, "Seychelles: Silhouette, Mare-aux-Cochons. 1,000 ft., IX.1908. H. Scott." Slide No. 9436.

Figure 2, left wings; 2a, signum; 2b, ventral view of female genitalia; 2c, detail of ostium.

Metachanda malevola Meyrick

Plate 225, Figures 3-3a

Metachanda malevola Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 547.

"♂♀. 8-9 mm. . . . 5 ex. (2♂, 3♀)."

Type: The female so marked in the British Museum, "Rodriguez Id., VIII.-XI. 1918. H. P. Thomasset & H. J. Snell Coll." Slide No. 9448.

Figure 3, left wings (damaged); 3a, ventral view of female genitalia.

Metachanda miltospila Meyrick


Plate 225, Figures 4-4b

Metachanda miltospila Meyrick, 1911, Trans. Linnean Soc. London, 14 : 279.


"♂♀ 12-13. . . . Mahé, Cascade Estate and near Morne Blanc, 800 feet; Silhouette, forest above Mare-aux-Cochons and south side of Mont Pot-à-eau, 1,500 feet; from August to January, five specimens."

Type: The male so marked in the British Museum, "Seychelles: Cascade Estate, Mahé 800 ft. 1908. H. Scott." Slide No. 9422.

Figure 4, left wings; 4a, ventral view of male genitalia with aedeagus removed; 4b, aedeagus.



MIETACHANDA



METACHANDA

Metachanda noctivaga Meyrick

Plate 226, Figures 1-1b

Metachanda noctivaga Meyrick, 1911, Trans. Linnean Soc. London, 14 : 277.

"♂. 8 mm. . . . Silhouette, Mare aux Cochons plateau, 1,000 feet, in September; one specimen."

Type: The above indicated male, so marked in the British Museum, "Seychelles: Silhouette, Mare-aux-Cochons. 1,000 ft. IX.1908. H. Scott." Slide No. 9441.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Metachanda prodelta Meyrick

Plate 226, Figures 2-2c

Metachanda prodelta Meyrick, 1911, Trans. Linnean Soc. London, 14 : 277.

"♂♀. 9-11 mm. . . . Mahé, Cascade Estate, 1,000 feet; Silhouette, forest above Mare aux Cochons, 1,000 feet; Félicité; in September and from December to February, ten specimens."

Type: The female, marked "TYPE ♂", in the British Museum, "Seychelles: Silhouette, Mare-aux-Cochons, 1908. H. Scott." Slide No. 9442.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium and posterior portion of ductus bursae; 2c, signum.

Metachanda sublevata Meyrick

Plate 226, Figures 3-3c

Metachanda sublevata Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 548.

"♂♀. 8-9 mm. . . . 7 ex."

Type: The female so marked in the British Museum, "Rodriguez Id. VIII.-XI. 1918. H. P. Thomasset & H. J. Snell Coll." Slide No. 9449.

Figure 3, left wings; 3a, signum; 3b, detail of ostium and genital plate; 3c, ventral view of female genitalia.

Metachanda trixantha Meyrick

Plate 226, Figures 4-4b

Metachanda trixantha Meyrick, 1911, Trans. Linnean Soc. London, 14 : 276.

"♂♀. 9-11 mm. . . . Silhouette, Mare aux Cochons plateau, 1,000 feet; Mahé, Morne Seychellois (1,500 feet) and Cascade Estate; in September, and from December to February, twenty-four specimens."

Type: The female, marked "TYPE ♂" in the British Museum, "Seychelles: Silhouette, Mare-aux-Cochons, 1,000 ft. 1908. H. Scott." Slide No. 9440.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, signum.

PROTOCHANDA Meyrick

Protochanda Meyrick, 1935, in Caradja and Meyrick, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 76 (*Typus generis* : *Protochanda bicuneata* Meyrick, ibid. [by monotypy]).

Protochanda bicuneata Meyrick

Plate 227, Figures 1-1b

Protochanda bicuneata Meyrick, 1935, in Caradja and Meyrick, Materialien zu einer Microlepidopteren Fauna der Chinesischen Provinzen Kiangsu, Chekiang und Hunan, 76.

"... ♂. 9-10 mm. ... 2 ex., Tienmushan, VIII, IX."

Type : The specimen in the Meyrick collection, "Tien-Mu-Shan, China. C. 5000' 9.32." The abdomen of the type is missing."

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus.

Continued from p. 452.

Metachanda mormodes Meyrick

Plate 223, Figures 4-4c

Metachanda mormodes Meyrick, 1911, Trans. Linnean Soc. London, 14 : 277.

"♂. 12 mm. ... Mahé, near Morne Blanc, 800 feet, in October; two specimens."

Type : The above indicated male, so marked in the British Museum, "Seychelles: Morne Blanc, Mahé. 800 ft. x. 1908. H. Scott." Slide No. 9437.


Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed; 4c, 8th sternum.



PROTOCHIANDA



1




1a



1b



1c



1d

SEMNOCOSMA

SEMNOCOSMA Meyrick

Semnocosma Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 548. (*Typus generis* : *Semnocosma necromantis* Meyrick, l.c., p. 549 [by monotypy]).

Semnocosma necromantis Meyrick

Plate 228, Figures 1-1d

Semnocosma necromantis Meyrick, 1924, Trans. Ent. Soc. London, 1923 : 549.

" ♀. 27 mm. . . . 1 ex."

Type : The above indicated female, so marked in the British Museum, " Rodriguez Id. VIII.-XI. 1918. H. P. Thomasset & H. J. Snell Coll." Slide No. 9451. A large white label bears the inscription, "*Semnocosma necromantis* n. sp. Meyr. TYPE," but there is no indication in whose hand it is written.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium and genital plate.

STEREOPTILA Meyrick

Stereoptila Meyrick, 1917, Exotic Microlepidoptera, 2 : 70. (*Typus generis* : *Gelechia negatella* Walker, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum, 29 : 631 [by original designation]).

Stereoptila negatella (Walker)

Plate 229, Figures 1-1b

Gelechia negatella Walker, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum, 29 : 631.

The characters of this genus are figured from Walker's type in the British Museum. The specimen is without abdomen. Wing slide No. 9593.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus.

Stereoptila diaphanta Meyrick




Plate 229, Figures 2-2b

Stereoptila diaphanta Meyrick, 1931, Exotic Microlepidoptera, 4 : 91.

"♂. 12-13 mm. . . . Madras, Palnis, Kodaikanal, 7,000 feet, August, September (*T. B. Fletcher*); 4 ex. Nearest *pendula*."

Lectotype : A male measuring 13 mm., "Kodaikanal, India. TBF. 7,000' .8.29." Slide No. 7717.


Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.




STEREOPTILA



1



1a



1b



2



2a



2b



3



3a



3b



4



4a



4b

STEREOPTILA

Stereoptila digressa Meyrick

Plate 230, Figures 1-1b

Stereoptila digressa Meyrick, 1931, Bull. Sec. sci. Acad. roum., 14 : 70.

"♂. 15 mm. . . . 1 ex. July. Next *icteropa*."

Type : The male indicated above, "Kwanhsien, China. F. .7.30." Slide No. 7715.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Stereoptila icteropa (Meyrick)

Plate 230, Figures 2-2b

Macrosaces icteropa Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 147.

"♂♀. 11-14 mm. . . . Khasis; in August and September, six specimens."

Lectotype : A male measuring 12 mm., "Khasi Hills, Assam. .9.1906." Slide No. 7720.

Figure 2, right wings (image reversed); 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Stereoptila lucubrata (Meyrick)

Plate 230, Figures 3-3b

Macrosaces lucubrata Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 148.

"♂♀. 9-10 mm. . . . Maskeliya, Peradeniya, Matale, Ceylon (*Pole, Green*); in July, August, December, and January; five specimens."

Lectotype : A male measuring 9 mm., "Maskeliya, Ceylon. Pole. .7.05." Slide No. 7721.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia (tilted dorsad) with aedeagus removed.

Stereoptila pendula (Meyrick)

Plate 230, Figures 4-4b

Macrosaces pendula Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 147.

"♂♀. 10-13 mm. . . . Khasis; in October, five specimens. Very similar to *amphiterma* . . ."

Lectotype : A male measuring 10 mm., "Khasi Hills, Assam. .10.1906." Slide No. 7719.

Figure 4, right wings (image reversed); 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

THERAPNIS Meyrick

Therapnis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 145. (*Typus generis* : *Therapnis parorma* Meyrick, ibid. [by monotypy]).

Therapnis parorma Meyrick


Plate 231, Figures 1-1e

Therapnis parorma Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 145.

“♂. 12-13 mm., ♀ 14-16 mm. . . . Kegalle, Madulsima, Haputale, Kalutara, Matale, Ceylon (*Alston, Pole, Vaughan*); from May to August, six specimens.”

Lectotype : ♀, 14 mm., “Haputale, Ceylon. GCA. .7.06.” Slide No. 9084. There is only one male in the Meyrick collection and that without abdomen.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium; 1e, signum.



1




1b



1a



1c



1d



1e

THERAPNIS


COSMOPTERIGIDAE



1



1a




1b



2



2a



2b

ALLOCLITA

ALLOCLITA Staudinger

Alloclita delozona Meyrick

Plate 232, Figures 1-1b

Alloclita delozona Meyrick, 1919, Exotic Microlepidoptera, 2 : 238.

“ ♂. 12 mm. . . ♀, 13 mm. . . Bombay, Thana, December (*Maxwell*); two specimens.”

Lectotype: ♂, 12 mm., “Thana, Bombay. RM. .12.17.” Slide No. 9083.

Figure 1, left wings; 1a, aedeagus; 1b, lateral aspect of male genitalia with aedeagus removed.

Alloclita refluua Meyrick

Plate 232, Figures 2-2b

Alloclita refluua Meyrick, 1914, Exotic Microlepidoptera, 1 : 268.

“ ♂♀. 10-14 mm. . . Ceylon, Trincomali, Batticaloa, Puttalam (*Fletcher, Pole*); S. India, Gooty (*Campbell*); in May, June, and from September to November, twelve specimens.”

Lectotype: ♂, 11 mm., “Trincomali, Ceylon. BF. 16.6.07.” Slide No. 9097.

Figure 2, left wings; 2a, aedeagus; 2b, lateral aspect of male genitalia with aedeagus removed.

ALLOTALANTA Meyrick

Allotalanta Meyrick, 1913, Exotic Microlepidoptera, 1 : 114. (*Typus generis* : *Allotalanta autophaea* Meyrick, *ibid.* [by monotypy]).

Allotalanta autophaea Meyrick

Plate 233, Figures 1-1f

Allotalanta autophaea Meyrick, 1913, Exotic Microlepidoptera, 1 : 114.

“ ♂. 19-20 mm. . . . Asia Minor, Taurus Mts., two specimens.”

Type : The male so marked in the British Museum, “ Taurus Mts., Asia Minor. J. .06.” Slide No. 9459.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of male genitalia with aedeagus removed; 1d, aedeagus; 1e, 8th tergum; 1f, 8th sternum.

Allotalanta spilothyris Meyrick


Plate 233, Figures 2-2c

Allotalanta spilothyris Meyrick, 1922, Exotic Microlepidoptera, 2 : 543.


“ ♀. 16 mm. . . . Assam, Margherita, May (*Fletcher*); 1 ex.”

Type : The above indicated female dated “.5.20.” Slide No. 7863.


Figure 2, right wings (image reversed); 2a, ventral view of female genitalia; 2b, detail of genital plate and ostium; 2c, signa.



ALLOTALANTA




1



1a



1b




2




2a




2b




3



3a



4



4a



4b

Allotalanta globulosa Meyrick

Plate 234, Figures 1-1b

Allotalanta globulosa Meyrick, 1914, Exotic Microlepidoptera, 1 : 234.

"♂♀. 16-17 mm. . . Ceylon, Maskeliya, in April (*Pole*); Assam, Khasis, in May; two specimens.

Lectotype: The male, "Maskeliya, Ceylon. *Pole*. .4.06." Slide No. 7866.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Allotalanta lacteata Meyrick

Plate 234, Figures 2-2b

Allotalanta lacteata Meyrick, 1914, Exotic Microlepidoptera, 1 : 235.

"♂♀. 12-14 mm. . . N. Coorg, Dibidi, 3,500 feet, in October and November (*Newcome*); two specimens."

Lectotype: The male, "Dibidi, N. Coorg. L.N. .11.07." Slide No. 7865.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Allotalanta ochthotoma Meyrick

Plate 234, Figures 3-3a

Allotalanta ochthotoma Meyrick, 1930, Exotic Microlepidoptera, 3 : 616.

"♂♀. 12 mm. . . Cameroons, Lolodorf and Johann-Albrechts Höhe Station (*Conradt*); 2 ex. (Coll. Paravicini)."

Type: The male so marked in the British Museum, "Kamerun, Lolodorf. L. Conradt." Slide No. 9460. A small white label bears the inscription, "M1023."

Figure 3, right wings (image reversed); 3a, lateral aspect of male genitalia with aedeagus *in situ*.

Allotalanta tephroclystis Meyrick

Plate 234, Figures 4-4b

Allotalanta tephroclystis Meyrick, 1930, Exotic Microlepidoptera, 3 : 616.

"♂. 15 mm. . . Cameroons, Johann-Albrechts Höhe Station (*Conradt*); 1 ex. (Coll. Paravicini)."

Type: The above indicated male so marked in the British Museum. A small white label bears the inscription, "M991." Slide No. 9461.

Figure 4, right wings (image reversed); 4a, aedeagus; 4b, lateral aspect of male genitalia with aedeagus removed.

Allotalanta synclera (Meyrick), new combination

Plate 235, Figures 4-4b

Cryptolechia synclera Meyrick, 1921, Exotic Microlepidoptera, 2 : 394.

"♂. 22 mm. . . . Kanara, in March (*Maxwell*); 1 ex."

Type: The above indicated male, "Kanara. RM. 6.3.14." Slide No. 7896. Probably misplaced here but the species cannot remain in *Cryptolechia*.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

ANONCIA Clarke

Anoncia aciculata (Meyrick)

Plate 235, Figures 1-1c

Borkhausenia aciculata Meyrick, 1928, Exotic Microlepidoptera, 3 : 468.

Anoncia aciculata (Meyrick), Clarke, 1947, Journ. Washington Acad. Sci., 37 : 18.

"♂. 16 mm. . . . Texas, Fort Davis, 5,000 feet, October; 1 ex."

Type: The above indicated specimen dated "10-27." Slide No. 4763.

Figure 1, left wings; 1a, aedeagus; 1b, oblique view of male genitalia with aedeagus removed; 1c, 8th tergum and sternum.

Anoncia astigmatica (Meyrick)

Plate 235, Figures 2-2c

Paratheta astigmatica Meyrick, 1928, Exotic Microlepidoptera, 3 : 467.

Anoncia astigmatica (Meyrick), Clarke, 1947, Journ. Washington Acad. Sci., 37 : 18.

"♂. 11-12 mm. . . . Texas, Alpine and Fort Davis, 5,000 feet; New Mexico, Bent, 7,000 feet; March, April, October, 4 ex. Agrees fully in structure with the Australian genus *Paratheta*."

Lectotype: The specimen from "Bent, New Mexico, 7,000 feet, 10.27." Slide No. 4759.

Figure 2, right wings (image reversed); 2a, aedeagus; 2b, lateral aspect of male genitalia with aedeagus removed; 2c, 8th tergum and sternum.

Anoncia chordostoma (Meyrick), new combination


Plate 235, Figures 3-3a

Cryptolechia chordostoma Meyrick, 1912, Trans. Ent. Soc. London, 1911 : 704.


"♂♀. 22-24 mm. . . . Argentina, Parana; two specimens."

Lectotype: Male, with "R" and "07" on the bottom of the pin-label. Slide No. 4691. The hind wings and abdomen of the female are missing.

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.



ALLOTALANTA AND ANONCIA



ANONCIA and ANTEQUERA

Anoncia leucoritis (Meyrick)

Plate 236, Figures 1-1c

Borkhausenia leucoritis Meyrick, 1927, Exotic Microlepidoptera, 3 : 381.

Anoncia leucoritis (Meyrick), Clarke, 1942, Can. Ent., 74 : 17.

" ♂♀. 18-19 mm. . . . Texas, Alpine, 7,500 feet, April; 3 ex."

Lectotype: The male, dated "4.26." Slide No. 4767.

Figure 1, left wings; 1a, aedeagus; 1b, oblique view of male genitalia with aedeagus removed; 1c, 8th sternum and 8th tergum.

Anoncia longa (Meyrick)

Plate 236, Figures 2-2c

Borkhausenia longa Meyrick, 1927, Exotic Microlepidoptera, 3 : 381.

Anoncia longa (Meyrick), Clarke, 1942, Can. Ent., 74 : 17.

" ♂♀. 24-28 mm. . . . Texas, Alpine, 7,500 feet; Utah, Dividend; April, May; 8 ex."

Lectotype: The male dated "4-26." Slide No. 4766. This is the only specimen of the original series remaining in the Meyrick collection.

Figure 2, left wings; 2a, aedeagus; 2b, oblique view of male genitalia with aedeagus removed; 2c, 8th sternum and 8th tergum.

ANTEQUERA Clarke

Antequera exstimulata (Meyrick), new combination

Plate 236, Figures 3-3b

Borkhausenia exstimulata Meyrick, 1928, Exotic Microlepidoptera, 3 : 468.

" ♂. 21 mm. . . . Mexico, Lower California, December; 1 ex."

Type: The above indicated specimen dated ".12.26." Slide No. 4764.

Figure 3, left wings; 3a, aedeagus; 3b, lateral aspect of male genitalia with aedeagus removed.

ANORCOTA Meyrick

Anorcota Meyrick, 1920, Exotic Microlepidoptera, 2 : 365. (*Typus generis* : *Promalactis platyxantha* Meyrick, 1909, Trans. Ent. Soc. London, 1909 : 18 [by original designation]).

Anorcota platyxantha (Meyrick)



Plate 237, Figures 1-1c

Promalactis platyxantha Meyrick, 1909, Trans. Ent. Soc. London, 1909 : 18.


“♂♀. 10-12 mm. . . . Bolivia, Songo; three specimens.”

Lectotype : Male. Slide No. 4789. I have selected the only specimen with its abdomen. In addition to the locality the label bears the inscription “S.” and “.07” at the bottom.


Figure 1, left wings; 1a, venation of right wings (figured from a ♂, LaCumbre, Colombia, wing slide No. 9502); 1b, lateral aspect of head showing palpus; 1c, lateral aspect of male genitalia with aedeagus *in situ*.




ANORCOTA



1




1a




1b



1c



1d



1e

BATHRAULA

BATHRAULA Meyrick

Bathraula Meyrick, 1919, Exotic Microlepidoptera, 2 : 237. (*Typus generis* : *Cryptolechia simulatella* Walker, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum, 29 : 747 [by original designation.])

Bathraula simulatella (Walker)

Plate 238, Figures 1-1c

Cryptolechia simulatella Walker, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum, 29 : 747.

The characters for this genus are figured from Walker's type, from Sarawak, Borneo, in the British Museum. Slide No. 9519. This genus is a synonym of *Syntomaula* Meyrick.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of genital plate and ostium; 1e, signa.

COSMOPTERIX Hübner

Cosmopterix apiculata Meyrick

Plate 239, Figures 1-1b

Cosmopterix apiculata Meyrick, 1922, Exotic Microlepidoptera, 2 : 568.

“♂♀. 8-9 mm. . . . Brazil, Para, Obidos, Parintins, July to October; Peru, Jurimaguas, March (*Parish*); 11 ex. Next *pentachorda*.”

Lectotype: ♂, 8 mm., “Parintins, Brazil. *Parish*. .10.19.” Slide No. 9418.

Figure 1, left forewing; 1a, aedeagus; 1b, lateral aspect of male genitalia with aedeagus removed.

Cosmopterix callichalca Meyrick

Plate 239, Figures 2-2a

Cosmopterix callichalca Meyrick, 1922, Exotic Microlepidoptera, 2 : 568.

“♂. 8-9 mm. . . . Brazil, Parintins, October (*Parish*); 2 ex. Next *fernaldella*.”

Lectotype: The larger of the two males, both of which have identical data and are dated “10-19.” Slide No. 6161.

Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix citrinopa Meyrick

Plate 239, Figures 3-3b

Cosmopterix citrinopa Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 204.

“♀. 9 mm. . . . Peru, Lima, 500 feet, in August (*Parish*); one specimen.”

Type: The specimen referred to above and dated “8-14.” Slide No. 6142.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of ostium.

Cosmopterix erasmia Meyrick

Plate 239, Figures 4-4a

Cosmopterix erasmia Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 206.

“♂♀. 7-8 mm. . . . British Guiana, Bartica from February to April (*Parish*); four specimens. Extremely similar to *mimetis*, but rather smaller and immediately distinguished by the white apex of antennae.”

Lectotype: A male dated “.2.13.” Slide No. 6145.


Figure 4, left wings; 4a, ventral view of male genitalia with right harpe removed and aedeagus *in situ*.

1




1a


1b




2



2a




3



3a

3b



4



4a






1




1a




1b



2




2a




3



3a



4



4a

Cosmopterix hermodora Meyrick

Plate 240, Figures 1-1b

Cosmopterix hermodora Meyrick, 1919, Exotic Microlepidoptera, 2 : 282.

"♂♀. 8-9 mm. . . . Manitoba [!] Toronto, July (*Parish*); five specimens."

Lectotype: ♂, 8 mm., "Toronto, Canada. *Parish*. 5.7.16." Slide No. 9417.

Figure 1, left forewing; 1a, aedeagus; 1b, lateral aspect of male genitalia with aedeagus removed.

Cosmopterix inaugurata Meyrick

Plate 240, Figures 2-2a

Cosmopterix inaugurata Meyrick, 1922, Exotic Microlepidoptera, 2 : 568.

"♂. 8 mm. . . . Brazil, Para, July (*Parish*); 1 ex. . . ."

Type: The specimen indicated above dated "7-19." Slide No. 6160.

Figure 2, right wings (image reversed); 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix interfracta Meyrick

Plate 240, Figures 3-3a

Cosmopterix interfracta Meyrick, 1922, Exotic Microlepidoptera, 2 : 567.

"♂♀. 8-9 mm. . . . Brazil, Obidos, R. Trombetas, August, September; Peru, Jurimaguas, March (*Parish*); 5 ex."

Lectotype: A male, "Obidos, Brazil. *Parish*. 9-19." Slide No. 6159.

Figure 3, left forewing; 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix isotoma Meyrick

Plate 240, Figures 4-4a

Cosmopterix isotoma Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 205.

"♂♀. 9 mm. . . . British Guiana, Bartica, in December and February (*Parish*); two specimens. Much like the following species [*crasmia*], but larger, and distinguished from all by the broad antipenultimate white band of antennae."

Lectotype: The male, ".2.13." Slide No. 6147. The female has no abdomen.

Figure 4, left wings; 4a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix magophila Meyrick

Plate 241, Figures 1-1b

Cosmopterix magophila Meyrick, 1919, Exotic Microlepidoptera, 2 : 282.

"♂♀. 7-8 mm. . . . North Carolina, Southern Pines; twelve specimens."

Lectotype: ♂, 7 mm., with "P. .18" at the bottom of the pin-label. Slide No. 9416.

Figure 1, left wings; 1a, aedeagus; 1b, lateral aspect of male genitalia with aedeagus removed.

Cosmopterix nyctiphanes Meyrick

Plate 241, Figures 2-2a

Cosmopterix nyctiphanes Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 208.

"♂♀. 7-8 mm. . . . Ecuador, Huigra, 4,500 feet, in June (*Parish*); eight specimens . . ."

Lectotype: A male. Slide No. 6140. All specimens bear identical data and are dated "6-14."

Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix pentachorda Meyrick

Plate 241, Figures 3-3a

Cosmopterix pentachorda Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 203.

"♂♀. 9-10 mm. . . . Ecuador, Huigra, 4,500 feet, in June; Peru, Lima, 500 feet, and Chosica, 2,800 feet, in July and August (*Parish*); six specimens."

Lectotype: A male, "Lima, Peru, 500 ft., *Parish* 8-14." Slide No. 6148.

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix pyrozela Meyrick




Plate 241, Figures 4-4b

Cosmopterix pyrozela Meyrick, 1922, Exotic Microlepidoptera, 2 : 566.

"♀. 8 mm. . . . Brazil, R. Trombetas, September (*Parish*); 1 ex."

Type: The specimen indicated above dated "9-19." Slide No. 6158.

Figure 4, left forewing; 4a, ostium; 4b, bursa copulatrix showing two signa.



1




1a



1b




2



2a



3



3a



COSMOPTERIX

Cosmopterix teligera Meyrick

Plate 242, Figures 1-1b

Cosmopterix teligera Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 207.

"♂♀. 8 mm. . . . Colombia, Cali, 500 feet, in May (*Parish*); two specimens."

Lectotype: The female. Slide No. 6144. The male has no abdomen. Both specimens are dated "5-14."

Figure 1, left wings; 1a, ostium; 1b, ventral view of female genitalia (note two small signa, one on each side).

Cosmopterix tenax Meyrick

Plate 242, Figures 2-2a

Cosmopterix tenax Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 207.

"♂. 10 mm. . . . Colombia, La Crumbre, 6,600 feet, in May (*Parish*); one specimen."

Type: The above indicated specimen dated "5-14." Slide No. 6141.

Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix tetragramma Meyrick

Plate 242, Figures 3-3a

Cosmopterix tetragramma Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 203.

"♂♀. 8-9 mm. . . . British Guiana, Bartica, Mallali, and Georgetown, from January to April (*Parish*); ten specimens. Nearest to *manipularis*."

Lectotype: The male, "Mallali, Brit. Guiana, Parish. .3.13." Slide No. 6149.

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix thrasyzela Meyrick

Plate 243, Figures 1-1b

Cosmopteryx thrasyzela Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 206.

“♂♀. 7-8 mm. . . . British Guiana, Bartica, from February to April (*Parish*); five specimens. Most like *belonacma*, but without orange posterior projection of band.

Lectotype: A female dated, “.2.13.” Slide No. 6146. The five original specimens are females.

Figure 1, left wings; 1a, bursa copulatrix showing signa; 1b, posterior portion of female genitalia (damaged).

Cosmopterix venefica Meyrick

Plate 243, Figures 2-2a

Cosmopteryx venefica Meyrick, 1915, Trans. Ent. Soc. London, 1915 : 205.

“♂♀. 9-11 mm. . . . Peru, Lima, 500 feet, in August (*Parish*); twelve specimens.”

Lectotype: A male. Slide No. 6150. All specimens bear identical data and are dated “8-14.”

Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Cosmopterix violenta (Meyrick), new combination


Plate 243, Figures 3-3a

Batrachedra violenta Meyrick, 1916, Exotic Microlepidoptera, 2 : 31.


“♂. 7 mm. . . . British Guiana, Mallali, in March (*Parish*); one specimen.”

Type: The specimen indicated above dated, “.3.13.” Slide No. 6262.


Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.



COSMOPTERIX




1




1a



1b



1c



1d

CYPHOTHYRIS

CYPHOTHYRIS Meyrick

Cyphothyris Meyrick, 1914, Exotic Microlepidoptera, 1 : 255. *Typus generis* : *Cyphothyris ophryodes* Meyrick, ibid. [by monotypy].

Cyphothyris ophryodes Meyrick

Plate 244, Figures 1-1d

Cyphothyris ophryodes Meyrick, 1914, Exotic Microlepidoptera, 1 : 255.

"♂. 12 mm. . . . Ceylon, Maskeliya, in November (*Alston*); one specimen."

Type : 'The male denoted above dated .11.06.'" Slide No. 7766.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, lateral aspect of male genitalia with aedeagus removed; 1d, aedeagus.

DIPLOSARA Meyrick

Diplosara Meyrick, 1883, Ent. Mon. Mag., 20 : 35 (*Typus generis* : *Scardia lignivora* Butler, 1879, Ent. Mon. Mag., 15 : 273 [by original designation]).


Diplosara lignivora (Butler)

Plate 245, Figures 1-1f

Scardia lignivora Butler, 1897, Ent. Mon. Mag., 15 : 273.

The characters for this genus have been figured from a male in the British Museum, "Oahu, Mt. Tantalus, 7.VI.1930. O. H. Swezey "ex *Pisonia*." Slide No. 9609.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, specialized setae on caudal margin of 7th abdominal segment; 1d, lateral aspect of male genitalia with right harpe removed; 1e, right harpe; 1f, ventral "flap" of 8th abdominal segment which partly encloses genitalia.



1




1a



1b




1c




1d



1e



1f



DROMIAULIS

DROMIAULIS Meyrick

Dromiaulis Meyrick, 1922, Exotic Microlepidoptera, 2 : 574. (*Typus generis* : *Dromiaulis excitata* Meyrick, l.c., p. 575 [by monotypy]).

Dromiaulis excitata Meyrick

Plate 246, Figures 1-1c

Dromiaulis excitata Meyrick, 1922, Exotic Microlepidoptera, 2 : 575.

“ ♀, 13 mm. . . . Peru, Jurimaguas, March (*Parish*); 1 ex.”

Type : The specimen indicated above dated “ 3.20.” Slide No. 6152.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior aspect of head showing palpi; 1c, ventral view of female genitalia; 1d, ostium; 1e, signum.

HARPOGRAPTIS Meyrick

Harpograptis Meyrick, 1926, in Wytsman, Genera Insectorum, fasc. 184 : 126. (*Typus generis* : *Stomopteryx eucharacta* Meyrick, 1922, Trans. Ent. Soc. London, 1922 : 66 [by original designation]).

Harpograptis eucharacta (Meyrick)


Plate 247, Figures 1-1c

Stomopteryx eucharacta Meyrick, 1922, Trans. Ent. Soc. London, 1922 : 66.


“ ♂♀. 13-14 mm. . . . Brazil, Obidos, Teffé, in September, December and January; four specimens.”

Lectotype : A male, “ Obidos, Brazil, Parish. 9-19.” Slide No. 6004.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, lateral aspect of male genitalia with aedeagus *in situ*.




1



1a



1b




1c


HARPOGRAPTIS



1




1a



1b



1c



1d



1e

HELICACMA

HELICACMA Meyrick

Helicacma Meyrick, 1914, Exotic Microlepidoptera, 1 : 232. (*Typus generis* : *Helicacma catapasta* Meyrick, l.c., p. 233 [by monotypy]).

Helicacma catapasta Meyrick

Plate 248, Figures 1-1c

Helicacma catapasta Meyrick, 1914, Exotic Microlepidoptera, 1 : 233.

“ ♀. 20-22 mm. . . . Assam, Khasis, from October to December; three specimens.”

Lectotype : ‘The female measuring 21 mm., “ Khasi Hills, Assam. .12.1906.”’

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of female genitalia; 1d, detail of ostium; 1e, signa.

HOMOSACES Meyrick

Homosaces Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 20. (*Typus generis* : *Homosaces anthocoma* Meyrick, l.c., p. 21 [by monotypy]).

Homosaces anthocoma Meyrick

Plate 249, Figures 1-1c

Homosaces anthocoma Meyrick, 1894, Trans. Ent. Soc. London, 1894 : 21.

“ ♂♀. 15-17 mm. . . . *Hab.* Koni; five specimens.”

Lectotype : A male measuring 15 mm., “ Koni, Burma, NM. .9.88.” Slide No. 7770.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, lateral aspect of male genitalia with aedeagus *in situ*.

Homosaces arvalis (Meyrick), new combination

Plate 249, Figures 2-2a

Cryptolechia arvalis Meyrick, 1910, Journ. Bombay Nat. Hist. Soc., 20 : 163.

“ ♂♀. 15-17 mm. . . . Karwar (*Maxwell*); Coorg, 3,500 feet (*Newcome*); in July and December, seven specimens.”

Lectotype : A male measuring 16 mm., “ Kharwar, Kanara. RM. 22.7.09.” Slide No. 7928.


Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*.



1




1a




1b



1c




2




2a


HOMIOSACES



1a



2a



3a



4a



Homosaces nyctiphronas (Meyrick), new combination

Plate 250, Figures 1-1a

Cryptolechia nyctiphronas Meyrick, 1931, Exotic Microlepidoptera, 4 : 125.

"♀. 11 mm. . . . Bengal, Dacca, bred October from larvae feeding on leaves of *Barringtonia acutangula* (*Lecythidaceae*) (Bose); 4 ex."

Lectotype: The male in the Meyrick collection, "Dacca, Bengal. B. bred. 10.20." Slide No. 7936. Three specimens are missing and the single specimen in the Meyrick collection is a male.

Figure 1, left wings; 1a, lateral aspect of male genitalia with aedeagus *in situ*.

Homosaces pelochares (Meyrick), new combination

Plate 250, Figures 2-2a

Cryptolechia pelochares Meyrick, 1934, Exotic Microlepidoptera, 4 : 479.

"♂♀. 14-15 mm. . . . Java, Telawa, bred September from larvae feeding on leaves of *Planchonia valida* (*Dr. L. G. E. Kalshoven*); 6 ex. Nearly allied to *arvalis* Meyr., . . ."

Lectotype: A male measuring 14 mm., "Telawa, Java. K. bred. .9.33." Slide No. 7930. Three specimens are missing.

Figure 2, left wings; 2a, ventral view of male genitalia with aedeagus *in situ*.

Homosaces podarga Meyrick

Plate 250, Figures 3-3a

Homosaces podarga Meyrick, 1914, Exotic Microlepidoptera, 1 : 256.

"♂. 11 mm. . . . Kanara, Ganesh Gudi, in May (*Maxwell*); one specimen."

Type: The above indicated specimen dated "11.5.12." Slide No. 7769.

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.

Homosaces sanctificata (Meyrick), new combination

Plate 250, Figures 4-4a

Cryptolechia sanctificata Meyrick, 1936, Exotic Microlepidoptera, 5 : 52.

"♂♀. 16 mm. . . . India, U.P., Dehra Dun, bred from larvae feeding on leaves of *Flemingia paniculata* (*Leguminosae*) (*S. N. Chatterjee*); 2 ex. . . ."

Lectotype: The male, "Dehra Dun, India, U. P. C. bred. .4.35." Slide No. 7916. The female is missing.

Figure 4, left wings; 4a, ventro-lateral aspect of male genitalia with aedeagus *in situ*.

LABDIA Walker

Labdia cyanocoma Meyrick

Plate 251, Figures 1-1a

Labdia cyanocoma Meyrick, 1922, Exotic Microlepidoptera, 2 : 569.

“♂. 11 mm. . . . Peru, Jurimaguas, March (*Parish*); 1 ex.”

Type: The specimen indicated above and dated “3.20.” Slide No. 6162.

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*.

LEPTOZESTIS Meyrick

Leptozestis chalcoptila (Meyrick)

Plate 251, Figures 2-2a

Syntomactis chalcoptila Meyrick, 1922, Exotic Microlepidoptera, 2 : 577.

“♂♀. 10-11 mm. . . . Peru, Jurimaguas, March (*Parish*); 3 ex.”

Lectotype: A male. Slide No. 6182. All specimens bear identical data and are dated “3.20.”

Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*.

LIMNAECIA Stainton

Limnaecia dasytricha Meyrick




Plate 251, Figures 3-3b

Limnoecia [*sic*] *dasytricha* Meyrick, 1917, Exotic Microlepidoptera, 2 : 43.


“♂♀. 9-10 mm. . . . British Guiana, Bartica and Mallali, from December to March (*Parish*); nine specimens.”

Lectotype: A male, “Bartica, Brit. Guiana, Parish. .12.12.” Slide No. 6164.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus removed; 3b, aedeagus.



4b



MELEONOMA

MELEONOMA Meyrick

Meleonoma crocomitra (Meyrick), new combination

Plate 252, Figures 2-2c

Pseudodoxia crocomitra Meyrick, 1914, Exotic Microlepidoptera, 1 : 266.

"♀. 21 mm. . . . Kanara, Karwar (*Maxwell*); one specimen."

Type: The above indicated female labelled, "Karwar, India RM. .09." Slide No. 7980.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signa; 2c, detail of ostium.

Meleonoma implexa Meyrick

Plate 252, Figures 1-1a

Meleonoma implexa Meyrick, 1918, Exotic Microlepidoptera, 2 : 220.

"♂. 14 mm. . . . S. India, Kadumur, August (*Fletcher*); one specimen."

Type: The above indicated male dated, ".8.14." Slide No. 7780.

Figure 1, left wings; 1a, lateral aspect of male genitalia with aedeagus *in situ*.

MICROCOLONA Meyrick

Microcolona transennata Meyrick

Plate 251, Figures 4-4b

Microcolona transennata Meyrick, 1922, Exotic Microlepidoptera, 2 : 575.

"♂♀. 7-8 mm. . . . Brazil, Para, Santarem, June to August; Peru, Jurimaguas, March (*Parish*); 8 ex."

Lectotype: A male, "Para, Brazil, Parish. 7-19." Slide No. 6167.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

NICANTHES Meyrick

Nicanthes Meyrick, 1928, Exotic Microlepidoptera, 3 : 395. (*Typus generis* : *Nicanthes rhodoclea* Meyrick, *ibid.* [by monotypy]).

Nicanthes rhodoclea Meyrick


Plate 253, Figures 1–1d

Nicanthes rhodoclea Meyrick, 1928, Exotic Microlepidoptera, 3 : 395.


“ ♀. 6 mm. . . . British Guiana, Bartica, January (*Parish*); 1 ex.”

Type : The specimen indicated above dated “.1.13.” Slide No. 6267. Palpi too poor to photograph.

Figure 1, left wings; 1a, venation of right wings; 1b, signum; 1c, lateral view of female genitalia; 1c, lateral aspect of ovipositor lobes and ostium.



NICANTHES



PAMMECES

PAMMECES Zeller

Pammeces citraula Meyrick

Plate 254, Figures 1-1b

Pammeces citraula Meyrick, 1922, Exotic Microlepidoptera, 2 : 584.“♂. 14 mm. . . . Peru, Jurimaguas, March, (*Parish*); 1 ex. Near *phlogophora*.”*Type*: The above indicated specimen dated, “3.20.” Slide No. 6268.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Pammeces crocoxysta Meyrick

Plate 254, Figures 2-2c

Pammeces crocoxysta Meyrick, 1922, Exotic Microlepidoptera, 2 : 584.“♀. 11 mm. . . . Brazil, Teffé, January (*Parish*); 1 ex.”*Type*: The specimen indicated above and dated, “1.20.” Slide No. 6269.

Figure 2, left wings; 2a, signum; 2b, detail of ostium; 2c, ventral view of female genitalia.

PROCHOLA Meyrick

Prochola Meyrick, 1915, Exotic Microlepidoptera, 1 : 331. (*Typus generis* : *Prochola oppidana* Meyrick, ibid. [by original designation]).

Prochola oppidana Meyrick

Plate 255, Figures 1-1c

Prochola oppidana Meyrick, 1915, Exotic Microlepidoptera, 1 : 331.

“ ♂♀. 10-14 mm. . . . British Guiana, Bartica, Mallali, from December to March (*Parish*); fourteen specimens.”

Lectotype : A male, “ Mallali, Brit. Guiana, *Parish*. .3.13.” Slide No. 6228.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior aspect of head showing palpus; 1c, male genitalia with aedeagus *in situ*.

Prochola aedilis Meyrick

Plate 255, Figures 2-2a

Prochola aedilis Meyrick, 1915, Exotic Microlepidoptera, 1 : 331.

“ ♂♀. 10-11 mm. . . . British Guiana, Bartica, Mallali, in February and March (*Parish*); four specimens.”

Lectotype : A male, “ Bartica, Brit. Guiana, *Parish*. .2.13.” Slide No. 6232.

Figure 2, left wings; 2a oblique view of male genitalia with aedeagus *in situ*.

Prochola basichlora Meyrick



Plate 255, Figures 3-3a

Prochola basichlora Meyrick, 1922, Exotic Microlepidoptera, 2 : 582.

“ ♂. 13 mm. . . . Brazil, Para, July (*Parish*); 1 ex.”


Type : The specimen indicated above, dated “ 7-19.” Slide No. 6212.

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.






1



1a 1b




2



2a 2b



3



4a 4

PROCHOLA

Prochola agypsota Meyrick

Plate 256, Figures 1-1b

Prochola agypsota Meyrick, 1922, Exotic Microlepidoptera, 2 : 580.“♂. 8 mm. . . . Brazil, Parintins, October (*Parish*); 1 ex.”*Type* : The above indicated specimen dated “10.19.” Slide No. 6231.

Figure 1, right wings (image reversed); 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Prochola catacentra Meyrick

Plate 256, Figures 2-2b

Prochola catacentra Meyrick, 1922, Exotic Microlepidoptera, 2 : 582.“♂♀. 10 mm. . . . Brazil, Manaos, November, (*Parish*); 5 ex. . . .”*Lectotype* : A male. Slide No. 6230. All bear identical data and are dated “11-19.”

Figure 2, left wings; 2a, aedeagus; 2b, lateral aspect of male genitalia with aedeagus removed.

Prochola catholica Meyrick

Plate 256, Figure 3

Prochola catholica Meyrick, 1917, Exotic Microlepidoptera, 2 : 46.“♂. 11-13 mm. . . . British Guiana, Mallali, in March (*Parish*); two specimens.”*Lectotype* : One of the above indicated specimens both of which are without abdomen.

Figure 3, right wings (image reversed).

Prochola chloropis Meyrick

Plate 256, Figures 4-4a

Prochola chloropis Meyrick, 1922, Exotic Microlepidoptera, 2 : 580.“♂♀. 8-9 mm. . . . Brazil, Para, Santarem, Parintins, Manaos, Teffé, June to January (*Parish*); 10 ex.”*Lectotype* : A male, “Teffé, Brazil, Parish. 1.20.” Slide No. 6207.Figure 4, left wings; 4a, lateral aspect of male genitalia with aedeagus *in situ*.

Prochola euclina Meyrick

Plate 257, Figures 1-1b

Prochola euclina Meyrick, 1922, Exotic Microlepidoptera, 2 : 583.

" ♀. 14 mm. . . . Peru, Jurimaguas, March (*Parish*); 1 ex."

Type : The specimen indicated above, dated " 3.20." Slide No. 6214.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium.

Prochola holomorpha Meyrick

Plate 257, Figures 2-2b

Prochola holomorpha Meyrick, 1931, Journ. Linnean Soc. London, 37 : 282.

" ♂. 14 mm. . . . 1 ex., November."

Type : The specimen referred to above and labelled, " Makthalawaiya, Paraguay, G.S.C. .11.26." Slide No. 6238.

Figure 2, left wings; 2a, lateral aspect of aedeagus; 2b, lateral aspect of male genitalia with aedeagus removed.

Prochola obstructa Meyrick

Plate 257, Figures 3-3b

Prochola obstructa Meyrick, 1915, Exotic Microlepidoptera, 1 : 332.

" ♀. 11 mm. . . . Ecuador, Huigra, 4,500 feet, in June (*Parish*); one specimen."

Type : The above indicated specimen dated, " 6-14." Slide No. 6213.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, signa.

Prochola ochromicta Meyrick




Plate 257, Figures 4-4a

Prochola ochromicta Meyrick, 1922, Exotic Microlepidoptera, 2 : 580.

" ♂. 9 mm. . . . Brazil, Teffé, December (*Parish*); 3 ex."

Lectotype : One of the above males all of which bear identical data, dated " 12.19." Slide No. 6208.

Figure 4, left wings; 4a, lateral aspect of male genitalia with aedeagus *in situ*.





1




1a



2



2a



3



3a



4



4a



4b

Prochola orphnopa Meyrick

Plate 258, Figures 1-1a

Prochola orphnopa Meyrick, 1922, Exotic Microlepidoptera, 2 : 582.

"♂. 11 mm. . . . Brazil, Teffé, January (*Parish*); 1 ex."

Type: The specimen referred to above dated "1.20." Slide No. 6210.

Figure 1, left wings; 1a, lateral aspect of male genitalia with aedeagus *in situ*.

Prochola orthobasis Meyrick

Plate 258, Figures 2-2a

Prochola orthobasis Meyrick, 1922, Exotic Microlepidoptera, 2 : 582.

"♂♀. 10-11 mm. . . . Brazil, Santarem, Teffé, August, December (*Parish*); 6 ex. . . ."

Lectotype: A male, "Santarem, Brazil, Parish. 8-19." Slide No. 6235.

Figure 2, right wings (image reversed); 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Prochola pervallata Meyrick

Plate 258, Figures 3-3a

Prochola pervallata Meyrick, 1922, Exotic Microlepidoptera, 2 : 581.

"♂♀. 10-11 mm. . . . Brazil, Para, June, July (*Parish*); 2 ex."

Lectotype: The male, dated "7-19." Slide No. 6211.

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.

Prochola prasophanes Meyrick

Plate 258, Figures 4-4b

Prochola prasophanes Meyrick, 1922, Exotic Microlepidoptera, 2 : 581.

"♂. 13 mm. . . . Brazil, Para, July (*Parish*); 1 ex."

Type: The specimen referred to above but erroneously recorded as a male. Slide No. 6236.

Figure 4, right wings (image reversed); 4a, ventral view of female genitalia; 4b, signa.

Prochola revecta Meyrick

Plate 259, Figures 1-1b

Prochola revecta Meyrick, 1922, Exotic Microlepidoptera, 2 : 582.

“♂♀. 8-9 mm. . . . British Guiana, Mallali, March (*Parish*); 2 ex.”

Lectotype : The male, dated “.3.13.” Slide No. 6229.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed.

Prochola semialbata Meyrick

Plate 259, Figures 2-2a

Prochola semialbata Meyrick, 1922, Exotic Microlepidoptera, 2 : 581.

“♂♀. 13-15 mm. . . . Brazil, Manaus, November, 16 ex., also 1 from Para, August (*Parish*).”

Lectotype : A male. Slide No. 6234. All the specimens bear identical data and are dated, “.11.19.”

Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Prochola sollers Meyrick

Plate 259, Figures 3-3c

Prochola sollers Meyrick, 1917, Exotic Microlepidoptera, 2 : 46.

“♂. 12-14 mm. . . . British Guiana, Bartica, in January and February, (*Parish*); four specimens. . .”

Lectotype : One of the specimens indicated above dated, “.2.13.” Slide No. 6233.

Figure 3, right wings (image reversed); 3a, aedeagus; 3b, lateral aspect of male genitalia with aedeagus removed; 3c, anterior segments of denuded abdomen showing receptacle for hair-pencil.

Prochola subtinctoria (Meyrick), new combination



Plate 259, Figures 4-4b

Syntetrernis subtinctoria Meyrick, 1922, Exotic Microlepidoptera, 2 : 574.


“♂. 14-15 mm. . . . Brazil, Parintins, October (*Parish*); 2 ex.”

Lectotype : The male measuring 15 mm. Slide No. 6165. Both specimens are dated “.10-19.”

Figure 4, left wings; 4a, aedeagus; 4b, lateral aspect of male genitalia with aedeagus removed.




PROCHOLA



1



1a




1b



1c



1d



1e

PROTOGRYPA

PROTOGRYPA Meyrick

Protogrypa Meyrick, 1914, Exotic Microlepidoptera, 1 : 233. (*Typus generis* : *Protogrypa citromicta* Meyrick, l.c., p. 234 [by monotypy]).

Protogrypa citromicta Meyrick

Plate 260, Figures 1-1c

Protogrypa citromicta Meyrick, 1914, Exotic Microlepidoptera, 1 : 234.

“ ♀. 17 mm. . . . Ceylon, Kegalle (*Alston*); one specimen.”

Type : The female denoted above, “ Kegalle, Ceylon, GCA. .09.” Slide No. 7854. Signum double but one superimposed exactly over the other in photograph.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior aspect of head showing palpi; 1c, ventral view of female genitalia; 1d, detail of genital plate and ostium; 1e, signa (one superimposed over the other).

SCAEOSOPHA Meyrick

Scaeosopha Meyrick, 1914, Exotic Microlepidoptera, 1 : 254. (*Typus generis* : *Scaeosopha percnaula* Meyrick, *ibid.* [by monotypy]).

Scaeosopha percnaula Meyrick


Plate 261, Figures 1-1d

Scaeosopha percnaula Meyrick, 1914, Exotic Microlepidoptera, 1 : 254.


“ ♂♀. 21-23 mm. . . . Assam, Khasis, in March and September; two specimens.”

Lectotype : The male which, however, is labelled, “ Shillong, Assam. R. .3.93.” Slide No. 7762. The female is labelled “ Khasi Hills, Assam. 9.1906.” I have no doubt these are the original specimens.

Figure 1, left wings; 1a, venation of right wings; 1b, anterior view of head showing palpi; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1




1b



1a




1c




1d


SCAEOSOPHA



1



1a




2



2a



2b



3



3a



3b

SCAEOSOPHA

Scaeosopha chionoscia Meyrick

Plate 262, Figures 1-1a

Scaeosopha chionoscia Meyrick, 1933, Exotic Microlepidoptera, 4 : 374.

"♂. 14-17 mm. . . . Java, Seneng, bred July, October from larvae feeding in young fruits of *Nauclea orientalis* (*Rubiaceae*) (Dr. L. G. E. Kalshoven); 2 ex."

Lectotype: 'The male in the Meyrick collection "Seneng, Java K. bred. 7.32." Slide No. 7763.

Figure 1, left wings; 1a, lateral aspect of male genitalia with aedeagus *in situ*.

Scaeosopha incantata Meyrick

Plate 262, Figures 2-2b

Scaeosopha incantata Meyrick, 1928, Exotic Microlepidoptera, 3 : 469.

"♂♀. 20-21 mm. . . . S. Andamans, 1,200 feet, May (*Ferrar*); 2 ex."

Lectotype: 'The male, "S. Andamans, 1,200' F. .5.27." Slide No. 7764. 'The female is missing.

Figure 2, left wings; 2a, aedeagus; 2b, ventral view of male genitalia with aedeagus removed.

Scaeosopha stagnigera Meyrick

Plate 262, Figures 3-3b

Scaeosopha stagnigera Meyrick, 1932, Exotic Microlepidoptera, 4 : 277.

"♂♀. 17 mm. . . . Bombay, Mahabaleshwar, May (*R. Maxwell*); 2 ex. Allied to the larger and darker *percnaula*, . . ."

Lectotype: 'The male, dated, "17.5.30." Slide No. 7765.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

SCALIDEUTIS Meyrick

Scalideutis Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 409. (*Typus generis* : *Scalideutis escharia* Meyrick, ibid. [by monotypy]).

Scalideutis escharia Meyrick

Plate 263, Figures 1-1d

Scalideutis escharia Meyrick, 1906, Journ. Bombay Nat. Hist. Soc., 17 : 409.

“ ♂♀. 17-20 mm. . . . Seven specimens, Maskeliya, Ceylon, in February and May (*Pole*).

Lectotype : A male measuring 18 mm., “ Maskeliya, Ceylon. *Pole*. .5.04.” Slide No. 8001.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.

Scalideutis ulocoma Meyrick


Plate 263, Figures 2-2b

Scalideutis ulocoma Meyrick, 1918, Exotic Microlepidoptera, 2 : 220.


“ ♂♀. 8-9 mm. . . . Kanara, Dharwar, January to March (*Maxwell*); six specimens.”

Lectotype : A male measuring 8 mm., “ Dharwar, Kanara. RM. 13.3.16.” Slide No. 8002.


Figure 2, left wings; 2a, aedeagus and anellus; 2b, ventral view of male genitalia with aedeagus and anellus removed.




SCALIDEUTIS



1



2




3



1a



2a



2a

3a



2c

STAGMATOPHORA and STILBOSIS

STAGMATOPHORA Herrich-Schäffer

Stigmatophora niphochrysa Meyrick

Plate 264, Figures 1-1a

Stigmatophora niphochrysa Meyrick, 1930, Exotic Microlepidoptera, 3 : 546.

“ ♂. 11-12 mm. . . Texas, Alpine and Fort Davis, 5,000 feet, March, April; 3 ex.”

Lectotype: A male, “ Fort Davis, Texas, 5,000' .3.28.” Slide No. 6163.

Figure 1, left wings; 1a, lateral aspect of male genitalia with aedeagus *in situ*.

STILBOSIS Clemens

Stilbosis alcyonis Meyrick

Plate 264, Figures 2-2c

Stilbosis alcyonis Meyrick, 1917, Exotic Microlepidoptera, 2 : 49.

“ ♀. 15 mm. . . French Guiana, R. Maroni; one specimen.”

Type: The above indicated specimen with “ LeM. .15.” at the bottom of the pin label. Slide No. 6171.

Figure 2, right wings (image reversed); 2a, ventral view of female genitalia; 2b, detail of ostium; 2c, signa.

Stilbosis alsocoma Meyrick

Plate 264, Figures 3-3a

Stilbosis alsocoma Meyrick, 1917, Exotic Microlepidoptera, 2 : 46.

“ ♂♀. 7-8 mm. . . British Guiana, Bartica and Mallali, from January to March (*Parish*); 7 specimens.”

Lectotype: A male, “ Bartica, Brit. Guiana, Parish. .1.13.” Slide No. 6181.

Figure 3, left wings; 3a, male genitalia with large eversible scale tufts.

Stilbosis argyritis Meyrick

Plate 265, Figures 1-1a

Stilbosis argyritis Meyrick, 1922, Exotic Microlepidoptera, 2 : 577.

“ ♂. 9 mm. . . . Brazil, R. Trombetas, September (*Parish*); 1 ex.”

Type : The above indicated specimen dated “ 9-19.” Slide No. 6170.

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*.

Stilbosis chrysorrhabda Meyrick

Plate 265, Figures 2-2b

Stilbosis chrysorrhabda Meyrick, 1922, Exotic Microlepidoptera, 2 : 576.

“ ♂♀. 9 mm. . . . Peru, Jurimaguas, March (*Parish*); 4 ex.”

Lectotype : A male. All are dated “ 3.20.” Slide No. 6169.

Figure 2, left wings; 2a, lateral aspect of aedeagus; 2b, oblique view of male genitalia with aedeagus removed.

Stilbosis condylota Meyrick


Plate 265, Figures 3-3b

Stilbosis condylota Meyrick, 1917, Exotic Microlepidoptera, 2 : 47.

“ ♀. 10-12 mm. . . . British Guiana, Bartica and Mallali, from December to March (*Parish*); four specimens.”

Lectotype : A female, “ Bartica, Brit. Guiana, Parish. .2.13.” Slide No. 6176.

Figure 3, right wings (image reversed); 3a, ventral view of female genitalia; 3b, detail of ostium.



1




1a



2



2a




2b



3



3a



3b

STILBOSIS




1



2




3




4



1a



2a





3a



4a

1b



STILBOSIS

Stilbosis devoluta Meyrick

Plate 266, Figures 1-1c

Stilbosis devoluta Meyrick, 1917, Exotic Microlepidoptera, 2 : 48.

"♀. 11 mm. . . . British Guiana, Mallali, in March (*Parish*); one specimen."

Type: The above indicated specimen dated ".3.13." Slide No. 6174.

Figure 1, right wings (image reversed); 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, signa.

Stilbosis gnomonica Meyrick

Plate 266, Figures 2-2a

Stilbosis gnomonica Meyrick, 1917, Exotic Microlepidoptera, 2 : 47.

"♂. 12 mm. . . . British Guiana, Bartica, in February (*Parish*); one specimen."

Type: The specimen indicated above dated ".2.13." Slide No. 6173.

Figure 2, right wings (image reversed); 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Stilbosis hypanthes Meyrick

Plate 266, Figures 3-3a

Stilbosis hypanthes Meyrick, 1917, Exotic Microlepidoptera, 2 : 48.

"♀. 13 mm. . . . British Guiana, Mallali, in March (*Parish*); one specimen."

Type: The specimen indicated above and dated "3.13," erroneously recorded as a female. Slide No. 6172.

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.

Stilbosis symphracta Meyrick

Plate 266, Figures 4-4a

Stilbosis symphracta Meyrick, 1917, Exotic Microlepidoptera, 2: 47.

"♂♀. 10-12 mm. . . . British Guiana, Bartica and Mallali, from January to March (*Parish*); seven specimens."

Lectotype: A male, "Mallali, Brit. Guiana, Parish. .3.13." Slide No. 6175.

Figure 4, left wings; 4a, lateral aspect of male genitalia with aedeagus *in situ*.

SYNTOMAUULA Meyrick

Syntomaula Meyrick, 1914, Exotic Microlepidoptera, 1 : 235. (*Typus generis* : *Syntomaula tephrota* Meyrick, l.c., p. 236 [by monotypy]).

Syntomaula[⊗]*tephrota* Meyrick

Plate 267, Figures 1–1f

Syntomaula tephrota Meyrick, 1914, Exotic Microlepidoptera, 1 : 236.

“♂. 14–15 mm. . . . Ceylon, Puttalam, in November and January (*Pole*); three specimens.”

Lectotype : A male measuring 14 mm., dated “.11.04.” Slide No. 7872.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed; 1e, 8th tergum; 1f, 8th sternum.



1



1a




1b




1c



1d




1e




1f


SYNTOMAUULA



1




1a



2



2a




2b




3




3a



3b



4



4a

TRICLONELLA

TRICLONELLA Busck

Triclonella antidectis (Meyrick)

Plate 268, Figures 1-1a

Epicallima antidectis Meyrick, 1914, Exotic Microlepidoptera, 1 : 218.

“ ♂♀. 14-15 mm. . . . Arizona, Nogales and Patagonia Mts., from April to June; five specimens.”

Lectotype: A male with the following data: “ Patagonia Mts., Arizona, O. 14.03.” Slide No. 4787.

Figure 1, right wings (image reversed); 1a, lateral aspect of male genitalia with aedeagus *in situ*.

Triclonella calyptrodes Meyrick

Plate 268, Figures 2-2b

Triclonella calyptrodes Meyrick, 1922, Exotic Microlepidoptera, 2 : 510.

“ ♂. 13 mm. . . . Brazil, Teffé, January (*Parish*); 1 ex.”

Type: The type is without abdomen. It is dated “ 1.20.”

A female specimen, with the same data as those found on the type, except date, which is “ 12.19,” matches the type perfectly. The genitalia of this specimen are figured. Slide No. 4786.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium.

Triclonella elliptica Meyrick

Plate 268, Figures 3-3b

Triclonella elliptica Meyrick, 1916, Exotic Microlepidoptera 1 : 543.

“ ♂♀. 18-20 mm. . . . French Guiana, St. Jean, R. Maroni; nine specimens.”

Lectotype: A male labelled, “ R. Maroni, Fr. Guiana, LeM. 16.” Slide No. 4776.

Figure 3, left wings; 3a, aedeagus; 3b, ventro-lateral view of male genitalia with aedeagus removed.

Triclonella etearcha Meyrick

Plate 268, Figures 4-4a

Triclonella etearcha Meyrick, 1920, Exotic Microlepidoptera, 2 : 365.

“ ♂♀. 8-9 mm. . . . Peru, Iquitos, March, May, (*Parish*); 2 ex.”

Lectotype: The male dated “ 5.20.” Slide No. 4779.

Figure 4, left wings; 4a, lateral aspect of male genitalia with aedeagus *in situ*.

Triclonella iphicleia Meyrick

Plate 269, Figures 1-1c

Triclonella iphicleia Meyrick, 1924, Exotic Microlepidoptera, 3 : 98.

“ ♀. 18 mm. . . . Costa Rica, San José; 1 ex.”

Type : The above indicated specimen with the inscription “.22 ” on the pin-label, in addition to the locality. Slide No. 4784.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of genital plate and ostium; 1c, detail of anterior portion of ductus bursae.

Triclonella philantha Meyrick

Plate 269, Figures 2-2a

Triclonella philantha Meyrick, 1920, Exotic Microlepidoptera, 2 : 365.

“ ♂♀. 9 mm. . . . Brazil, Teffé, December, January (*Parish*); 13 ex.”

Lectotype : A male dated “ 12.19.” Slide No. 4780.

Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*.

Triclonella pictoria Meyrick


Plate 269, Figures 3-3b

Triclonella pictoria Meyrick, 1916, Exotic Microlepidoptera, 1 : 544.


“ ♀. 21 mm. . . . French Guiana, R. Maroni; one specimen.”

Type : The specimen indicated above with “ LeM. .15 ” at the bottom of the pin-label. The type lacks the abdomen. Genitalia figured from a female in the U.S. National Museum from Georgetown, British Guiana, July, 1921. August Busck. Slide No. 4474.

Figure 3, left wings; 3a, ventral view of female genitalia; 3b, detail of ostium.



TRICLONELLA



TRICLONELLA

Triclonella trachyxyla Meyrick

Plate 270, Figures 1-1c

Triclonella trachyxyla Meyrick, 1920, Exotic Microlepidoptera, 2 : 366.“ ♀. 12 mm. . . . Brazil, Obidos, August (*Parish*); 1 ex.”*Type* : The above indicated specimen dated, “ 8-19.” Slide No. 4777.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium; 1c, detail of mid-section of ductus bursae.

Triclonella triargyra Meyrick

Plate 270, Figures 2-2c

Triclonella triargyra Meyrick, 1920, Exotic Microlepidoptera, 2 : 366.“ ♀. 9 mm. . . . Peru, Jurimaguas, March (*Parish*); 1 ex.”*Type* : The above indicated specimen dated, “ 3.20.” Slide No. 4778.

Figure 2, left wings; 2a, ostium; 2b, signa; 2c, ventral view of female genitalia.

Triclonella turbinalis Meyrick

Plate 270, Figures 3-3a

Triclonella turbinalis Meyrick, 1933, Exotic Microlepidoptera, 4 : 366.“ ♂. 12-13 mm. . . . Argentina, Alta Gracia (*C. Bruch*); 3 ex. Nearest to *determinatella*.”*Lectotype* : A male. Slide No. 4783. All have identical data. The only indication of date is the year, “.32.”Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.

TRISSODORIS Meyrick

Trissodoris Meyrick, 1914, Journ. Bombay Nat. Hist. Soc., 22 : 775. (*Typus generis*: *Stigmatophora honorariella* Walsingham, 1907, Fauna Hawaiiensis, 1 (part V): 515, pl. 15, fig. 21 [by original designation]).


Trissodoris honorariella (Walsingham)

Plate 271, Figures 1-1c

Stigmatophora honorariella Walsingham, 1907, Fauna Hawaiiensis, 1 (part V): 515, pl. 15, fig. 21.


The characters for this genus are figured from Walsingham's type in the British Museum, ♂, "Pitcairn Id." Slide No. 9610.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, lateral aspect of male genitalia with aedeagus *in situ*.



TRISSODORIS

WALSHIIDAE



1




1a



2




2a



3



3a



4



4a

ASCALENIA Wocke

Ascalenia pancrypta (Meyrick)

Plate 274, Figures 1-1a

Cholotis pancrypta Meyrick, 1915, Exotic Microlepidoptera, 1 : 330.

"♂♀. 11 mm. . . . Cuba, Holguin; two specimens. Extremely like the Australian *semostola* . . ."

Lectotype : The male. Slide No. 6194. Both have "R. .07" at the bottom of the pin-label.

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*.

Ascalenia plumbata (Meyrick)

Plate 272, Figures 1-1a

Cholotis plumbata Meyrick, 1915, Exotic Microlepidoptera, 1 : 330.

"♂♀. 6 mm. . . . British Guiana, Bartica, Mallali, in February and March (*Parish*); three specimens."

Lectotype : The male, "Mallali, Brit. Guiana, *Parish*. 3.13." Slide No. 6195.

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*.

Ascalenia praediata Meyrick

Plate 272, Figures 2-2a

Ascalenia praediata Meyrick, 1922, Exotic Microlepidoptera, 2 : 579.

"♂. 7-8 mm. . . . Peru, Iquitos, Jurimaguas, March to May (*Parish*); 2 ex."

Lectotype : The male, "Jurimaguas, Peru, *Parish*. 3.20." Slide No. 6196.

Figure 2, left wings; 2a, oblique view of male genitalia with aedeagus *in situ*.

Ascalenia revelata Meyrick

Plate 272, Figures 3-3a

Ascalenia revelata Meyrick, 1922, Exotic Microlepidoptera, 2 : 579.

"♂♀. 7-8 mm. . . . Brazil, Para, Manaus, June, July, November; Peru, R. Napo, May (*Parish*); 8 ex. Near *cathidrota*, but without the dark head, thorax, and base of forewings."

Lectotype : A male, "Para, Brazil, *Parish*. 7-19." Slide No. 6201.

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.

Ascalenia synclina (Meyrick), new combination

Plate 274, Figures 4-4b

Promalactis synclina Meyrick, 1908, Journ. Bombay Nat. Hist. Soc., 18 : 807.

"♂♀. 9-10 mm., . . . Nilgiris, 3,500 feet (*Andrews*); H. Coorg, 3,500 feet (*Newcome*); in May and June, two specimens. Very like *parazeucta* . . ."

Lectotype : The male, "Dibidi, N. Coorg. *Newcome*. 18/6/06." Slide No. 7701. Very likely misplaced here but later revision is required for proper placement.

Figure 4, left wings; 4a, aedeagus; 4b, lateral aspect of male genitalia with aedeagus removed.

ITHOME Chambers

Ithome anthraceuta (Meyrick), new combination

Plate 273, Figures 1-1a

Cholotis anthraceuta Meyrick, 1915, Exotic Microlepidoptera, 1 : 330.

“ ♂. 7 mm. . . . Peru, Chosica, 2,800 feet, in July (*Parish*); five specimens.”

Lectotype : One of the above indicated males all of which bear identical data and are dated “ 7.14.” Slide No. 6198.

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*.

Ithome cathidrota (Meyrick), new combination

Plate 273, Figures 2-2b

Cholotis cathidrota Meyrick, 1915, Exotic Microlepidoptera, 1 : 329.

“ ♂♀. 8 mm. . . . British Guiana, Mallali, Georgetown, in March and April (*Parish*); two specimens.”

Lectotype : The female, “ Mallali, Brit. Guiana, Parish. .3.13.” Slide No. 6204. Both specimens are females.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, signa.

Ithome chersota (Meyrick), new combination

Plate 273, Figures 3-3a

Cholotis chersota Meyrick, 1915, Exotic Microlepidoptera, 1 : 330.

“ ♂♀. 10-11 mm. . . . Colombia, la Crumbre, 6,600 feet, in May (*Parish*); two specimens.”

Lectotype : The male. Slide No. 6206. Both are dated “ 5-14.”

Figure 3, left wings; 3a, lateral aspect of male genitalia with aedeagus *in situ*.

Ithome iresiarcha (Meyrick), new combination


Plate 273, Figures 4-4a

Cholotis iresiarcha Meyrick, 1915, Exotic Microlepidoptera, 1 : 329.

“ ♂♀. 7 mm. . . . British Guiana, Mallali, in March (*Parish*); four specimens.”

Lectotype : A male. Slide No. 6205. All bear identical data and are dated “.3.13.”


Figure 4, left forewing; 4a, lateral aspect of male genitalia with aedeagus *in situ*.



1



2




3



4




1a




2a



2b



3a




4a




1



1a



2



2a



3



3a



4



4a



4b

Ithome pelasta (Meyrick), new combination

Plate 274, Figures 2-2a

Cholotis pelasta Meyrick, 1915, Exotic Microlepidoptera, 1 : 329.

"♂♀. 7-8 mm. . . . British Guiana, Bartica, in January and February (*Parish*); four specimens."

Lectotype: The male dated ".1.13." Slide No. 6200.

Figure 2, left wings; 2a, oblique view of male genitalia with aedeagus *in situ*.

Ithome pignerata (Meyrick), new combination

Plate 274, Figures 3-3a

Ascalenia pignerata Meyrick, 1922, Exotic Microlepidoptera, 2 : 580.

"♂♀. 8 mm. . . . Brazil, Obidos, Parintins, Manaus; Peru, Jurimaguas, Lima; August to November and March (*Parish*); 8 ex."

Lectotype: A male, "Jurimaguas, Peru, Parish. .3.20." Slide No. 6197.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus *in situ*.

Continued from p. 555.

Ascalenia vadata Meyrick

Plate 272, Figures 4-4a


Ascalenia vadata Meyrick, 1922, Exotic Microlepidoptera, 2 : 580.

"♂. 8 mm. . . . Peru, Iquitos, May (*Parish*); 1 ex."

Type: The male indicated above dated, "5.20." Slide No. 6199.

Figure 4, left wings; 4a, lateral aspect of male genitalia with aedeagus *in situ*.

BLASTODACNIDAE



BLASTODACNA and NANODACNA

BLASTODACNA Wocke

Blastodacna bicristatella (Chambers)

Plate 275, Figures 2-2b

Gelechia bicristatella Chambers, 1875, Can. Ent., 7 : 210.*Blastodacna bicristatella* (Chambers), Hodges, 1962, Ent. Americana, 42 (new series) : 118.*Colonophora sublustris* Meyrick, 1922, Exotic Microlepidoptera, 2 : 576.

[sublustris]

“ ♂♀. 12-14 mm., . . . Ontario, Toronto, June (*Parish*); 14 ex.”*Lectotype*: A male dated “ 16.6.16.” Slide No. 6168.

Figure 2, left wings; 2a, aedeagus; 2b, lateral aspect of male genitalia with aedeagus removed.

NANODACNA Clarke

Nanodacna logistica (Meyrick), new combination

Plate 275, Figures 1-1b

Colonophora logistica Meyrick, 1931, Ann. Mus. Nacional de Hist. Nat. Buenos Aires, 36 : 387.

“ ♂. 11 mm. . . . Argentina, Territory Rio Negro, Lake Correntoso, November; 1 ex.”

Type: The above indicated specimen so marked in the British Museum, “ L. Correntoso. 18-25. xi.1926.” A second label reads, “ Argentina: Terr. Rio Negro. F. & M. Edwards. B.M. 1927-63.” A third label bears the word, “ TYPE.” Slide No. 6500.

Figure 1, left wings; 1a, aedeagus; 1b, ventral view of male genitalia with aedeagus removed (left harpe turned on edge).

Nanodacna vinacea (Meyrick), new combination

Plate 275, Figures 3-3b

Homaledra vinacea Meyrick, 1922, Exotic Microlepidoptera, 2 : 574.“ ♂. 19 mm., . . . Peru, Rio Napo, May (*Parish*); 1 ex.”*Type*: The above indicated specimen dated “ 5-20.” Slide No. 6151.

Figure 1, left wings; 1a, aedeagus; 1b, lateral aspect of male genitalia with aedeagus removed.

COLONOPHORA Meyrick

Colonophora Meyrick, 1914, Exotic Microlepidoptera, 1 : 280. (*Typus generis* : *Colonophora cateiata* Meyrick, l.c., p. 281 [by monotypy]).

Colonophora cateiata Meyrick

Plate 276, Figures 1-1d

Colonophora cateiata Meyrick, 1914, Exotic Microlepidoptera, 1 : 281.

“♂. 10-12 mm. . . Nyassaland, Mt. Mlanje, in January and February (*Neave*); three specimens. Type in British Museum.”

Type : The male so marked in the British Museum. Slide No. 9520.


Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, aedeagus; 1d, ventral view of male genitalia with aedeagus removed.



1




1a



1b





1c



1d

COLONOPHORA



PLATYBATHRA

PLATYBATHRA Meyrick

Platybathra Meyrick, 1912, Ann. Transvaal Mus., 3 : 78. (*Typus generis* : *Platybathra ganota* Meyrick, *ibid.* [by monotypy]).

Platybathra ganota Meyrick

Plate 277, Figures 1–1c

Platybathra ganota Meyrick, 1912, Ann. Transvaal. Mus. 3 : 78.

“♂♀. 15 mm. . . . Woodbush Village (Swierstra); in December, two specimens. Type in Coll. Meyrick.”

Lectotype : Male. “Woodbush, Transvaal. C. J. S. 11.12.09.” Slide No. 4537. The two original specimens are in the Meyrick collection and both are *males*; one without abdomen.

Figure 1, left wings; 1a, venation of right wings; 1b, lateral aspect of head showing palpus; 1c, ventral view of male genitalia with aedeagus *in situ*.

SYNTETRERNIS Meyrick

Syntetrernis Meyrick, 1922, Exotic Microlepidoptera, 2 : 573. (*Typus generis* : *Syntetrernis xiphodes* Meyrick, l.c., p. 574 [by original designation]).

Syntetrernis xiphodes Meyrick

Plate 278, Figures 1-1e

Syntetrernis xiphodes Meyrick, 1922, Exotic Microlepidoptera, 2 : 574.

“ ♂♀. 9-10 mm. . . . Peru, Iquitos, March (*Parish*); 20 ex.”

Lectotype : A male. Slide No. 6166. All specimens bear identical data and are dated “ 3.20.”

Figure 1, left wings; 1a, venation of right wings; 1b, anterior view of head showing palpus; 1c, aedeagus; 1d, lateral aspect of male genitalia with aedeagus removed; 1e, lateral aspect of male genitalia with aedeagus removed.

(Figure 1e is from the lectotype [aedeagus missing]; figures 1c and 1d are from a paralectotype.)

Syntetrernis neocompsa Meyrick


Plate 278, Figures 2-2b

Syntetrernis neocompsa Meyrick, 1933, Exotic Microlepidoptera, 4 : 428.

“ ♀. 17 mm. . . . Argentina, Alta Gracia (*C. Bruch*); 1 ex. A novel form.”

Type : The female indicated above with “ CB. .32 ” at the bottom of the pin-label. Slide No. 6153.

Figure 2, left wings; 2a, ventral view of female genitalia (ductus bursae and bursa copulatrix destroyed by museum pests); 2b, detail of genital plate and ostium.



SYNTETRETNIS

SCYTIRIDAE



1



1a



1b




1c



2



2a



2b




3



3a




3b



4



4a



4b

SCYTHRIS Hübner

Scythris anthracodelta Meyrick

Plate 279, Figures 1-1c

Scythris anthracodelta Meyrick, 1912, Ann. Transvaal Museum, 3 : 72.

“♂. 18 mm. . . . Woodbush Village (Swierstra); in December, one specimen.”

Type: The above indicated male labelled, “Haenertsburg, Transvaal, C. J. S. 13.12.09.” Slide No. 4528. Despite the apparent discrepancy in the locality name all other evidence points to the validity of the type specimen. Meyrick specifically states, “Type in Coll. Meyrick.”

Figure 1, left wings; 1a, 8th sternum; 1b, 8th tergum; 1c, lateral aspect of male genitalia with aedeagus *in situ*.

Scythris charon Meyrick

Plate 279, Figures 2-2b

Scythris charon Meyrick, 1918, Exotic Microlepidoptera, 2 : 156.

“♂♀. 8-9 mm. . . . North Carolina, Southern Pines, May; fourteen specimens.”

Lectotype: ♂, 8 mm. Slide No. 8064. All specimens bear identical data and are dated “.5.16.”

Figure 2, left wings; 2a, aedeagus; 2b, oblique view of male genitalia with aedeagus removed.

Scythris depressa Meyrick

Plate 279, Figures 3-3b

Scythris depressa Meyrick, 1931, Journ. Linnean Soc. London, 37 : 282.

“♂. 11 mm. . . . 1 ex., November.”

Type: The specimen referred to above, “Makthalawaiya, Paraguay. GSC. .11.26.” Slide No. 8061.

Figure 3, left wings; 3a, aedeagus; 3b, ventral view of male genitalia with aedeagus removed.

Scythris dimota Meyrick

Plate 279, Figures 4-4b

Scythris dimota Meyrick, 1931, Journ. Linnean Soc. London, 37 : 282.

“♂. 12 mm. . . . 2 ex., May.”

Lectotype: ♂, “Makthalawaiya, Paraguay. GSC. .5.27.” Slide No. 8062.

Figure 4, left wings; 4a, aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Scythris dividua Meyrick

Plate 280, Figures 1-1c

Scythris dividua Meyrick, 1916, Exotic Microlepidoptera, 2 : 12.

" ♂♀. 12-15 mm. . . . Peru, Oroya, 12,200 feet, in July (*Parish*); twelve specimens."

Lectotype: ♂, 13 mm. Slide No. 8054. All specimens bear identical data, " Oroya, Peru, 12,200' P. 7.14."

Figure 1, left wings; 1a, ventral view of male genitalia with aedeagus *in situ*; 1b, 8th sternum; 1c, 8th tergum.

Scythris ejiciens Meyrick

Plate 280, Figure 2

Scythris ejiciens Meyrick, 1928, Exotic Microlepidoptera, 3 : 412.

" ♀. 9 mm. . . . Peru, Cocabata, 12,000 feet."

Type: The above indicated specimen with the date ".20" in the lower right of the pin-label. The abdomen is missing.

Figure 2, left wings.

Scythris fissirostris Meyrick

Plate 280, Figures 3-3b

Scythris fissirostris Meyrick, 1928, Exotic Microlepidoptera, 3 : 413.

" ♂♀. 10-15 mm. . . . Texas, Alpine (5,000-7,000 feet), Forestburg; New Mexico, Bent, 7,000 feet; April, May, July, August, 40 ex. . . . nearly related to *dividua* Meyr. . . ."

Lectotype: ♂, 12 mm., " Brenster Co. Texas. 7,000 ft. .4-26." Slide No. 8066. Five specimens are missing.

Figure 3, left wings; 3a, aedeagus; 3b, oblique view of male genitalia with aedeagus removed.

Scythris fluvialis Meyrick


Plate 280, Figures 4-4c

Scythris fluvialis Meyrick, 1916, Exotic Microlepidoptera, 2 : 15.

" ♂♀. 12-13 mm. . . . Colombia, Cali, 500 feet, in May (*Parish*) two specimens. Allied to *nivisignata* Wals."

Lectotype: The male. Slide No. 8052. Both bear identical data and are dated ".5-14."


Figure 4, left wings; 4a, 8th sternum; 4b, 8th tergum; 4c, lateral aspect of male genitalia with aedeagus *in situ*.



1



1a




2



1b



1c




3



3a



3b



4




4a




4b




4c



1



2b



2



2a



3



3a



3b



4



4a



4b

Scythris fonticola Meyrick

Plate 281, Figure 1

Scythris fonticola Meyrick, 1921, Ann. Transvaal Museum, 3 : 72.

"♂. 13 mm. . . . Moorddrift (Swierstra); in October, one specimen. Type in Coll. Meyrick."

Type: The label of the type reads: Moorddrift, Transvaal, CJS. .10.09." The specimen is without abdomen.

Figure 1, left wings.

Scythris hemidietyas Meyrick

Plate 281, Figures 2-2b

Scythris hemidietyas Meyrick, 1928, Exotic Microlepidoptera, 3 : 414.

"♂♀. 12-14 mm. . . . Texas, Forestburg, July, August; 24 ex. Also one from Alpine, 8,000 feet, May, . . ."

Lectotype: ♂, 14 mm., "Forestburg, Texas. .7.27." Slide No. 8060. Three specimens are missing.

Figure 2, left wings; 2a, lateral aspect of male genitalia with aedeagus *in situ*; 2b, lateral view of posterior segments showing modifications of 8th tergum and sternum.

Scythris immunis Meyrick

Plate 281, Figures 3-3b

Scythris immunis Meyrick, 1916, Exotic Microlepidoptera, 2 : 13.

"♂♀. 9 mm. . . . Peru, Oroya, 12,200 feet, in July (*Parish*); three specimens."

Lectotype: ♂. Slide No. 8056. The three specimens bear identical data, are dated, ".7.14" and all are males.

Figure 3, left wings; 3a, 8th sternum; 3b, lateral aspect of male genitalia with aedeagus *in situ*.

Scythris inanima Meyrick

Plate 281, Figures 4-4b

Scythris inanima Meyrick, 1916, Exotic Microlepidoptera, 2 : 13.

"♂. 10 mm. . . . Peru, Huancayo, 10,650 feet, in July (*Parish*); one specimen."

Type: The above indicated male, "Huancayo, Peru. P. 10,650' .7.14." Slide No. 8051.

Figure 4, left wings; 4a, lateral aspect of aedeagus; 4b, ventral view of male genitalia with aedeagus removed.

Scythris medullata Meyrick

Plate 282, Figures 1-1b

Scythris medullata Meyrick, 1916, Exotic Microlepidoptera, 2 : 13.

"♂♀. 11-12 mm. . . . Colombia, Cali (500 feet), Caldas (4,400 feet), La Crumbre (6,600 feet), in May; Ecuador, Huigra, 4,500 feet, in June; Peru, Lima (500 feet), Chosica (2,800 feet), in July and August (*Parish*); eighty specimens. . . ."

Lectotype: ♂. 11 mm., "Lima, Peru. 500 ft., *Parish*. .8-14." Slide No. 8055. Only 13 specimens remain in the Meyrick collection.

Figure 1, left wings; 1a, 8th sternum; 1b, ventral view of male genitalia with aedeagus *in situ*.

Scythris mixaula Meyrick

Plate 282, Figures 2-2b

Scythris mixaula Meyrick, 1916, Exotic Microlepidoptera, 2 : 14.

"♂. 19-22 mm. . . . Colorado, 5,000 feet; three specimens."

Lectotype: ♂, 19 mm., "Colorado. R. .07." Slide No. 8057.

Figure 2, left wings; 2a, lateral aspect of posterior abdominal segments showing modification of 8th sternum and tergum; 2b, ventral view of male genitalia with aedeagus *in situ*.

Scythris notorrhoea Meyrick

Plate 282, Figures 3-3c

Scythris notorrhoea Meyrick, 1921, Exotic Microlepidoptera, 2 : 441.

"♂♀. 10-12 mm. . . . Brazil, Obidos, Parintins, Manaos, August to November (*Parish*); 80 ex."

Lectotype: ♂, 10 mm., . . . "Manaos, Brazil. *Parish*. 11.19." Slide No. 8065. Only 20 specimens remain in the Meyrick collection.

Figure 3, left wings; 3a, ventral view of male genitalia with aedeagus *in situ*; 3b, 8th tergum; 3c, 8th sternum.

Scythris oxyplecta Meyrick

Plate 282, Figures 4-4b

Scythris oxyplecta Meyrick, 1916, Exotic Microlepidoptera, 2 : 14.

"♂♀. 18 mm. . . . Florida; two specimens."

Lectotype: ♀, "Florida, R. .06." Slide No. 8058. The abdomen of the male is missing.

Figure 4, left wings; 4a, ventral view of female genitalia; 4b, detail of ostium and genital plate.




1




1a



1b



2



2a



2b



3




3a



3b



3c



4




4a



4b


SCYTHIRIS




1



1a




1b




2




2a




2b



3



3a



3b


3c



4



4a



4b

3d

Scythris piratica Meyrick

Plate 283, Figures 1-1b

Scythris piratica Meyrick, 1928, Exotic Microlepidoptera, 3 : 414.

"♂♀. 12 mm. . . . New Mexico, Mescalero, 7,000 feet, August to October, 3 ex. (1♂, 2♀)."

Lectotype : ♀, "Mescalero, New Mexico. 7,000' .8.27." Slide No. 8059.

Figure 1, left wings; 1a, ventral view of female genitalia; 1b, detail of ostium and genital plate.

Scythris plocogastra Meyrick

Plate 283, Figures 2-2b

Scythris plocogastra Meyrick, 1931, Journ. Linnean Soc. London, 37 : 282.

" . . . 12 mm. . . . 1 ex., May."

Type : The above indicated specimen, "Makthalawaiya, Paraguay. GSC. .5.27." Slide No. 8063.

Figure 2, left wings; 2a, ventral view of female genitalia; 2b, detail of ostium and genital plate.

Scythris tibicina Meyrick

Plate 283, Figures 3-3d

Scythris tibicina Meyrick, 1916, Exotic Microlepidoptera, 2 : 12.

"♂♀. 12-13 mm. . . . Peru, Chosica, 2,800 feet, in July (*Parish*); seventeen specimens."

Lectotype : ♂, 13 mm. Slide No. 8053. Four specimens are missing, the remainder bear identical data and are dated, ".7.14."

Figure 3, left wings; 3a, 8th sternum; 3b, 8th tergum; 3c, ventral view of male genitalia with aedeagus removed; 3d, aedeagus.

Scythris zeugmatica Meyrick

Plate 283, Figures 4-4b

Scythris zeugmatica Meyrick, 1931, Exotic Microlepidoptera, 4 : 179.

"♂. 10 mm. . . . Brazil, Santarem, August (*Parish*); 1 ex."

Type : The above indicated male, dated "8.19." Slide No. 8050.

Figure 4, left wings; 4a, 8th sternum; 4b, ventral view of male genitalia with aedeagus *in situ*.



